



Small Grains Summary Methodology and Quality Measures

ISSN: 2167-180x

Released January 22, 2026, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Scope and Purpose: Estimates of small grains acreage and production are derived from the Agricultural Survey. The Agricultural Survey is a quarterly survey (March, June, September, and December) conducted in all states, except Hawaii, but the estimates that are published in the Small Grains Summary are all collected during the September survey. The Agricultural Survey also collects on farm grain stocks and storage capacity each quarter. Reports received from individual farmers and ranchers remain confidential and are used only in combination with other reports to arrive at State and National estimates.

The use of crop acreage, production, and stocks information is extensive and varied. It helps producers find the best market opportunities for their commodities. Often, recommendations and forecasts presented in agricultural magazines, news releases, etc. are based on data from the Agricultural Survey found in NASS reports. Uses of data by farm organizations, financial institutions, insurance companies, agribusinesses, State and National farm policy makers, and buyers of agricultural products may range from maintaining a basic data series to preparing marketing campaigns and determining needs and rates on farm loans and insurance policies. Government agencies at various levels are important users of statistics. Federal farm programs require information on acreage, production potential, stocks, prices, and income. Agricultural statistics are used to plan and administer Federal and State programs in areas such as consumer protection, conservation, foreign trade, education, and recreation.

Timeline: The reference date for the September Agricultural survey is the first of the month with a data collection period of approximately 15 calendar days. Regional Field Offices (RFOs) may begin data collection two days prior to the reference date. Data collection continues until a scheduled ending date, and RFOs have about 4 or 5 business days to complete editing and analysis, execute the summary, and interpret the survey results. The Agricultural Statistics Board (ASB) conducts the National review, reconciles State estimates to the National estimates, and prepares the official estimates for release in 5 or 6 business days. The Small Grains Summary is released at the end of September. The publication contains annual U.S. data for acreage and production for wheat, barley, oats, and rye.

Sampling: The target population for the Agricultural Survey is farms with cropland and/or storage capacity. NASS uses a dual frame approach, consisting of list frame and area frame components, to provide complete coverage of this target population.

The list frame includes all known farms. Crop acreages, storage capacity, and other agricultural data of each farm are maintained on the list frame to allow NASS to define list frame sampling populations for specific surveys and to employ efficient sampling designs. Only list frame records with positive cropland acres or storage capacity of the desired commodities are included in the list frame population. A lower boundary, such as 50 acres of total cropland or 1,000 bushels of grain storage capacity, is used for some States to establish the list frame sampling population.

The area frame contains all land in the State and, as such, is complete. The land is stratified according to intensity of agriculture using satellite imagery and sampled to effectively measure crops and livestock. All sampled land areas are enumerated in the June Area Survey (JAS). The farms found operating in these segments are checked to see if they are included in the list frame population. The farms that are not included in the list frame sampling population are sub-sampled for the March, September, and December surveys so that the target population is completely represented. These farms are referred to as the nonoverlap portion of the area frame (NOL). The area frame portion of the Agricultural Survey sample is selected from the NOL using a stratified sample design based on data collected in the JAS. A final sampling weight is assigned to each area frame sampling unit which is used to create the survey estimates.

The Agricultural Survey list frame sample is selected using a multivariate probability proportional to size (MPPS) sampling scheme. Each list frame record is assigned a measure of size based on the frame data for multiple specified commodities. The MPPS design makes it very easy to target sample sizes for the commodities of interest. It is an efficient design because farms will have a more optimal probability of selection based upon their individual commodities and size. A replication scheme is used to reduce respondent burden and to provide indications of change by comparing reports from the same farm operators. Specific replicates are designated as a stocks panel to accurately measure change in stocks from quarter to quarter.

After the list frame samples are drawn, the sample weights are calibrated so the sum of the weighted commodities in the sample equals the sum of the list frame data for the targeted commodities for each quarter. For example, the sum of the weighted list frame data for winter wheat acreage equals the sum of the population list frame data. All list frame records in the sample are grouped into strata based on the amount of cropland and capacity they have on the list frame. These strata are only used for nonresponse adjustments.

For each commodity, target coefficients of variation (CVs) are determined in advance of sampling to provide a certain level of precision for the acreage estimates. The CV is defined as the ratio of the standard error to the estimate expressed as a percentage. At the U.S. level, the target CV for Durum wheat planted acres is 6%, the other spring wheat target CV is 2.5%, and the winter wheat target CV is 1.5%. Each year, the final survey CVs are examined against the target CVs to see if any modifications to the sampling procedures are needed. CVs at the State level are expected to be higher than the U.S. level estimates due to the smaller sample sizes, and State level target CVs are set accordingly. Over the last decade, the U.S. level survey CVs have ranged from 5.1% to 8.2% for Durum wheat, from 2.6% to 4.4% for other spring wheat, and 1.5% to 2.4% for winter wheat.

Data Collection: All Regional Field Offices (RFO) use the same standardized questionnaire for data collection. For consistency across modes, the paper version is considered the master questionnaire and the Computer Assisted Self Interview (CASI), mobile Computer Assisted Telephone Interview (mCATI), and Computer Assisted Telephone Interview (CATI) instruments are built to model the paper questionnaire. Questionnaire content and format are evaluated annually through a specifications process where requests for changes are evaluated and approved or disapproved. Input may vary from question wording or formatting to a program change involving the deletion or modification of current questions or addition of new ones. If there are significant changes to either the content or format proposed, a NASS survey methodologist will pre-test the changes for usability. Prior to the start of data collection, all modes of instruments are reviewed, and CASI, mCATI, and CATI instruments are thoroughly tested.

All federal data collections require approval by the Office of Management and Budget (OMB). NASS must document the public need for the data, apply sound statistical practice, prove the data does not already exist elsewhere, and ensure the public is not excessively burdened. The questionnaires must display an active OMB number that gives NASS the authority to conduct the survey, a statement of the purpose of the survey and the use of the data being collected, a response burden statement that gives an estimate of the time required to complete the form, a confidentiality statement that the respondent's information will be protected from disclosure, and a statement saying that response to the survey is voluntary and not required by law.

In addition to asking the specific acreage and production questions, all instruments collect information to verify the sampled unit, determine any changes in the name or address, identify any partners to detect possible duplication, verify the farm still qualifies for the target population, and identify any additional operations operated by the sampled operator.

Sampled farms and ranches receive a cover letter with the questionnaire mailing explaining the survey and providing instructions for completing the survey on the internet. The letter also notifies them that they will be contacted for survey purposes only if they do not return the questionnaire or complete the survey on the web. All modes of data collection are utilized for each survey. While mail and web data collection are the least costly methods of data collection, the short data collection period and the uncertainty of postal delivery times limits the effectiveness of collecting data by mail. Most of the data are collected by CATI in one of the five Data Collection Centers. Limited personal interviewing may be done, generally for large operations or those with special handling arrangements. A coordination tool is available to determine if any sampled farms are in multiple on-going surveys, so data collection can be coordinated.

Survey Edit: As survey data are collected and captured, data are edited for consistency and reasonableness using automated systems. The edit logic ensures the coding of administrative data follows the methodological rules associated with the survey design. Relationships between data items (i.e., responses to individual questions) on the current survey are verified. Some data items in the current survey are compared to data items from earlier surveys to ensure certain relationships are logical. The edit assigns a status to each record, indicating whether the record passes or fails the edit requirements for consistency and reasonableness. Records that fail edit requirements must be updated or must be certified by an analyst to be exempt from the failed edit requirement. All records must pass edit requirements, or be certified exempt, before further analysis and summary.

Analysis Tools: Edited data are processed and analyzed separately through standard interactive analysis tools which display data for all reports by item. The tools provide scatter plots, tables, charts, and special tabulations that allow the analyst to compare record level data with previously reported data for the same record and reported data from similar records. Atypical responses, unusual data relationships, and statistical outliers for all items are revealed by the analysis tool. RFO and Headquarters staff review such relationships to determine if they are correct. Data found to be in error are corrected, while accepted data are retained.

Nonsampling Errors: Nonsampling error is present in any survey process. This error includes reporting, recording, and editing errors, as well as nonresponse error. Steps are taken to minimize the impact of these errors, such as questionnaire testing, comprehensive interviewer training, validation and verification of processing systems, application of detailed computer edits, and evaluation of the data via the analysis tool. The respondent pool is monitored and reviewed during and after data collection, and data collection strategies modified where necessary, to continually minimize nonresponse error.

Estimators: Response to the Agricultural Survey is voluntary. Some producers refuse to participate in the survey. Others cannot be located during the data collection period, and some submit incomplete reports. These nonrespondents must be accounted for if accurate estimates of acreage and production are to be made. For the Agricultural Survey, nonrespondents are accounted for by imputing data where there are missing values.

The imputation program imputes for missing survey data using previously reported survey data or data from similar reports with complete data. The algorithm defines “imputation groups” for list frame records as Agricultural Statistics Districts (ASD) and within the strata assigned at the time of sampling. Operations in the strata with the most capacity and cropland do not form homogeneous groups and are not eligible for machine imputation. If multiple follow ups do not produce a response, RFO statisticians are required to manually impute. Area frame records are grouped for imputation using ASD and similar strata.

Cropland is imputed first for the nonrespondent. When available, previously reported cropland is used. Otherwise, the weighted ratio of current survey cropland to the list frame data value for cropland is calculated from the respondents in an imputation group. This ratio is applied to the nonrespondent’s frame cropland to derive the imputed value for the current survey. If the nonrespondent does not have previously reported or list frame cropland, the weighted mean value of the respondents in an imputation group is used to impute. Missing crop acres are imputed similarly by applying the respondents’ weighted ratio of crop acres to cropland within each imputation group to the nonrespondent’s reported or imputed cropland. Production is imputed by applying the weighted mean yield of the respondents in the imputation group to the respondent’s reported or imputed harvested acres. An imputation group must have 20 or more respondents before it is used to impute acres and five or more respondents before it is used to impute production. List frame records with insufficient response are collapsed across ASD and, if there is still insufficient response, collapsed with adjacent strata. NOL records with insufficient response are collapsed across strata and, if there is still insufficient response, collapsed across ASD.

Two kinds of estimators are used for acreage and production in the Agricultural Survey: direct expansions and ratio estimators. Direct expansions are used to estimate totals such as total winter wheat acres and production. For the list frame, direct expansions are calculated by summing the reported and imputed commodity values multiplied by the original sample weights. For the NOL sample, the direct expansion is calculated by summing the total farm data for each tract operation multiplied by the original sample weights adjusted for the proportion of the operation’s total farmland found in the area sample. The multiple frame direct expansion is the sum of the direct expansions from the list frame and

the area frame NOL component. Variances and CVs are calculated using non-imputed data only for the direct expansions to measure the precision of the acreage and production estimates. U.S. level CVs from the Agricultural Survey for the last two years are displayed in the tables on pages 7 through 10 of this report.

The ratio estimator takes the form of a ratio of two direct expansions which are calculated by summing over the total sample (list + NOL), the reported commodity values multiplied by the original sample weights adjusted for usability status. The ratio estimator is used for all within and across-survey ratios (e.g., Yield and Current to Previous Acres). This estimator relies exclusively on reported data. For the survey-to-survey ratios, both the current and previous survey data must be reported or estimated to be included in the ratio. If either of these components is not complete, the sampling unit is excluded from the estimate and the weights of the complete records are adjusted accordingly.

The reweighting of the record level sample weight is made within the strata. The adjustment is calculated by summing the weights for all sample records within the strata and dividing by the sum of the weights from the usable records. This ratio is applied to the weights of the usable records. This adjustment assumes that the data of the nonrespondents are similar to the data of the respondents. CVs are also calculated for any ratio estimates in the summary. One advantage of the ratio estimator is that the CVs tend to be smaller than those for the direct expansions.

The calculated CVs capture the relative uncertainty that originates from sampling the target population and the loss of sample from nonresponse. However, the CVs do not capture the effect of possible reporting errors or errors that may arise from nonrespondents making fundamentally different planting or harvesting decisions than respondents within imputation or nonresponse adjustment groups.

Estimation: When all samples are accounted for, all responses fully edited, and the analysis material is reviewed, each RFO executes the summary for their States for each survey. When all RFOs have run summaries, Headquarters executes the National summary. Since all States conduct identical surveys, the samples can be pooled, and National survey results computed. The summary results provide multiple point estimates and corresponding standard errors for each data series being estimated. It also provides information used to assess the performance of the current survey and evaluate the quality of the survey results, such as strata level expansions, response rates, and percent of the expansion from usable reports.

RFO staff are responsible for performing a detailed review of their survey results. Any irregularities revealed by the summary must be investigated and, if necessary, resolved. Using the historical relationship of the survey results to the official estimate, RFO staff must interpret the survey results and submit a recommended estimate to Headquarters for any commodity produced in their States that contributes to the published National estimate. The data are viewed in tabular and graphical form and a consensus estimate is established. RFO staff see their survey results only and do not have access to other States' results. For some data series, information from other sources (administrative data) is also utilized in the process of establishing estimates.

For the National estimates, NASS assembles a panel of statisticians to serve as the ASB which reviews the National results and establishes the National estimates. Since larger sample sizes yield more precise results, NASS employs the "top-down" approach by determining the National estimates first and reconciling the State estimates to the National estimate. The ASB has the advantage of being able to examine results across States, compare the State recommendations, and utilize administrative data available only at the U.S. level. The same estimators used in the State summaries are produced by the National summary. The ASB follows the same approach as the States in determining the National estimate. The historical relationship of the survey results to the official estimate is evaluated over time to determine accuracy and bias using tables and graphs. Each ASB member completes an independent interpretation of the survey results which are shared with the other members. Differing conclusions are discussed, and members must explain the logic behind their estimate. An official National estimate is established only upon ASB consensus. Often the State recommendations do not sum to the National estimate. ASB members must reexamine the State results and adjust some States to make the sum of the estimates agree with the National estimate.

External information (administrative data) is also utilized in this process. To be considered, these data must be deemed to be reliable and come from unbiased sources. Thus, they are often of limited use prior to the end of the season. The most common administrative data are the certified acreage data from USDA's Farm Service Agency. However, data from many different sources are utilized.

Estimates are open to revision the following year only if new information becomes available. Estimates will also be reviewed following the 5-year Census of Agriculture, which is an exhaustive data collection effort of all known farm operations across the U.S. The information gathered from the Census of Agriculture provides the last chance for revision.

Quality Metrics for Small Grains Summary

Purpose and Definitions: Under the guidance of the Statistical Policy Office of the Office of Management and Budget (OMB), the United States Department of Agriculture's National Agricultural Statistics Service (NASS) provides data users with quality metrics for its published data series. The metrics tables below describe the performance data for all surveys contributing to the publication. The accuracy of data products may be evaluated through sampling and nonsampling error. The Agricultural Survey CVs measure the error due to sampling as well as some nonsampling error. Nonsampling error is also evaluated by examining survey response rates and the weighted item response rates.

Sample size is the number of observations selected from the population to represent a characteristic of the population. Operations that did not have the item of interest or were out of business at the time of data collection have been excluded.

Response rate is the proportion of the above sample that completed the survey. This calculation follows Guideline 3.2.2 of the OMB Standards and Guidelines for Statistical Surveys (September 2006).

Weighted item response rate is a ratio of reported survey data expanded by the original sampling weight compared to final nonresponse adjusted summary totals.

Coefficient of variation provides a measure of the size for the standard error relative to the point estimate and is used to measure the precision of the results of a survey estimator.

**September Agricultural Survey Sample Size and Response Rate - States and United States:
2024 and 2025**

State	Sample Size		Response Rate	
	2024	2025	2024	2025
	(number)	(number)	(percent)	(percent)
Alabama	715	706	58.6	54.1
Alaska	150	152	54.0	56.6
Arizona	323	296	71.5	52.7
Arkansas	1,216	1,234	59.5	46.8
California	1,334	1,264	47.5	59.5
Colorado	1,065	1,067	52.7	47.4
Delaware	228	234	25.4	50.0
Florida	422	428	40.5	51.4
Georgia	1,091	1,150	50.9	48.5
Idaho	1,319	1,340	48.8	40.4
Illinois	2,312	2,283	42.9	41.8
Indiana	2,005	2,071	43.7	43.4
Iowa	2,585	2,587	47.5	53.0
Kansas	2,597	2,577	39.0	40.0
Kentucky	1,199	1,242	53.5	50.1
Louisiana	836	755	56.7	51.1
Maine	218	252	49.5	56.3
Maryland	677	712	40.2	52.1
Michigan	1,410	1,399	49.6	47.5
Minnesota	2,166	2,149	42.1	46.0
Mississippi	1,089	1,060	59.5	46.5
Missouri	2,354	2,334	37.9	39.9
Montana	1,822	1,866	45.6	40.1
Nebraska	2,319	2,347	43.8	43.0
New Jersey	318	332	53.8	51.2
New Mexico	530	479	49.6	47.6
New York	1,007	989	46.1	53.3
North Carolina	1,126	1,106	60.7	54.2
North Dakota	2,543	2,568	35.5	36.6
Ohio	1,462	1,473	49.8	48.5
Oklahoma	2,114	2,126	58.8	52.7
Oregon	749	728	52.2	43.8
Pennsylvania	1,329	1,338	55.2	50.8
South Carolina	874	876	64.8	55.9
South Dakota	2,294	2,250	43.3	37.2
Tennessee	998	966	52.7	49.3
Texas	3,323	3,312	56.8	46.2
Utah	605	575	68.4	65.7
Virginia	961	963	52.1	49.3
Washington	1,235	1,289	40.8	38.6
West Virginia	339	343	78.2	53.9
Wisconsin	2,049	2,026	54.9	53.9
Wyoming	470	488	57.4	46.3
United States	55,778	55,732	49.0	46.6

Quality Metrics for Durum Wheat Area Harvested - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Arizona	82.6	64.8	0.2	(Z)
California	58.1	84.6	4.9	1.3
Montana	39.0	34.9	0.7	3.8
North Dakota	32.5	35.4	(Z)	0.7
United States	36.9	36.4	0.3	1.6

(Z) Less than half of the unit shown.

¹ Weighted item response rate based on harvested acres.

² CV for the ratio of harvested acres to planted acres.

Quality Metrics for Durum Wheat Production and Yield - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Arizona	60.6	46.0	2.1	3.2
California	43.2	74.6	7.6	4.8
Montana	34.9	30.3	5.1	8.5
North Dakota	30.6	32.1	2.5	3.2
United States	34.3	33.6	4.5	3.8

¹ Weighted item response rate based on reported production.

² CV for yield ratio.

Quality Metrics for Other Spring Wheat Area Harvested - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Idaho	37.6	34.5	0.2	0.9
Minnesota	40.3	46.7	0.2	4.2
Montana	38.7	39.4	2.3	2.4
North Dakota	38.2	43.9	1.0	0.3
South Dakota	38.3	37.8	0.8	2.1
Washington	38.6	47.7	0.5	0.4
United States	38.6	42.8	0.7	0.7

¹ Weighted item response rate based on harvested acres.

² CV for the ratio of harvested acres to planted acres.

Quality Metrics for Other Spring Wheat Production and Yield - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Idaho	34.4	29.1	4.5	5.7
Minnesota	36.1	44.2	3.2	1.4
Montana	36.5	34.3	2.9	4.0
North Dakota	33.9	40.2	1.2	2.0
South Dakota	35.4	35.4	4.2	3.0
Washington	34.6	44.9	4.3	3.7
United States	34.7	39.3	1.7	1.8

¹ Weighted item response rate based on reported production.

² CV for yield ratio.

Quality Metrics for Winter Wheat Area Harvested - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Alabama	59.6	78.5	20.2	14.0
Arkansas	69.8	70.6	9.5	9.4
California	59.2	78.8	19.1	10.2
Colorado	54.3	54.3	1.6	0.9
Delaware	24.3	58.5	11.8	11.3
Georgia	56.8	77.8	14.4	28.7
Idaho	42.1	36.9	1.0	0.5
Illinois	54.2	48.3	1.3	2.7
Indiana	57.4	63.7	9.1	7.7
Kansas	38.0	40.9	0.7	1.6
Kentucky	56.0	55.1	5.9	6.1
Maryland	41.9	64.4	6.6	16.4
Michigan	55.8	56.2	2.2	3.4
Mississippi	66.5	70.6	23.1	14.1
Missouri	48.5	49.6	11.1	5.6
Montana	49.7	47.3	1.6	0.9
Nebraska	49.3	49.6	1.8	2.7
New Mexico	31.4	46.7	11.6	12.5
New York	48.7	57.6	2.8	8.4
North Carolina	54.8	60.7	4.5	6.3
North Dakota	48.6	46.8	1.3	5.3
Ohio	58.2	59.6	4.6	1.9
Oklahoma	60.5	55.3	4.9	4.8
Oregon	46.4	48.6	1.4	0.3
Pennsylvania	60.9	58.7	5.5	4.3
South Carolina	73.4	71.8	3.5	6.6
South Dakota	44.1	42.2	2.7	2.5
Tennessee	57.7	61.6	4.4	4.7
Texas	55.5	48.6	6.6	9.2
Utah	85.8	70.4	8.9	6.1
Virginia	48.0	61.7	8.5	8.4
Washington	41.5	44.6	0.3	0.3
Wisconsin	57.6	58.7	4.6	2.0
Wyoming	37.2	43.8	7.8	5.2
United States	48.9	48.7	1.1	1.4

¹ Weighted item response rate based on harvested acres.

² CV for the ratio of harvested acres to planted acres.

³ Estimates discontinued in 2024.

Quality Metrics for Winter Wheat Production and Yield - States and United States: 2024 and 2025

State	Weighted Item Response Rate ¹		Coefficient of Variation ²	
	2024	2025	2024	2025
	(percent)	(percent)	(percent)	(percent)
Alabama	45.6	72.6	3.5	2.9
Arkansas	52.9	63.3	2.9	4.4
California	40.4	64.1	6.0	6.4
Colorado	48.1	50.6	2.9	2.8
Delaware	14.6	46.1	5.3	3.4
Georgia	38.1	76.1	2.0	3.4
Idaho	39.1	36.2	7.0	4.3
Illinois	49.6	47.2	2.7	1.4
Indiana	48.6	56.0	1.9	1.6
Kansas	34.4	38.9	2.1	1.8
Kentucky	43.0	50.6	1.6	1.0
Maryland	32.2	58.0	2.6	3.6
Michigan	52.3	54.1	2.1	2.3
Mississippi	60.4	32.2	7.9	4.0
Missouri	45.6	45.7	3.7	1.3
Montana	47.3	45.3	3.8	2.4
Nebraska	45.4	47.8	3.5	2.7
New Mexico	18.5	33.0	20.4	6.0
New York	38.8	53.6	2.9	2.5
North Carolina	49.6	53.4	2.5	2.9
North Dakota	40.6	29.3	9.2	4.2
Ohio	51.9	55.8	1.5	1.1
Oklahoma	54.4	46.1	1.9	2.8
Oregon	41.6	47.9	5.3	4.2
Pennsylvania	46.2	53.7	9.8	1.8
South Carolina	62.2	61.0	2.9	3.1
South Dakota	40.4	43.1	2.9	5.7
Tennessee	37.8	54.8	1.7	1.8
Texas	41.5	28.4	2.4	4.3
Utah	66.4	54.0	7.9	8.6
Virginia	41.1	52.4	3.2	5.2
Washington	35.4	37.6	4.5	2.5
Wisconsin	46.2	53.3	1.4	2.6
Wyoming	38.0	39.5	10.8	15.5
United States	42.3	43.5	1.1	1.0

¹ Weighted item response rate based on reported production.

² CV for yield ratio.

³ Estimates discontinued in 2024.

Information Contacts

Process	Unit	Telephone	Email
Estimation	Crops Branch	(202) 720-2127	HQ_SD_CB@usda.gov
Data Collection	Survey Administration Branch	(202) 690-4847	HQ_CSD_SAB@usda.gov
Questionnaires	Data Collection Branch	(202) 720-6201	HQ_CSD_DCB@usda.gov
Sampling and Editing	Sampling, Editing, and Imputation Methodology Branch	(202) 690-8141	HQ_CSD_SB@usda.gov
Analysis and Estimators	Summary, Estimation, and Disclosure Methodology Branch	(202) 690-8141	HQ_SD_SMB@usda.gov
Dissemination	Data Dissemination Office	(202) 720-3869	HQSDOD@usda.gov
Media Contact and Webmaster	Public Affairs Office	(202) 720-2639	HQOAPAO@usda.gov

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: www.nass.usda.gov.
- The national specific reports are available via a free e-mail subscription. To set-up this free subscription, visit www.nass.usda.gov and click on “National” in upper right corner above “search” box to create an account and select the reports you would like to receive.
- Economics, Statistics, and Market Information (ESMIS) – National Agricultural Library (NAL) website houses NASS’s and other agency archived reports at <https://esmis.nal.usda.gov>. All email subscriptions containing reports will be sent from <https://esmis.nal.usda.gov>. To receive the reports via e-mail, you will have to go to the website, create a new account and subscribe to the reports. You should whitelist notifications@esmis.nal.usda.gov in your email client to avoid the emails going into spam/junk folders.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@usda.gov.

If you have specific questions you would like an expert to respond to, please visit our “Ask A Specialist” website at www.nass.usda.gov/Contact_Us/Ask_a_Specialist.

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at [How to File a Program Discrimination Complaint](#) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.