

# United States Department of Agriculture National Agricultural Statistics Service

## California Crop Progress & Condition



Cooperating with the California Department of Food and Agriculture

Pacific Region • 650 Capitol Mall, Suite 6-100 • Sacramento, CA 95814 • (916) 738-6600 • (855) 270-2722 FAX • <a href="https://www.nass.usda.gov/ca">www.nass.usda.gov/ca</a>

WEEK ENDING: August 6, 2023 FREQUENCY: Weekly RELEASED: August 7, 2023 VOL. 44 NO. 19

#### **WEATHER**

Average low temperatures for California ranged from 31 to 65 in the mountains, 49 to 73 along the coast, 53 to 88 in the desert, and 56 to 82 in the Central Valley. Average high temperatures for the state ranged from 47 to 91 in the mountains, 63 to 103 along the coast, 85 to 104 in the Central Valley, and 95 to 113 in the desert. From the California Department of Water Resources as of July 31, snowpack water content was 0.00 inches in the Northern Sierra, Central Sierra, and Southern Sierra.

#### **FIELD CROPS**

High temperatures increased the need for irrigation. In the Sacramento Valley, **rice** harvest was delayed due to late planting. **Alfalfa** was cut and baled. In Stanislaus County, silage **corn** was progressing well, and harvest began. Alfalfa was harvested for silage and dried for hay. Silage corn, **sorghum**, and **sudan grass** were sprayed for weeds. In the San Joaquin Valley, **cotton** bolls were setting and bloom continued. In Tulare County, cotton and corn silage fields were cultivated and treated for weeds. Harvested grain fields were fertilized, tilled, and planted with summer silage crops such as corn and sorghum. Cotton continued to develop. Corn fields grew rapidly. Alfalfa was cut, raked, and baled.

#### **FRUIT CROPS**

Table **grapes** were harvested. Vineyards continued to be thinned to allow for additional sunlight exposure. Raisin grape varieties steadily developed. Cherry orchards and wine grape vineyards were sprayed for weeds. **Nectarine**, **peach**, and **plum** harvests continued. Late stone fruit varieties continued to develop. Some growers placed reflective tarps on orchard floors to improve color in developing fruit. **Kiwifruit** vineyards were tied and irrigated. **Apples**, **pears**, **pomegranates**, and **persimmons** continued to develop. Some apples and pears were harvested. **Olive** trees were trimmed. **Blueberries** were harvested. Some blueberry fields with older plants were replaced. Valencia **oranges**, **lemons**, **grapefruit**, and **mandarins** were picked and packed. Some orange trees were topped and skirted.

#### **NUT CROPS**

Scattered showers across the state helped orchard soil stay moist amidst high temperatures and dry winds. **Almond** hull split was widespread across the state. Growers continued orchard floor cleanup to prepare for harvest. **Walnuts, pistachios,** and **pecans** continued to mature. Some walnut growers sprayed for codling moth and watched for mites.

#### **VEGETABLE CROPS**

Tomato harvest continued in the Sacramento Valley. Sweet corn, watermelon, and snap bean harvest began. In Stanislaus County, pumpkins began to bloom. Sweet potatoes and tomatoes continued to develop. Cantaloupe, honeydew, watermelon, and garlic harvests continued. In the San Joaquin Valley, bell pepper harvest continued. In Tulare County, sweet corn, onions, squash, cucumbers, peppers, and tomatoes were harvested. Tomato plants were irrigated and treated for pests. Processing tomatoes began to ripen and harvest was underway. Carrot harvest continued in Kern County. Broccoli, celery, and cauliflower harvests continued and brussel sprout harvest began along the Central Coast. Lettuce harvest continued with some reports of quality issues. Brussel sprouts, lettuce, celery, and carrots were planted for late-season harvest.

#### **LIVESTOCK**

Dry summer days continued to deteriorate non-irrigated pasture quality. Foothill rangeland and non-irrigated pasture were reported to be in good to fair condition. Irrigated pasture remained in good to excellent condition. Cattle grazed primarily on low and mid-elevation range. Bees were active in squash, melon, and sunflower fields. Sheep grazed on fallow fields and retired farmland.

CALIFORNIA CROP WEATHER – WEEK ENDING AUGUST 6, 2023											
	TEMPERATURE				GROWING DEGREE DAYS <sup>1</sup> AT 50 °F BASE <sup>2</sup>		RAIN DAYS <sup>3</sup>	PRECIPITATION <sup>4</sup>			
STATIONS	Average for Week	Departure from	High	Low	This Year	Normal Year <sup>5</sup>	This Season	This Week Week	This Season	Normal Season <sup>5</sup>	Normal Year <sup>5</sup>
	Ending Aug 6, 2023	Normal <sup>5</sup>	High	LOW	Jan 1 - Aug 6, 2023	Jan 1 - Aug 6, 2023	Oct 1 - Aug 6, 2023	Ending Aug 6, 2023	Oct 1 - Aug 6, 2023	Oct 1 - Aug 6	Oct 1 - Sept 30
	-	<ul> <li>Degrees Fa</li> </ul>	hrenheit		Number		Days	Inches of Precipitation			
North Coast											
Eureka WFO	61	2	67	54	707	673	120	0.00	39.59	39.56	40.61
Ukiah	76	0	98	54	2,327	2,246	83	0.00	38.73	34.62	35.07
Santa Rosa	70	2	100	49	1,790	1,846	77	0.00	42.45	33.60	34.00
Napa State Hospital	68	11	90	53	1,727	1,759	71	0.00	29.54	20.14	20.36
Central Coast											
San Francisco	64	0	75	57	1,694	1,833	73	0.00	31.40	19.53	19.77
San Jose	70	0	92	57	2,073	2,312	66	0.00	15.32	13.37	13.58
Salinas	NA	NA	NA	NA	NA	1,724	NA	NA	NA	12.51	12.66
Monterey	61	-1	69	53	1,079	1,550	65	0.01	23.81	16.15	16.36
Paso Robles	74	0	103	50	2,215	2,274	64	0.00	20.92	12.08	12.24
Sacramento Valley											
Redding	84	1	103	62	3,225	3,137	77	0.00	39.29	32.96	33.70
Red Bluff	83	2	104	63	3,126	3,079	73	0.00	27.06	22.89	23.25
Orland	NA	NA	NA	NA	NA	2,890	NA 	NA	NA	21.08	21.52
Oroville	80	0	102	61	3,080	3,059	71	0.00	26.72	25.48	25.84
Marysville	78 70	0	104	57	2,782	2,847	58	0.00	22.76	19.92	20.21
Sacramento San Joaquin Valley	78	2	103	58	2,801	2,655	63	0.00	24.66	17.81	18.10
Stockton	77	-1	103	56	2,696	2,982	60	0.00	23.23	13.36	13.53
Modesto	77 78	-1 -1	99	58	2,660	3,040	65	0.00	20.18	12.20	12.34
Merced Macready	78	-1 -1	98	57	2,815	2,903	54	0.00	19.40	11.75	11.87
Madera	78	-2	102	57	2,904	3,073	51	0.00	11.11	10.76	10.86
Fresno	82	-2	104	63	3,405	3,444	47	0.00	16.35	10.70	11.05
Lemoore	80	0	103	56	3,059	3,084	38	0.00	7.84	7.15	7.23
Visalia	80	0	101	59	3,177	3,069	54	0.00	15.60	10.25	10.37
Bakersfield	84	-1	104	65	3,484	3,673	51	0.00	9.37	6.31	6.40
Cascade Sierra	<u> </u>				0, .0 .	0,0.0	<u> </u>	0.00	0.0.	0.0.	00
Alturas	66	-2	90	42	1,253	1,107	96	0.57	16.22	11.11	11.72
Mount Shasta	70	1	91	46	1,654	1,236	101	0.00	45.05	36.97	37.86
Blue Canyon	69	-2	81	58	1,435	1,264	99	0.00	90.41	61.68	62.80
Yosemite Valley	NA	NA	NA	NA	NA	1,658	NA	NA	NA	39.74	40.65
South Coast						-					
Santa Maria	60	-4	72	51	1,331	1,814	56	0.00	23.83	13.24	13.42
Santa Barbara	69	3	85	57	1,961	1,989	51	0.00	28.66	17.17	17.38
Oxnard	68	1	80	57	1,816	2,340	53	0.00	22.14	12.84	13.05
Riverside	81	1	102	61	2,935	3,429	52	0.03	13.38	9.26	9.48
Los Angeles	71	1	84	63	2,300	2,813	56	0.00	23.85	12.12	12.33
San Diego	72	0	81	65	2,546	3,077	57	0.00	13.88	9.66	9.87
Southeast Interior											
Bishop	78	0	102	53	2,273	2,372	39	0.00	14.53	4.68	4.87
Daggett	89	-1	107	69	3,935	4,143	21	0.04	2.75	3.45	3.80
Lancaster	84	1	103	63	2,936	2,988	30	0.00	7.04	6.68	6.86
Thermal	92	0	112	69	4,848	5,093	15	0.00	1.35	2.54	2.98
Blythe	96	0	113	76	5,212	5,472	17	0.00	1.95	2.90	3.58
Imperial	NA	NA	NA	NA	NA	5,243	NA	NA	NA	2.07	2.39

<sup>&</sup>lt;sup>1</sup> Previously labeled as growing degree hours. The column title was corrected in the Sept 27, 2021 report.

Data retrieved from NOAA and NWS. Calculated by USDA NASS. All rights reserved.

## Reservoir Data from the California Department of Water Resources

			August 6, 2023	This Date Last Year		
Reservoir	Capacity	Storage	Percent of Capacity	Percent of Average	Storage	Percent of Capacity
	Acre Feet	Acre Feet	Percent	Percent	Acre Feet	Percent
Shasta Lake	4,547,300	3,814,295	84	126	1,665,284	37
Lake Oroville	3,537,400	3,139,838	89	137	1,431,143	40
Trinity Lake	2,443,800	1,393,680	57	81	653,832	27
New Melones Reservoir	2,413,000	2,010,099	84	140	696,889	29
San Luis Reservoir	2,057,200	1,817,942	89	212	625,755	31
Don Pedro Reservoir	4,547,300	1,934,495	95	123	1,187,846	59


Source: cdec.water.ca.gov/reportapp/javareports?name=DLYHYDRO

<sup>&</sup>lt;sup>2</sup> Previously calculated with 60 degree base. This calculation was changed for the 2022 and later seasons.

<sup>&</sup>lt;sup>3</sup> Total number of days with precipitation events this season.

<sup>&</sup>lt;sup>4</sup> Rain or melted snow/ice.

<sup>&</sup>lt;sup>5</sup> Normal periods 1990-2020 used in departure from normal calculations.



### Drought Conditions from the U.S. Drought Monitor as of 08/01/2023

Time		Drought Severity					
	None	D0	D1	D2	D3	D4	(DSCI)
Current	74.43	19.05	6.52	0.00	0.00	0.00	32
Last Week	74.43	19.28	6.29	0.00	0.00	0.00	32
3 Months Ago	68.04	23.98	7.98	0.00	0.00	0.00	40
One Year Ago	0.00	0.22	2.31	37.66	47.70	12.12	369

The U.S. Drought Monitor is jointly produced by the National Drought Mitigation Center at the University of Nebraska-Lincoln, the United States Department of Agriculture, and the National Oceanic and Atmospheric Administration. droughtmonitor.unl.edu/CurrentMap/StateDroughtMonitor.aspx?CA