



# CITRUS

**2006-07 CITRUS SUMMARY**  
**PRODUCTION, PRICE AND VALUE**  
**PRODUCTION BY COUNTY AND PER TREE**

Cooperating with the Florida Department of Agriculture & Consumer Services  
1222 Woodward St. · Orlando, FL 32803  
(407) 648-6013 · (407) 648-6029 FAX · www.nass.usda.gov/fl

September 25, 2008

## PRODUCTION AND VALUE

Production of Florida citrus in the 2007-08 season was 203.8 million boxes, up 26 percent from the previous season. The primary reason for the increase in production from the 2006-07 season is higher fruit per tree on all varieties. The average fruit per tree is 52 percent higher on early-midseason oranges (excluding Navels), and is 59 percent higher on Valencias. The average fruit per tree on white grapefruit is the highest since the 1992-93 season, and on colored grapefruit higher than the previous three seasons.

The all orange crop production, at 170.2 million boxes is up 32 percent. Production is 27 percent higher for early-midseason-Navel oranges, and 37 percent higher for Valencia oranges. Final Navel production was 3.0 million boxes, up five percent from 2.85 million in 2006-07, but a relatively low amount compared to the decade from 1994-95 through 2003-04 which averaged over 5.4 million boxes per season. All grapefruit production at 26.6 million boxes is 2.2 percent less than the 2006-07 season. Increases in production were recorded for all types of specialty fruit.

The \$1.2 billion preliminary value of the 2007-08 citrus crop is down 19 percent from the 2006-07 season's revised record value crop of \$1.5 billion. The price per box and on-tree value of production is lower on all varieties. Tangelos suffered the largest decreases with price per box down 69 percent and value of production down 63 percent. The all orange price per box decreased 39 percent, tangerines are down 46 percent, but the grapefruit price per box is less than four percent lower.

**FLORIDA CITRUS: Production, utilization, season average on-tree price and value for the 2006-07 and 2007-08 seasons**

Fruit type	Crop year	Production	Crop utilization		On-tree	
			Fresh use	Processing	Price per box	Value of Production
		<i>1,000 1-3/5 bushel boxes</i>			<i>Dollars</i>	<i>1,000 dol.</i>
Early-Midseason-Navel Oranges <sup>1/</sup>	2006-07	65,600	4,162	61,438	8.68	569,511
	2007-08	83,500	3,885	79,615	5.54	462,944
Valencia Oranges	2006-07	63,400	2,234	61,166	11.69	740,871
	2007-08	86,700	1,977	84,723	6.86	594,431
All Oranges	2006-07	129,000	6,396	122,604	10.16	1,310,382
	2007-08	170,200	5,862	164,338	6.21	1,057,375
White Grapefruit	2006-07	9,300	1,961	7,339	2.51	23,305
	2007-08	9,000	1,905	7,095	2.39	21,486
Colored Grapefruit	2006-07	17,900	8,998	8,902	5.42	96,975
	2007-08	17,600	8,716	8,884	5.20	91,460
All Grapefruit	2006-07	27,200	10,959	16,241	4.42	120,280
	2007-08	26,600	10,621	15,979	4.25	112,946
Tangelos	2006-07	1,250	428	822	8.24	10,298
	2007-08	1,500	432	1,068	2.57	3,862
Early Tangerines (Fallglo and Sunburst)	2006-07	2,400	1,661	739	12.01	28,820
	2007-08	2,600	1,761	839	8.84	22,993
Honey Tangerines	2006-07	2,200	1,411	789	13.27	29,200
	2007-08	2,900	1,521	1,379	5.15	14,944
All Tangerines	2006-07	4,600	3,072	1,528	12.64	58,152
	2007-08	5,500	3,282	2,218	6.86	37,756
All Citrus	2006-07	162,050	--	--	--	1,499,112
	2007-08	203,800	--	--	--	1,211,939

<sup>1/</sup> Includes Temples.

**FLORIDA CITRUS: Production by counties and types, 2007-2008**

County	All Citrus	Round oranges			Grapefruit		
		Early and Midseason <sup>1/</sup>	Late (Valencia)	All	White	Colored	All
				<i>1,000 boxes</i>			
Brevard	1,055	451	404	855	43	94	137
Charlotte	3,681	919	2,031	2,950	8	451	459
Collier	10,494	4,397	5,306	9,703	31	489	520
DeSoto	22,019	8,380	13,264	21,644	17	149	166
Glades	3,356	1,832	1,351	3,183	9	41	50
Hardee	14,709	9,209	5,050	14,259	77	100	177
Hendry	24,420	9,175	13,315	22,490	361	1,026	1,387
Hernando	343	313	7	320	-	6	6
Highlands	24,110	9,058	13,597	22,655	371	421	792
Hillsborough	4,061	2,764	1,078	3,842	24	14	38
Indian River	13,816	2,264	1,945	4,209	4,006	5,344	9,350
Lake	5,358	2,980	1,040	4,020	46	536	582
Lee	3,367	1,105	1,822	2,927	21	293	314
Manatee	7,378	3,930	3,180	7,110	134	53	187
Marion	369	254	56	310	2	16	18
Martin	7,075	2,359	4,056	6,415	301	264	565
Okeechobee	2,661	1,239	864	2,103	187	278	465
Orange	1,492	861	498	1,359	6	40	46
Osceola	3,764	2,076	1,076	3,152	278	246	524
Palm Beach	334	13	-	13	-	59	59
Pasco	3,571	2,653	779	3,432	10	42	52
Polk	31,041	14,900	12,202	27,102	717	1,265	1,982
St. Lucie	14,234	1,882	3,475	5,357	2,281	6,217	8,498
Sarasota	496	109	228	337	46	84	130
Seminole	157	98	19	117	-	14	14
Volusia	313	199	43	242	22	40	62
Other <sup>3/</sup>	126	80	14	94	2	18	20
<b>Total</b>	<b>203,800</b>	<b>83,500</b>	<b>86,700</b>	<b>170,200</b>	<b>9,000</b>	<b>17,600</b>	<b>26,600</b>
Indian River	30,217	4,600	6,400	11,000	6,600	11,900	18,500
Northern	11,578	7,376	2,432	9,808	64	675	739
Central	58,540	25,824	26,768	52,592	1,336	1,925	3,261
Western	48,674	24,400	22,800	47,200	300	400	700
Southern	54,791	21,300	28,300	49,600	700	2,700	3,400
<b>Total</b>	<b>203,800</b>	<b>83,500</b>	<b>86,700</b>	<b>170,200</b>	<b>9,000</b>	<b>17,600</b>	<b>26,600</b>

Footnotes on last page of table.

*Continued*

**FLORIDA CITRUS: Production by counties and types, 2007-2008**

County	Tangerines			Tangelos
	Early <sup>2/</sup>	Honey	All	
	1,000 boxes			
Brevard	33	4	37	26
Charlotte	147	108	255	17
Collier	70	178	248	23
DeSoto	60	132	192	17
Glades	35	80	115	8
Hardee	92	127	219	54
Hendry	106	338	444	99
Hernando	8	2	10	7
Highlands	228	347	575	88
Hillsborough	70	74	144	37
Indian River	120	62	182	75
Lake	377	179	556	200
Lee	50	73	123	3
Manatee	6	40	46	35
Marion	30	1	31	10
Martin	26	27	53	42
Okeechobee	36	38	74	19
Orange	34	25	59	28
Osceola	44	14	58	30
Palm Beach	50	156	206	56
Pasco	44	34	78	9
Polk	805	704	1,509	448
St. Lucie	99	148	247	132
Sarasota	10	4	14	15
Seminole	8	2	10	16
Volusia	6	-	6	3
Other <sup>3/</sup>	6	3	9	3
<b>Total</b>	<b>2,600</b>	<b>2,900</b>	<b>5,500</b>	<b>1,500</b>
Indian River	245	217	462	255
Northern	512	246	758	273
Central	1,068	1,057	2,125	562
Western	238	377	615	159
Southern	537	1,003	1,540	251
<b>Total</b>	<b>2,600</b>	<b>2,900</b>	<b>5,500</b>	<b>1,500</b>

<sup>1/</sup> Includes Temple oranges.

<sup>2/</sup> Fallglo and Sunburst varieties.

<sup>3/</sup> Alachua, Citrus, Pinellas, and Putnam Counties.


Total citrus production in 2007-08 was up in all Florida commercial citrus production areas from the 2006-07 season. The Central and Western areas had the largest gains with increases of 16.2 million and 10.8 million boxes. The Northern area had the largest percentage gain at 55 percent.

Production in the top four counties increased by 33 percent. Together, they produced 50 percent of all citrus. Polk lead with 31.0 million boxes, Hendry had 24.4 million boxes. Highlands followed closely with 24.1 million boxes, and DeSoto completed the four with 22.0 million boxes. Gains were recorded in 28 counties with only Hillsborough and Palm Beach producing less citrus.

Leading orange producers were Polk at 27.1 million boxes, followed by Highlands at 22.7 million boxes and Hendry at 22.5 million boxes. Desoto came in fourth again this season at over 21.6 million boxes. The four counties combined accounted for 55 percent of the State's total oranges. Indian River and St. Lucie far surpassed all other counties in grapefruit production, with nearly 18 million boxes combined. Together, they accounted for 67 percent of the State's grapefruit crop.

The Central area produced 39 percent of the State's tangerines and 37 percent of the tangelos. The Southern area produced the second highest specialty crop, accounting for 28 percent of the tangerines and 17 percent of the tangelos. The Northern area rose to third place with over one million boxes of specialty fruit.

Estimates of county production are prepared from objective survey data used in forecasting citrus crop production. The apportionment of final harvest to the counties is based on bearing trees, an estimate of the average fruit per tree, and the drop and size surveys. Sample size used in these surveys and the distribution of the sample groves around the State are chosen to minimize error in the estimates of production and are not to be considered as accurate for the counties as at the state or area levels.



## BOXES OF FRUIT PER TREE

The Florida Agricultural Statistics Service conducts objective surveys to determine fruit per tree, average sizes, and droppage between August and maturity. These data are used to estimate production per tree for each of four types of citrus fruit, as shown in the following tables.

The estimates of production per tree are based on official end-of-season production estimates and the number of bearing trees indicated by the Commercial Citrus Inventory. The averages of boxes per tree for age groups shown are calculated from estimates of fruit per tree in August, size at maturity, and drop between August and maturity.

Additionally, the boxes are subdivided by production areas. Estimated boxes by types and age groups are weighted averages of the indicated seasons. Small sample sizes in some age/area cells and rounding may contribute to inconsistent averages.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and production areas, 2003-04 through 2007-08**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
		<i>Boxes per tree</i>					
<b>EARLY, MIDSEASON, AND NAVEL ORANGES:</b>							
2003-04	<b>State</b>	<b>1.8</b>	<b>1.9</b>	<b>3.2</b>	<b>4.1</b>	<b>5.3</b>	<b>3.66</b>
	Indian River	0.7	1.3	1.7	2.4	3.5	2.18
	Northern & Central	2.7	2.6	3.8	4.7	7.3	4.39
	Western	2.0	1.6	3.7	4.7	5.3	4.21
	Southern	1.6	1.6	2.5	3.3	4.4	2.86
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.2</b>	<b>1.7</b>	<b>2.2</b>	<b>2.9</b>	<b>2.8</b>	<b>2.43</b>
	Indian River	0.7	0.6	0.6	0.9	1.0	0.79
	Northern & Central	2.2	1.7	2.3	2.9	3.2	2.63
	Western	1.0	1.2	2.0	2.5	2.8	2.17
	Southern	1.0	2.7	2.5	3.5	3.9	2.89
2005-06 <sup>3/</sup>	<b>State</b>	<b>1.8</b>	<b>1.8</b>	<b>2.0</b>	<b>2.8</b>	<b>3.7</b>	<b>2.60</b>
	Indian River	0.7	0.6	0.4	1.4	1.5	1.03
	Northern & Central	4.6	2.6	2.7	3.7	5.7	3.74
	Western	1.3	1.6	2.9	3.6	4.2	3.12
	Southern	0.5	1.5	0.8	1.6	1.4	1.34
2006-07 <sup>4/</sup>	<b>State</b>	<b>1.1</b>	<b>1.8</b>	<b>1.8</b>	<b>2.5</b>	<b>3.6</b>	<b>2.36</b>
	Indian River	0.2	0.6	0.9	1.5	1.9	1.33
	Northern & Central	0.7	2.2	2.2	2.6	4.9	2.64
	Western	2.1	2.3	2.0	3.0	3.7	2.80
	Southern	0.4	1.2	1.6	2.3	3.1	1.96
2007-08 <sup>4/</sup>	<b>State</b>	<b>0.8</b>	<b>1.9</b>	<b>2.5</b>	<b>3.4</b>	<b>4.8</b>	<b>3.11</b>
	Indian River	0.5	2.0	1.3	2.3	2.6	2.05
	Northern & Central	0.9	2.2	2.9	4.0	5.9	3.78
	Western	0.9	1.9	2.7	3.7	4.5	3.11
	Southern	0.5	1.7	2.5	2.8	5.5	2.68
Average	<b>State</b>	<b>1.35</b>	<b>1.80</b>	<b>2.47</b>	<b>3.15</b>	<b>4.09</b>	<b>2.85</b>
	Indian River	0.58	1.04	1.00	1.74	2.13	1.51
	Northern & Central	2.23	2.27	2.94	3.53	5.42	3.45
	Western	1.43	1.76	2.75	3.54	4.17	3.11
	Southern	0.85	1.73	2.15	2.69	3.72	2.37

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

<sup>4/</sup> Includes Temples beginning in 2006-07.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and production areas, 2003-04 through 2007-08**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
		<i>Boxes per tree</i>					
<b>LATE (VALENCIA) ORANGES:</b>							
2003-04	<b>State</b>	<b>1.7</b>	<b>2.1</b>	<b>2.5</b>	<b>3.0</b>	<b>5.1</b>	<b>2.83</b>
	Indian River	1.6	1.1	1.8	2.2	3.5	2.07
	Northern & Central	1.4	2.3	2.8	4.0	6.5	3.40
	Western	2.7	2.3	3.4	3.3	4.7	3.38
	Southern	1.0	2.1	2.3	2.5	4.8	2.40
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.1</b>	<b>1.2</b>	<b>1.7</b>	<b>2.0</b>	<b>2.1</b>	<b>1.74</b>
	Indian River	0.4	0.4	0.6	1.1	0.8	0.78
	Northern & Central	1.8	1.6	1.9	2.5	2.6	2.14
	Western	1.3	1.3	1.8	1.7	2.3	1.68
	Southern	0.8	1.1	1.7	2.2	2.2	1.79
2005-06 <sup>3/</sup>	<b>State</b>	<b>0.8</b>	<b>1.8</b>	<b>1.8</b>	<b>2.1</b>	<b>3.0</b>	<b>1.96</b>
	Indian River	0.2	0.3	0.6	1.3	0.9	0.87
	Northern & Central	0.7	2.0	2.6	3.0	4.0	2.72
	Western	2.4	2.4	2.4	2.7	4.5	2.82
	Southern	0.3	1.3	1.4	1.4	1.5	1.32
2006-07	<b>State</b>	<b>0.6</b>	<b>1.5</b>	<b>1.5</b>	<b>1.9</b>	<b>2.7</b>	<b>1.75</b>
	Indian River	0.2	0.4	0.8	1.4	1.9	1.09
	Northern & Central	1.0	1.1	1.7	2.2	3.3	2.01
	Western	0.6	2.2	1.7	1.9	2.7	1.91
	Southern	0.4	1.4	1.6	1.8	2.5	1.68
2007-08	<b>State</b>	<b>0.7</b>	<b>2.1</b>	<b>2.5</b>	<b>2.5</b>	<b>4.1</b>	<b>2.48</b>
	Indian River	0.7	0.3	1.4	1.7	2.5	1.54
	Northern & Central	0.8	2.6	2.6	2.9	4.8	2.90
	Western	0.9	2.7	3.0	3.1	4.2	3.01
	Southern	0.5	1.9	2.3	2.2	3.8	2.16
Average	<b>State</b>	<b>1.03</b>	<b>1.70</b>	<b>2.06</b>	<b>2.26</b>	<b>3.44</b>	<b>2.16</b>
	Indian River	0.58	0.54	1.11	1.51	1.97	1.28
	Northern & Central	1.19	1.89	2.35	2.85	4.25	2.64
	Western	1.69	2.17	2.55	2.55	3.72	2.56
	Southern	0.61	1.53	1.91	1.99	2.94	1.87

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2003-04 through 2007-08**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
		<i>Boxes per tree</i>					
<b>WHITE GRAPEFRUIT :</b>							
2003-04	<b>State</b>	<b>2.5</b>	<b>3.5</b>	<b>3.5</b>	<b>4.4</b>	<b>6.9</b>	<b>4.90</b>
	Indian River	1.5	3.3	3.7	3.4	7.0	4.75
	Northern & Central	8.2	6.8	4.9	9.4	10.3	8.11
	Western	2.0	3.4	0.4	1.9	5.6	3.57
	Southern	5.7	1.9	2.1	2.8	4.6	3.23
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.0</b>	<b>0.8</b>	<b>1.1</b>	<b>1.4</b>	<b>1.3</b>	<b>1.25</b>
	Indian River	0.6	0.6	0.6	0.4	0.8	0.61
	Northern & Central	3.7	1.9	3.7	3.7	3.7	3.63
	Western	--	--	2.1	2.2	1.7	1.96
	Southern	2.7	3.3	1.1	4.3	2.2	2.54
2005-06 <sup>3/</sup>	<b>State</b>	<b>1.9</b>	<b>2.5</b>	<b>3.0</b>	<b>2.3</b>	<b>3.8</b>	<b>2.94</b>
	Indian River	1.0	1.5	2.5	1.9	2.8	2.20
	Northern & Central	7.9	7.8	9.1	5.7	11.9	8.21
	Western	4.8	--	3.7	3.6	7.4	5.46
	Southern	1.2	4.8	1.8	1.0	0.9	1.22
2006-07	<b>State</b>	<b>0.3</b>	<b>2.9</b>	<b>4.0</b>	<b>4.2</b>	<b>5.9</b>	<b>4.47</b>
	Indian River	0.3	2.5	4.0	3.9	5.8	4.28
	Northern & Central	0.5	1.9	5.0	5.6	7.0	5.46
	Western	--	--	4.2	1.9	6.1	4.26
	Southern	0.9	6.7	2.5	4.8	5.8	4.74
2007-08	<b>State</b>	<b>1.6</b>	<b>4.1</b>	<b>3.2</b>	<b>4.5</b>	<b>6.3</b>	<b>4.75</b>
	Indian River	1.5	4.0	2.9	4.2	6.1	4.52
	Northern & Central	0.7	3.0	5.7	6.4	7.8	6.31
	Western	8.3	--	1.8	4.8	10.0	7.50
	Southern	0.8	5.6	3.7	4.0	4.6	4.05
Average	<b>State</b>	<b>1.42</b>	<b>2.61</b>	<b>2.89</b>	<b>3.36</b>	<b>4.89</b>	<b>3.63</b>
	Indian River	0.95	2.30	2.79	2.75	4.58	3.26
	Northern & Central	3.83	4.77	5.22	6.08	8.20	6.38
	Western	5.75	3.40	2.16	2.72	5.98	4.33
	Southern	2.39	4.21	1.77	3.47	3.57	3.06

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2003-04 through 2007-08**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
		<i>Boxes per tree</i>					
<b>COLORED GRAPEFRUIT:</b>							
2003-04	<b>State</b>	<b>2.9</b>	<b>3.5</b>	<b>3.6</b>	<b>4.6</b>	<b>6.0</b>	<b>4.37</b>
	Indian River	1.1	3.4	3.0	4.5	5.7	4.20
	Northern & Central	5.7	4.0	5.9	5.0	8.5	5.70
	Western	3.6	3.3	3.4	2.5	12.8	4.17
	Southern	5.7	4.3	3.8	5.1	6.3	4.39
2004-05 <sup>2/</sup>	<b>State</b>	<b>0.8</b>	<b>2.0</b>	<b>2.2</b>	<b>1.9</b>	<b>1.5</b>	<b>1.85</b>
	Indian River	0.9	1.8	0.9	1.0	1.2	1.04
	Northern & Central	0.9	2.3	3.5	3.1	1.9	3.07
	Western	1.1	1.0	0.9	0.9	3.4	1.16
	Southern	0.6	2.5	3.3	7.1	9.1	4.34
2005-06 <sup>3/</sup>	<b>State</b>	<b>0.3</b>	<b>1.2</b>	<b>2.9</b>	<b>3.1</b>	<b>3.8</b>	<b>2.96</b>
	Indian River	0.1	1.4	2.4	2.7	3.4	2.62
	Northern & Central	1.6	3.0	7.5	6.9	12.5	7.32
	Western	2.1	1.5	0.8	2.6	2.1	2.03
	Southern	0.2	0.5	1.9	2.1	4.3	1.89
2006-07	<b>State</b>	<b>1.0</b>	<b>2.7</b>	<b>3.4</b>	<b>4.2</b>	<b>5.9</b>	<b>4.23</b>
	Indian River	0.7	3.8	3.2	4.0	5.9	4.23
	Northern & Central	2.7	1.1	4.8	5.9	6.1	5.57
	Western	6.2	1.0	10.2	5.5	8.2	5.93
	Southern	0.1	1.1	2.8	3.7	4.6	3.11
2007-08	<b>State</b>	<b>1.6</b>	<b>2.9</b>	<b>3.2</b>	<b>4.0</b>	<b>6.3</b>	<b>4.30</b>
	Indian River	1.7	2.3	2.9	3.4	6.1	4.04
	Northern & Central	3.1	2.7	8.1	7.3	9.1	7.14
	Western	0.5	4.2	2.7	3.1	3.2	3.20
	Southern	1.0	4.2	2.5	4.3	12.4	4.10
Average	<b>State</b>	<b>1.31</b>	<b>2.46</b>	<b>3.02</b>	<b>3.58</b>	<b>4.77</b>	<b>3.53</b>
	Indian River	0.93	2.58	2.38	3.08	4.55	3.22
	Northern & Central	2.68	2.77	5.43	5.75	7.68	5.65
	Western	2.75	3.29	2.35	3.01	6.32	3.20
	Southern	2.00	1.92	3.26	4.22	6.85	3.68

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS PRICES:** Season average on-tree prices and equivalent returns per box received by growers, by varieties and utilization from crop years 2005-06, 2006-07, and 2007-08 <sup>1/</sup>

Fruit type by season	Methods of sale			Fruit type by season	Methods of sale		
	Fresh	Processing	All		Fresh	Processing	All
	<i>Dollars per box</i>				<i>Dollars per box</i>		
<b>ORANGES</b>				<b>GRAPEFRUIT</b>			
Navel				White			
2005-06	7.70	-0.59	5.65	2005-06	16.09	5.03	7.47
2006-07	12.30	4.23	10.54	2006-07	9.04	0.76	2.51
2007-08	8.80	-0.47	6.64	2007-08	10.05	0.33	2.39
Early-Midseason (excluding Navel) <sup>2/</sup>				Colored			
2005-06	4.00	4.65	4.63	2005-06	13.40	3.78	7.90
2006-07	11.90	8.45	8.56	2006-07	9.61	1.18	5.42
2007-08	8.00	5.44	5.49	2007-08	10.85	-0.35	5.20
Early-Midseason-Navel <sup>2/</sup>				All Grapefruit			
2005-06	6.20	4.60	4.70	2005-06	13.96	4.29	7.75
2006-07	12.10	8.45	8.68	2006-07	9.51	0.99	4.42
2007-08	8.50	5.40	5.54	2007-08	10.71	-0.05	4.25
Valencia				<b>TANGERINES</b>			
2005-06	5.00	6.38	6.33	Early <sup>4/</sup>			
2006-07	15.40	11.55	11.69	2005-06	15.70	-0.42	10.40
2007-08	7.55	6.84	6.86	2006-07	15.50	4.16	12.01
All Oranges				2007-08	13.20	-0.30	8.84
2005-06	5.80	5.49	5.51	Honey			
2006-07	13.25	10.00	10.16	2005-06	11.30	3.39	8.45
2007-08	8.18	6.14	6.21	2006-07	16.50	7.50	13.27
<b>TEMPLES</b> <sup>3/</sup>				2007-08	9.00	0.91	5.15
2005-06	6.60	1.70	3.16	All Tangerines			
2006-07	--	--	--	2005-06	13.60	1.50	9.44
2007-08	--	--	--	2006-07	16.00	5.89	12.64
<b>TANGELOS</b>				2007-08	11.20	0.45	6.86
2005-06	12.50	0.79	5.37				
2006-07	11.00	6.80	8.24				
2007-08	5.95	1.21	2.57				

<sup>1/</sup> 2005-06 and 2006-07 revised to reflect final payments in cooperative and participation plans and changes in pick, haul and packing charges. 2007-08 preliminary price based on cash sales only.

<sup>2/</sup> Includes Temples beginning in 2006-07.

<sup>3/</sup> Included in early-midseason oranges beginning in 2006-07.

<sup>4/</sup> Fallglo and Sunburst varieties.

**FLORIDA BEARING TREES:** Estimated trees of bearing age by age group, year set, and type, for the 2007-08 season

Fruit type	Age 1 2002-04	Age 2 1999-01	Age 3 1994-98	Age 4 1984-93	Age 5 1983 and earlier	Total bearing trees
	<i>1,000 trees</i>					
Early-midseason-Navel Oranges (includes Temples)	2,813	2,816	3,069	13,817	4,309	26,824
Valencia Oranges	2,600	3,860	5,696	18,880	3,882	34,918
White Grapefruit	95	81	226	892	601	1,895
Colored Grapefruit	335	189	258	2,276	1,036	4,094