

Click on Bookmarks tab
to see page links

Click on CONTENTS to
see more page links

COMMERCIAL CITRUS INVENTORY 2006




2002



2006


FLORIDA AGRICULTURAL STATISTICS SERVICE

COMMERCIAL CITRUS ACREAGE 2006



^{1/} Excludes Miami-Dade and Broward Counties.

^{2/} Alachua and Pinellas Counties.



COVER ARTWORK PREPARED BY JOHN MILEY, STAN MASON, AND CANDI ERICK.

UPPER PHOTO IS 1:2500 AERIAL TAKEN IN ST. LUCIE CO. BEFORE CANKER AFFECTED THESE GROVES.

LOWER PHOTO IS NEW DIGITAL IMAGERY AT 2M RESOLUTION; LILAC AREAS REPRESENT CITRUS GROVES REMOVED FROM THE INVENTORY.

FLORIDA AGRICULTURAL STATISTICS

COMMERCIAL CITRUS INVENTORY 2006

FLORIDA DEPARTMENT OF AGRICULTURE
AND CONSUMER SERVICES

Tallahassee, Florida

Charles H. Bronson, Commissioner

FLORIDA AGRICULTURAL
STATISTICS SERVICE

Orlando, Florida

Benjamin F. Klugh, Jr., State Director

DIVISION OF MARKETING
AND DEVELOPMENT

Tallahassee, Florida

Nelson L. Mongiovi, Director

DIVISION OF PLANT
INDUSTRY

Winter Haven, Florida

Richard D. Gaskalla, Director

USDA, NASS, FLORIDA FIELD OFFICE

Mailing address: P.O. Box 530105, Orlando, Florida 32853-0105

Physical address: 1222 Woodward Street, Orlando, Florida 32803

Web address: <http://www.nass.usda.gov/fl>

Telephone: (407) 648-6013 *Facsimile:* (407) 648-6029

email: nass-fl@nass.usda.gov

ACKNOWLEDGMENT

The inventory data contained in this report were developed at the request of and with funds provided by Florida's Citrus Industry. Its leaders sought accurate information for projecting future production and recognized the requirement to maintain citrus tree and acreage inventories on a current basis.

The work was directed by the Florida Agricultural Statistics Service which supervised photography, photo interpretation, field checking, and assembly of the data. Field survey work was a continuing cooperative project of the Florida Agricultural Statistics Service and the Division of Plant Industry.

Private and public officials contributed to this work by supplying information and other assistance. Many growers supplied basic data. These contributions are sincerely appreciated.

Published February 2007

CONTENTS

SUMMARY	Page
Commercial Citrus Acreage 2006	Inside Front Cover
2005-06 Flight Line Map.....	iv
Survey Highlights.....	v
Survey Procedures	vi
Commercial Trees per Acre by Census	vii
All Citrus Multiblocks by Acreage and Biennial Census Date.....	viii
All Citrus Trees and Acres by Census.....	ix
Technical Staff.....	x
Commercial Citrus Trees 2006..	Inside Back Cover


VARIETY TABLES	NUMBER OF ACRES PAGE	NUMBER OF TREES PAGE
All Citrus by Variety and Year Set.....	1.....	4
All Citrus by Variety and County	7.....	10
All Citrus by Year Set and Biennial Census Date	13	

COUNTY TABLES		
All Citrus	14.....	16
Early Oranges	18.....	20
Midseason Oranges.....	22.....	24
Valencia Oranges.....	26.....	28
All Round Oranges	30.....	32
White Seedless Grapefruit	34.....	36
Colored Seedless Grapefruit	38.....	40
All Grapefruit	42.....	44
Temples	46.....	48
Tangelos	50.....	52
Early Tangerines.....	54.....	56
Honey Tangerines.....	58.....	60
All Tangerines	62.....	64

MARKETING DISTRICTS		
All Citrus by Variety and Year Set.....	66.....	67
Florida SunRidge: All Citrus by Variety and Year Set.....	68.....	70
Indian River: All Citrus by Variety and Year Set.....	72.....	74
Gulf: All Citrus by Variety and Year Set	76.....	78
Florida Commercial Citrus Marketing Districts		80

2005-06 FLIGHT LINE MAP

AERIAL PHOTOGRAPHIC SURVEY OF FLORIDA CITRUS GROWING AREAS



SURVEY HIGHLIGHTS

The highest citrus acreage recorded in Florida was 941,471 acres in 1970. During the next 10 years, the total declined 10 percent due to two freezes and land development. The 1980s decade included freezes in six seasons and acreage conversions from agriculture accelerated. Florida's citrus acreage peaked again at 857,687 in 1996 but has been declining ever since. The 2006 total is 621,373, down 17.0 percent in a two-year period noted for hurricanes, diseases, and urban development. The net change, a loss of 127,182 acres, is the greatest in any non-freeze period and 2nd overall. The Indian River District bore one-third of this loss. Removals out-numbered new plantings by a ratio of more than 5:1. The 23,623 acres of new plantings are the least recorded in any two-year period since 1970-71.

Acreage decreases were recorded for each of the 30 counties included in the survey. Polk County continues to lead with 86,398 acres of citrus, followed by Hendry, Highlands, and DeSoto. St. Lucie has lost 31,600 since the 2004 census and fell to 5th place. For total trees, Hendry remains the leader with 12.3 million. Polk, Highlands, DeSoto, and St. Lucie round out the top five which account for nearly 56 percent of the State's citrus trees and 55 percent of the acreage. Average density is 132 trees per acre statewide but the Gulf Marketing District counties exceed this by 14 percent with an average of 151 trees per acre.

Citrus trees total 81,909,000 and are down 16.4 percent from the 2004 census and 23.5 percent from the 1998 high of 107,110,200. Nonbearing trees number only 5,437,700, or 6.6 percent of the total. New plantings declined 35 percent in 2004 and 17 percent in 2005.

The total inventory of acres by year set as recorded in the censuses of 1988 to 2006 is shown on page 13. The 2006 census indicates that only 197,027 acres (28.2 percent) remain from the 697,929 reported in the 1988 census. The gross decline in the past two years is 20.1 percent of the acres listed in the 2004 inventory. Gross loss of the orange acreage amounts to 18 percent while grapefruit shows a gross loss of 31 percent. Temples and tangelos have suffered gross losses of nearly 30 percent. Early tangerines have a gross loss of 25 percent while Honey tangerines and "Other citrus" fared better with a gross loss of only 15 percent each. Lemons, with the least acreage, lost 34 percent of the total on record in 2004.

Due to Federal requirements to avoid disclosure, variety totals on pages 14-65 list the top 10 counties in acreage, followed by their corresponding tree numbers. New to this issue are variety totals by Marketing District and detailed listings for the Florida SunRidge and Gulf as well as the Indian River Marketing District beginning on page 66.

FLORIDA COMMERCIAL CITRUS ACREAGE

Census year	Orange	Grapefruit	Specialty fruit	Total
1966	673,086	103,224	81,772	858,082
1968	713,400	119,883	97,966	931,249
1970	715,806	124,050	101,615	941,471
1972	659,418	124,142	94,459	878,019
1974	642,431	130,326	91,341	864,098
1976	628,567	137,909	85,893	852,369
1978	616,020	136,342	78,873	831,235
1980	627,174	139,944	78,165	845,283
1982	636,864	139,939	71,053	847,856
1984	573,991	134,680	52,694	761,365
1986	466,252	117,845	40,395	624,492
1988	536,737	119,606	41,586	697,929
1990	564,809	125,300	42,658	732,767
1992	608,636	135,166	47,488	791,290
1994	653,370	146,915	53,457	853,742
1996	656,598	144,416	56,673	857,687
1998	658,390	132,817	54,053	845,260
1999	--	121,258	--	--
2000	665,529	118,145	48,601	832,275
2002	648,806	105,488	43,009	797,303
2004	622,821	89,048	36,686	748,555
2006	529,241	63,419	28,713	621,373

FLORIDA COMMERCIAL CITRUS ACREAGE: CHANGES BETWEEN CENSUS

Census year	Two year change		Net changes	Total
	Gross loss	New plantings		
1966	(First census via aerial photography)			858,082
1968	13,910	87,077	+73,167	931,249
1970	26,114	36,336	+10,222	941,471
1972 ^{1/}	82,948	19,496	-63,452	878,019
1974	40,181	26,260	-13,921	864,098
1976	40,518	28,789	-11,729	852,369
1978 ^{1/}	49,127	27,993	-21,134	831,235
1980	25,925	39,973	+14,048	845,283
1982 ^{1/}	51,942	54,515	+2,573	847,856
1984 ^{1/}	159,719	73,228	-86,491	761,365
1986 ^{1/}	185,598	48,725	-136,873	624,492
1988	52,240	125,677	+73,437	697,929
1990 ^{1/}	85,858	120,696	+34,838	732,767
1992	74,704	133,227	+58,523	791,290
1994	45,214	107,666	+62,452	853,742
1996	35,947	39,892	+3,945	857,687
1998	49,325	36,898	-12,427	845,260
2000	59,516	46,531	-12,985	832,275
2002	77,197	42,225	-34,972	797,303
2004	88,875	40,127	-48,748	748,555
2006	150,805	23,623	- 127,182	621,373

^{1/} January freezes in 1971, 1977, 1981, 1982, 1985, and 1986.
December freezes in 1983, 1985, and 1989.

SURVEY PROCEDURES

This publication presents the results of the 21st biennial survey of Florida citrus trees using aerial photography and is the first using digital imagery. Although aerial photography and photo interpretation has provided more rapid completion of the survey than other methods, about eight months of intensive effort was required to process and review the photographs. Now, remotely sensed data allows for rapid replacement and maintenance of background images. Grove boundaries are digitized and saved as geodatabases in our GIS. The software provides additional tools to enhance comparative photo interpretation for grove change detection. Field checking of new and altered acreage follows. Changes detected on images and in field observations are used to update the previous inventory. This technology provides current tree inventory data for evaluating Florida's potential citrus production in a shorter period of time and at less cost than by ground survey methods alone.

The data in this report relate to commercial groves, those containing a minimum of 50 trees from which fruit is generally sold. In addition, the grove must have been cultivated and trees must show viable growth in the limb scaffold. Variety totals were rounded to the nearest acre and one hundred trees. All item totals that fell below these parameters were listed as zero. For this reason, users are cautioned that zero cells in the data tables could actually have a positive entry, but would be less than one half acre and below 50 trees.

The acreage shown is land which is actually planted with citrus trees. Bayheads, ponds, sinkholes, drainage canals, lateral and swale ditches, roads, turn rows, and wide middles were excluded. Where vacancies within a commercial grove were numerous, they were counted and acreage was then reduced to equivalent net acres of commercial trees. Trees are listed by the calendar "year in which set," even if they have been severely pruned. When available, grove managers' records were used to establish age. Young tree age was estimated from both trunk circumference and tree height.

Identification of citrus varieties is generally dependent upon the presence of fruit. Many young groves visited for the first time are indexed as unidentified until fruit is available for variety determination. Acreage and trees in this report listed as "unidentified" will be resurveyed and classified by variety in the next census. The unidentified trees and acres are listed by year set and by county under all Florida citrus. They are also included in the all orange and all grapefruit totals.

Data itemized under the heading of other citrus include minor types and varieties, such as K-Early Citrus, kumquats, limes, Ortaniques, Ponkans, pummelos, certain tangerines (Dancy, Robinson, and Satsuma), unclassified citrus, and unidentified mandarins. They are not reported individually or by year set within county due to lack of space.

The Florida Agricultural Statistics Service first began indexing citrus groves on aerial photography with the January

1966 survey. The 1966 inventory report included detailed data by county, variety, and year set; and the survey was designed for quick and economical updating. Subsequent surveys, using aerial photography, were conducted as of January every two years including the latest for 2006.

The same three-mile wide flight lines established for the January 1966 survey were photographed on each of the succeeding flights. Additional coverage has been added as citrus acreage extended farther south. The area, photographed at a scale of 1 inch to 2,500 feet, now covers almost 14,000 square miles and includes more than 99 percent of the commercial citrus acreage in Florida. In the absence of photography, outlying acreage was mapped and thoroughly checked by ground survey teams.

The latest survey was flown during the winter months of 2005-06. Digital imagery covering most counties, taken in 2004 and 2005, was also purchased. Survey personnel received field kits containing a plot map of the digital imagery covering one quadrant of a township (9 sq. mi.) and the new contact print to assist in locating groves needing inspection.

Stereoscopic viewers enabled interpreters to examine current and previous photo contact prints simultaneously to detect changes occurring during 2004 and 2005. Altered ground characteristics result in a loss of the three-dimensional effect, making such changes as new groves, additions to existing groves, pushed groves, and other significant alterations quickly identifiable. On the computer, digital image layers can be turned on and off while working in a county file permitting comparison between different time periods. Photo interpreters identify all groves where there appear to be new trees. These groves are then visited by ground crews. If field inspection finds a significant number of new trees, a count is made and the older trees or vacancies reduced accordingly. Based on this new count of trees, the measured block acreage is then divided among the ages of trees.

In December 2005, field crews began ground checking sites that had been questioned by photo interpreters on the new photography. All blocks showing changes since the 2004 flight were visited. Crews also identified varieties in blocks where trees were too young to be identified in earlier surveys. In blocks of citrus which are interset, acreage is proportionate to the number of trees of each variety or age in the block. In the multi-reset blocks, two or more resets are planted for each tree removed and the spacing must be averaged due to the variable distance between trees. The spacing between rows in one direction remains constant for grove travel. Field work was completed the second week of July.

Following field inspection, photo interpreters create polygons which are linked to datasets, and saved in county geodatabases for all new citrus groves. Changes in variety blocks may result in alterations to grove boundaries or status. A software tool provides the means to measure the exact acreage of new and altered citrus groves. All statistical infor-

mation (identifying features, variety, year set, tree spacing, tree numbers, and vacancies) is then keyed into a database and retained for future use. Net acres are computed from the combination of tree numbers and tree spacings as measured by field personnel.


Nearly every citrus block was visited during this survey. Over 99,000 data records were keyed to add, update, or remove variety blocks. The number of multiblocks for 2006 equals 41,054, down 16 percent from the previous inventory.

New maps are plotted and new section tabulations are printed to prepare updated field kits since resurveying is a

continual process. Quality checks for accurate variety counts will be conducted as well as the identification of the three year old plantings that are to be included in next year's objective count surveys. Also, all groves that had vacancies this past survey will be visited.

During the major portion of the survey, the Division of Plant Industry supplied trained citrus technologists with 4-wheel drive vehicles to work in conjunction with the tree census field inspection team. Skilled assistance was also provided by personnel from the Division of Fruit and Vegetables upon completion of their inspection duties.

Commercial Citrus Trees per Acre



ALL CITRUS: Number of multiblocks (groves)^{1/} by acreage and biennial census date

Acreage	Census date					
	1996		1998		2000	
	<i>Number</i>	<i>Percent</i>	<i>Number</i>	<i>Percent</i>	<i>Number</i>	<i>Percent</i>
0-4.0	17,225	27.93	16,785	27.76	15,923	27.14
4.1-9.0	17,311	28.07	17,157	28.37	16,337	27.85
9.1-18.0	13,765	22.32	13,371	22.11	13,323	22.72
18.1-104.0	12,750	20.68	12,584	20.81	12,515	21.33
104.1 +	614	1.00	576	0.95	564	0.96
Total	61,665	100.00	60,473	100.00	58,667	100.00
	<i>Acres</i>		<i>Acres</i>		<i>Acres</i>	
Average	14.1		14.1		14.3	
Median	8.1		8.1		8.3	

^{1/} A multiblock or grove for this table is a parcel of land, as determined by field personnel. The boundaries of the parcel are easily distinguishable by the field personnel. Within the boundaries is citrus with a homogenous planting scheme.


Continued

ALL CITRUS: Number of multiblocks (groves)^{1/} by acreage and biennial census date

Acreage	Census date					
	2002		2004		2006	
	<i>Number</i>	<i>Percent</i>	<i>Number</i>	<i>Percent</i>	<i>Number</i>	<i>Percent</i>
0-4.0	14,088	25.73	11,878	24.25	9,789	23.84
4.1-9.0	15,402	28.13	13,796	28.17	11,975	29.17
9.1-18.0	12,665	23.13	11,391	23.26	9,239	22.50
18.1-104.0	12,055	22.02	11,390	23.25	9,653	23.51
104.1 +	541	0.99	524	1.07	398	0.97
Total	54,751	100.00	48,979	100.00	41,054	100.00
	<i>Acres</i>		<i>Acres</i>		<i>Acres</i>	
Average	14.7		15.3		15.1	
Median	8.5		8.7		8.7	

^{1/} A multiblock or grove for this table is a parcel of land, as determined by field personnel. The boundaries of the parcel are easily distinguishable by the field personnel. Within the boundaries is citrus with a homogenous planting scheme.

Commercial Citrus Trees and Acres All Citrus



TECHNICAL STAFF

Administration

Robert R. Terry, Agricultural Statistics Administrator
Candice T. Erick, Economic Research Associate
Christy L. Meyer, Mathematical Statistician
Jodette C. Birkemeier, Research Assistant
John P. Miley, Geographer

Photo Interpreters

Anthony V. Alongi
Edna J. Hernandez

Joseph M. Ortkras
Lynda M. Webster

Field Inspection Personnel

Florida Agricultural Statistics Service

Michael S. Labbe, Supervisor
M. "Sonny" Howard, Jr.
Terry E. Humphrey
Tracy D. Mahoney
Bruce E. Rottmann
Kimberly K. Strickland

Division of Plant Industry

James W. Dowling, Supervisor
Randall A. Dean
Craig J. Landress
Kathy D. Morgan
Charles D. Wolfe
Janet L. Young
Lynn E. Zellers

Division of Fruit and Vegetables

Clint M. Floyd
Warren A. McIntosh

Printing

Marcelo Diaz

ALL CITRUS: Acreage, by variety and year set

Year set	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pineapple	Other midseason
		<i>Acres</i>							
Pre-1962	23,285	4,814	1,111	275	0	42	6,242	2,680	658
1962-71	33,416	7,479	466	437	0	28	8,410	4,213	70
1972-81	39,500	9,895	724	798	0	48	11,465	2,913	20
1982	9,153	2,875	451	609	0	0	3,935	477	2
1983	13,909	5,850	509	390	0	6	6,755	862	5
1984	10,891	3,683	229	451	0	7	4,370	494	0
1985	9,780	3,795	260	297	0	29	4,381	459	9
1986	19,387	7,266	408	609	0	28	8,311	677	4
1987	37,706	12,634	1,421	822	0	113	14,990	1,746	1
1988	30,883	9,440	719	642	0	4	10,805	1,255	12
1989	44,810	12,253	702	884	11	102	13,952	1,860	168
1990	42,321	10,155	483	869	292	98	11,897	1,233	197
1991	45,831	11,938	1,241	1,246	1,094	75	15,594	1,632	245
1992	37,959	8,402	823	887	586	122	10,820	1,573	537
1993	26,017	5,115	481	651	151	18	6,416	1,337	622
1994	11,635	2,608	129	278	47	0	3,062	442	183
1995	16,036	4,602	215	384	2	0	5,203	796	131
1996	12,028	2,790	129	212	1	5	3,137	573	169
1997	18,940	3,924	400	202	5	65	4,596	617	398
1998	19,146	4,054	232	161	1	36	4,484	809	219
1999	19,716	5,891	154	190	0	15	6,250	611	575
2000	16,103	4,494	164	139	0	278	5,075	695	552
2001	22,495	6,724	106	176	0	435	7,441	846	456
2002	17,639	5,026	237	201	0	1,347	6,811	712	596
Bearing	578,586	155,707	11,794	11,810	2,190	2,901	184,402	29,512	5,829
2003	19,164	6,161	151	264	3	541	7,120	1,023	268
2004	12,807	3,676	203	33	1	481	4,394	324	173
2005	10,816	3,672	227	104	0	251	4,254	265	207
Non-bearing	42,787	13,509	581	401	4	1,273	15,768	1,612	648
Total	621,373	169,216	12,375	12,211	2,194	4,174	200,170	31,124	6,477

Continued

ALL CITRUS: Acreage, by variety and year set

Year set	Oranges				Grapefruit				
	Total midseason	Late	Uniden- tified	Total	White seedless	Colored seedless	Seedy	Uniden- tified	Total
	<i>Acres</i>								
Pre-1962	3,338	11,288	0	20,868	628	464	219	0	1,311
1962-71	4,283	11,198	3	23,894	4,886	2,123	133	0	7,142
1972-81	2,933	14,974	0	29,372	2,346	6,984	118	0	9,448
1982	479	3,005	0	7,419	110	1,541	7	0	1,658
1983	867	4,869	0	12,491	87	1,099	5	0	1,191
1984	494	4,021	0	8,885	165	1,537	2	0	1,704
1985	468	4,172	0	9,021	89	389	17	0	495
1986	681	8,728	0	17,720	120	888	38	3	1,049
1987	1,747	17,233	11	33,981	356	1,880	69	5	2,310
1988	1,267	13,296	3	25,371	643	2,700	25	0	3,368
1989	2,028	21,384	38	37,402	2,327	3,016	10	0	5,353
1990	1,430	21,834	32	35,193	2,136	2,759	42	22	4,959
1991	1,877	21,968	35	39,474	936	2,611	20	0	3,567
1992	2,110	16,849	61	29,840	1,238	3,726	40	6	5,010
1993	1,959	12,803	1	21,179	589	1,636	33	0	2,258
1994	625	5,842	0	9,529	460	590	2	0	1,052
1995	927	8,097	33	14,260	651	421	6	0	1,078
1996	742	6,368	9	10,256	654	446	4	0	1,104
1997	1,015	11,826	29	17,466	407	282	5	0	694
1998	1,028	11,988	14	17,514	367	585	13	0	965
1999	1,186	10,969	176	18,581	165	395	2	1	563
2000	1,247	8,323	208	14,853	271	454	5	0	730
2001	1,302	11,474	330	20,547	425	984	9	27	1,445
2002	1,308	7,317	419	15,855	357	940	6	19	1,322
Bearing	35,341	269,826	1,402	490,971	20,413	38,450	830	83	59,776
2003	1,291	8,187	661	17,259	368	992	3	79	1,442
2004	497	4,215	2,094	11,200	137	983	0	246	1,366
2005	472	3,541	1,544	9,811	9	807	0	19	835
Non-bearing	2,260	15,943	4,299	38,270	514	2,782	3	344	3,643
Total	37,601	285,769	5,701	529,241	20,927	41,232	833	427	63,419

Continued

ALL CITRUS: Acreage, by variety and year set

Year set	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	Acres								
Pre-1962	538	313	0	0	0	216	216	0	39
1962-71	851	896	0	0	0	498	498	6	129
1972-81	70	136	0	48	48	384	432	5	37
1982	9	23	0	11	11	23	34	0	10
1983	7	37	0	50	50	109	159	0	24
1984	32	76	0	121	121	56	177	0	17
1985	7	43	0	52	52	136	188	0	26
1986	113	211	0	124	124	135	259	6	29
1987	75	402	2	508	510	268	778	25	135
1988	98	610	26	838	864	373	1,237	31	168
1989	176	356	180	710	890	459	1,349	0	174
1990	35	479	232	757	989	512	1,501	39	115
1991	79	645	124	1,147	1,271	517	1,788	50	228
1992	49	567	286	1,093	1,379	943	2,322	32	139
1993	38	330	509	743	1,252	735	1,987	83	142
1994	10	114	67	109	176	519	695	100	135
1995	44	91	44	136	180	268	448	48	67
1996	67	109	48	101	149	286	435	45	12
1997	40	110	54	115	169	339	508	25	97
1998	31	114	39	93	132	338	470	5	47
1999	31	74	37	79	116	296	412	6	49
2000	50	86	43	34	77	295	372	0	12
2001	28	91	42	90	132	163	295	14	75
2002	23	164	3	39	42	194	236	3	36
Bearing	2,501	6,077	1,736	6,998	8,734	8,062	16,796	523	1,942
2003	27	132	14	57	71	170	241	24	39
2004	6	67	6	27	33	59	92	49	27
2005	8	34	9	66	75	42	117	7	4
Non-bearing	41	233	29	150	179	271	450	80	70
Total	2,542	6,310	1,765	7,148	8,913	8,333	17,246	603	2,012

ALL CITRUS: Number of trees, by variety and year set

Year set	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pineapple	Other midseason
		<i>1,000 trees</i>							
Pre-1962	2,225.9	448.6	101.8	22.6	0.0	3.7	576.7	275.1	57.3
1962-71	3,491.7	786.9	52.7	49.3	0.0	3.6	892.5	467.8	5.4
1972-81	4,536.5	1,162.0	83.9	84.6	0.0	5.3	1,335.8	356.7	1.9
1982	1,071.3	348.3	55.0	58.8	0.0	0.0	462.1	63.7	0.1
1983	1,680.2	704.1	60.5	44.5	0.0	0.7	809.8	114.8	0.4
1984	1,313.6	442.8	25.9	53.8	0.0	0.6	523.1	59.8	0.0
1985	1,296.7	477.6	39.6	37.7	0.0	2.8	557.7	53.6	1.1
1986	2,589.0	953.0	50.5	84.4	0.0	3.5	1,091.4	89.0	0.6
1987	5,058.0	1,681.0	185.5	110.5	0.0	26.2	2,003.2	232.2	0.1
1988	4,236.1	1,294.4	107.1	84.5	0.0	0.6	1,486.6	167.4	1.3
1989	6,583.0	1,845.0	106.9	124.5	1.4	16.2	2,094.0	273.8	18.6
1990	6,133.7	1,430.4	65.7	115.8	40.5	17.4	1,669.8	167.8	35.3
1991	6,538.0	1,704.9	181.0	160.9	146.6	10.4	2,203.8	208.8	36.8
1992	5,255.2	1,118.5	116.7	122.3	82.6	18.1	1,458.2	214.3	80.0
1993	3,773.1	685.1	78.4	92.7	23.2	2.7	882.1	195.9	111.6
1994	1,688.5	332.5	17.6	47.1	5.8	0.0	403.0	60.2	29.6
1995	2,247.1	638.9	29.9	53.2	0.4	0.0	722.4	101.4	16.5
1996	1,732.8	381.4	17.4	30.4	0.1	0.8	430.1	82.8	24.7
1997	2,572.3	525.1	69.1	35.0	0.7	8.2	638.1	79.1	55.1
1998	2,576.0	526.5	30.3	22.6	0.1	6.4	585.9	114.1	32.1
1999	2,586.5	779.5	21.8	21.0	0.0	1.7	824.0	76.2	80.9
2000	2,056.1	587.3	21.0	16.9	0.0	31.3	656.5	87.6	74.5
2001	2,962.2	880.7	14.3	21.6	0.0	53.3	969.9	111.6	73.4
2002	2,267.8	632.2	37.5	26.2	0.0	175.6	871.5	89.0	77.8
Bearing	76,471.3	20,366.7	1,570.1	1,520.9	301.4	389.1	24,148.2	3,742.7	815.1
2003	2,471.8	803.3	20.0	32.0	0.5	83.5	939.3	132.1	33.7
2004	1,618.2	459.8	30.6	3.8	0.2	69.7	564.1	44.5	20.9
2005	1,347.7	452.3	29.9	11.9	0.0	33.3	527.4	31.4	25.3
Non-bearing	5,437.7	1,715.4	80.5	47.7	0.7	186.5	2,030.8	208.0	79.9
Total	81,909.0	22,082.1	1,650.6	1,568.6	302.1	575.6	26,179.0	3,950.7	895.0

Continued

ALL CITRUS: Number of trees, by variety and year set

Year set	Oranges				Grapefruit				
	Total midseason	Late	Uniden- tified	Total	White seedless	Colored seedless	Seedy	Uniden- tified	Total
	<i>1,000 trees</i>								
Pre-1962	332.4	1,109.8	0.0	2,018.9	50.9	36.5	19.9	0.0	107.3
1962-71	473.2	1,242.3	0.4	2,608.4	415.1	190.0	13.8	0.0	618.9
1972-81	358.6	1,824.5	0.0	3,518.9	239.1	684.8	11.2	0.0	935.1
1982	63.8	375.6	0.0	901.5	9.9	150.5	0.8	0.0	161.2
1983	115.2	606.7	0.0	1,531.7	8.5	113.0	0.4	0.0	121.9
1984	59.8	501.5	0.0	1,084.4	17.4	173.5	0.3	0.0	191.2
1985	54.7	586.4	0.0	1,198.8	9.8	46.2	1.6	0.0	57.6
1986	89.6	1,203.8	0.0	2,384.8	13.5	102.1	3.8	0.4	119.8
1987	232.3	2,355.5	1.2	4,592.2	38.2	220.8	7.2	0.5	266.7
1988	168.7	1,897.1	0.4	3,552.8	71.7	308.1	2.6	0.0	382.4
1989	292.4	3,254.5	4.8	5,645.7	272.0	360.3	1.1	0.0	633.4
1990	203.1	3,330.6	4.1	5,207.6	240.9	317.9	4.0	2.8	565.6
1991	245.6	3,279.3	5.6	5,734.3	104.8	309.1	2.2	0.0	416.1
1992	294.3	2,435.4	10.3	4,198.2	143.4	454.2	3.7	0.7	602.0
1993	307.5	1,870.3	0.1	3,060.0	66.4	228.2	2.8	0.0	297.4
1994	89.8	883.6	0.0	1,376.4	53.0	75.7	0.1	0.0	128.8
1995	117.9	1,159.3	6.0	2,005.6	72.4	53.1	0.5	0.0	126.0
1996	107.5	955.6	1.3	1,494.5	79.4	55.4	0.4	0.0	135.2
1997	134.2	1,595.6	3.9	2,371.8	51.6	33.1	0.5	0.0	85.2
1998	146.2	1,620.8	1.6	2,354.5	37.7	77.2	1.4	0.0	116.3
1999	157.1	1,439.4	22.9	2,443.4	17.4	45.6	0.2	0.0	63.2
2000	162.1	1,059.2	26.6	1,904.4	28.9	50.0	0.4	0.0	79.3
2001	185.0	1,534.5	38.0	2,727.4	44.5	118.4	0.8	3.6	167.3
2002	166.8	948.6	51.3	2,038.2	43.6	119.3	0.6	1.8	165.3
Bearing	4,557.8	37,069.9	178.5	65,954.4	2,130.1	4,323.0	80.3	9.8	6,543.2
2003	165.8	1,065.2	79.0	2,249.3	41.9	112.0	0.2	8.7	162.8
2004	65.4	536.2	258.8	1,424.5	16.2	114.6	0.0	32.2	163.0
2005	56.7	454.7	182.4	1,221.2	0.9	99.2	0.0	2.3	102.4
Non-bearing	287.9	2,056.1	520.2	4,895.0	59.0	325.8	0.2	43.2	428.2
Total	4,845.7	39,126.0	698.7	70,849.4	2,189.1	4,648.8	80.5	53.0	6,971.4

Continued

ALL CITRUS: Number of trees, by variety and year set

Year set	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	1,000 trees								
Pre-1962	47.9	26.0	0.0	0.0	0.0	22.6	22.6	0.0	3.2
1962-71	99.9	90.2	0.0	0.0	0.0	59.3	59.3	1.0	14.0
1972-81	7.2	16.0	0.0	5.4	5.4	48.9	54.3	0.8	4.2
1982	0.8	2.2	0.0	1.9	1.9	2.5	4.4	0.0	1.2
1983	0.8	3.5	0.0	6.6	6.6	12.8	19.4	0.0	2.9
1984	4.0	8.8	0.0	15.2	15.2	8.2	23.4	0.0	1.8
1985	0.7	5.9	0.0	6.3	6.3	24.7	31.0	0.0	2.7
1986	14.3	25.5	0.0	18.4	18.4	21.7	40.1	1.0	3.5
1987	9.1	55.2	0.2	72.6	72.8	41.2	114.0	5.2	15.6
1988	13.6	83.3	3.4	118.3	121.7	48.1	169.8	5.9	28.3
1989	22.1	49.7	26.3	105.2	131.5	79.1	210.6	0.0	21.5
1990	4.4	72.4	40.3	126.2	166.5	93.3	259.8	8.2	15.7
1991	9.8	82.6	17.4	169.8	187.2	75.1	262.3	7.7	25.2
1992	6.6	76.7	42.2	158.7	200.9	146.3	347.2	5.6	18.9
1993	4.8	45.9	76.7	114.6	191.3	131.0	322.3	17.2	25.5
1994	0.8	18.1	10.2	16.4	26.6	88.9	115.5	21.3	27.6
1995	6.9	12.6	7.1	22.1	29.2	42.7	71.9	6.9	17.2
1996	8.3	18.7	8.2	16.3	24.5	42.8	67.3	6.8	2.0
1997	5.6	16.0	8.4	15.9	24.3	53.6	77.9	3.5	12.3
1998	3.8	15.4	5.6	15.1	20.7	53.5	74.2	0.7	11.1
1999	3.9	8.4	5.6	9.9	15.5	43.7	59.2	0.9	7.5
2000	7.0	11.7	6.3	4.5	10.8	41.2	52.0	0.0	1.7
2001	3.8	11.7	6.1	11.6	17.7	23.0	40.7	2.4	8.9
2002	2.7	20.2	0.5	5.4	5.9	30.1	36.0	0.6	4.8
Bearing	288.8	776.7	264.5	1,036.4	1,300.9	1,234.3	2,535.2	95.7	277.3
2003	2.9	16.6	1.9	8.2	10.1	21.3	31.4	3.2	5.6
2004	0.5	8.6	0.7	4.2	4.9	7.2	12.1	5.5	4.0
2005	1.1	5.0	1.3	9.3	10.6	5.8	16.4	0.9	0.7
Non-bearing	4.5	30.2	3.9	21.7	25.6	34.3	59.9	9.6	10.3
Total	293.3	806.9	268.4	1,058.1	1,326.5	1,268.6	2,595.1	105.3	287.6

ALL CITRUS: Acreage, by variety and county

County	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pineapple	Other mid-season
		<i>Acres</i>							
Brevard	5,080	1,123	16	646	26	62	1,873	338	1
Charlotte	11,883	2,709	28	40	9	110	2,896	321	47
Citrus	145	58	11	34	1	0	104	0	0
Collier	33,394	9,311	385	135	0	84	9,915	2,552	63
DeSoto	61,083	17,007	1,137	480	33	967	19,624	2,984	1,175
Glades	8,555	2,752	1,080	110	2	29	3,973	290	244
Hardee	45,084	22,962	957	408	49	380	24,756	2,771	371
Hendry	79,726	21,873	442	605	7	575	23,502	2,940	723
Hernando	921	545	116	117	6	0	784	9	0
Highlands	62,671	13,343	1,936	446	79	391	16,195	2,429	785
Hillsborough	14,783	7,611	1,009	485	17	215	9,337	665	249
Indian River	40,191	4,507	86	1,555	33	0	6,181	2,679	140
Lake	15,198	5,541	587	1,354	488	3	7,973	185	72
Lee	10,658	2,267	0	68	19	12	2,366	828	432
Manatee	18,548	7,230	551	141	11	670	8,603	698	465
Marion	1,185	321	92	342	33	0	788	7	0
Martin	35,038	4,690	289	316	4	300	5,599	4,487	512
Okeechobee	9,222	3,298	118	146	91	7	3,660	583	3
Orange	4,548	1,608	116	339	69	18	2,150	154	14
Osceola	12,170	4,486	523	374	51	21	5,455	1,015	190
Palm Beach	1,668	0	0	109	0	0	109	0	0
Pasco	8,190	4,771	296	677	160	1	5,905	45	16
Polk	86,398	26,664	2,200	1,903	934	236	31,937	3,471	375
Putnam	182	9	49	14	1	16	89	0	0
St. Lucie	51,387	3,811	305	1,017	9	60	5,202	1,531	524
Sarasota	1,652	155	10	27	26	16	234	49	54
Seminole	529	147	22	78	22	0	269	24	2
Volusia	1,231	417	12	227	14	1	671	68	4
Other Counties ^{1/}	53	0	2	18	0	0	20	1	16
Total	621,373	169,216	12,375	12,211	2,194	4,174	200,170	31,124	6,477

^{1/} Alachua and Pinellas counties.

Continued

ALL CITRUS: Acreage, by variety and county

County	Oranges				Grapefruit				
	Total mid-season	Late	Uniden- tified	Total	White seedless	Colored seedless	Seedy	Uniden- tified	Total
	<i>Acres</i>								
Brevard	339	2,035	42	4,289	158	239	7	0	404
Charlotte	368	6,916	0	10,180	95	918	0	0	1,013
Citrus	0	9	0	113	0	20	0	0	20
Collier	2,615	18,659	0	31,189	112	949	0	0	1,061
DeSoto	4,159	35,456	630	59,869	49	388	1	0	438
Glades	534	3,594	26	8,127	19	156	0	0	175
Hardee	3,142	14,557	1,032	43,487	106	335	15	21	477
Hendry	3,663	46,322	96	73,583	924	2,360	40	0	3,324
Hernando	9	13	21	827	1	10	0	0	11
Highlands	3,214	39,270	437	59,116	462	554	274	21	1,311
Hillsborough	914	3,460	137	13,848	52	102	26	0	180
Indian River	2,819	8,966	178	18,144	8,916	11,893	12	56	20,877
Lake	257	2,807	154	11,191	76	778	35	10	899
Lee	1,260	5,941	2	9,569	47	647	1	0	695
Manatee	1,163	7,707	276	17,749	137	212	84	0	433
Marion	7	168	4	967	5	36	0	0	41
Martin	4,999	21,492	48	32,138	1,123	909	0	81	2,113
Okeechobee	586	3,584	2	7,832	502	520	0	0	1,022
Orange	168	1,662	18	3,998	21	76	1	0	98
Osceola	1,205	3,860	12	10,532	582	479	6	0	1,067
Palm Beach	0	45	0	154	49	377	0	0	426
Pasco	61	1,555	124	7,645	21	75	1	0	97
Polk	3,846	38,535	2,112	76,430	1,158	2,054	322	30	3,564
Putnam	0	17	0	106	0	4	0	0	4
St. Lucie	2,055	18,084	331	25,672	6,193	16,672	0	208	23,073
Sarasota	103	732	1	1,070	72	342	3	0	417
Seminole	26	85	2	382	0	19	0	0	19
Volusia	72	237	13	993	46	107	3	0	156
Other Counties ^{1/}	17	1	3	41	1	1	2	0	4
Total	37,601	285,769	5,701	529,241	20,927	41,232	833	427	63,419

^{1/} Alachua and Pinellas counties.

Continued

ALL CITRUS: Acreage, by variety and county

County	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	Acres								
Brevard	64	168	17	102	119	20	139	0	16
Charlotte	19	71	45	327	372	201	573	0	27
Citrus	0	3	0	6	6	1	7	0	2
Collier	111	103	27	297	324	564	888	35	7
DeSoto	30	91	99	93	192	374	566	0	89
Glades	0	14	8	47	55	182	237	0	2
Hardee	33	209	41	317	358	379	737	0	141
Hendry	370	426	52	331	383	1,167	1,550	440	33
Hernando	0	31	3	27	30	9	39	0	13
Highlands	487	294	176	483	659	687	1,346	0	117
Hillsborough	35	183	40	179	219	250	469	0	68
Indian River	157	389	18	314	332	291	623	1	0
Lake	51	867	192	1,266	1,458	357	1,815	0	375
Lee	0	19	69	75	144	224	368	0	7
Manatee	54	132	4	29	33	133	166	0	14
Marion	1	39	11	95	106	2	108	0	29
Martin	241	198	27	87	114	209	323	5	20
Okeechobee	31	104	17	96	113	120	233	0	0
Orange	23	121	45	137	182	98	280	0	28
Osceola	130	108	11	203	214	67	281	0	52
Palm Beach	79	172	124	51	175	542	717	0	120
Pasco	11	56	30	174	204	110	314	0	67
Polk	259	1,422	637	1,953	2,590	1,589	4,179	0	544
Putnam	0	5	2	28	30	5	35	0	32
St. Lucie	304	913	39	356	395	724	1,119	121	185
Sarasota	48	61	13	13	26	17	43	1	12
Seminole	0	72	2	39	41	8	49	0	7
Volusia	1	36	16	22	38	3	41	0	4
Other Counties ^{1/}	3	3	0	1	1	0	1	0	1
Total	2,542	6,310	1,765	7,148	8,913	8,333	17,246	603	2,012

^{1/} Alachua and Pinellas counties.

ALL CITRUS: Number of trees, by variety and county

County	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pineapple	Other mid-season
		<i>1,000 trees</i>							
Brevard	553.5	132.6	1.3	71.6	3.4	7.5	216.4	32.9	0.1
Charlotte	1,708.6	370.2	3.7	5.1	2.1	18.8	399.9	35.1	11.6
Citrus	16.9	5.1	1.4	4.6	0.2	0.0	11.3	0.0	0.0
Collier	4,881.7	1,366.6	62.8	12.4	0.0	13.0	1,454.8	371.3	7.6
DeSoto	8,181.7	2,249.4	158.1	67.6	5.9	145.0	2,626.0	381.3	157.5
Glades	1,390.0	421.6	166.3	25.8	0.3	3.8	617.8	44.3	39.2
Hardee	5,511.5	2,783.7	117.5	57.9	6.4	50.2	3,015.7	330.5	43.9
Hendry	12,280.5	3,360.3	77.5	87.5	0.9	84.6	3,610.8	439.5	110.1
Hernando	106.6	63.9	13.5	13.2	0.7	0.0	91.3	1.0	0.0
Highlands	8,252.9	1,842.6	275.8	58.7	9.9	54.3	2,241.3	286.8	100.6
Hillsborough	1,628.9	823.3	108.6	58.7	2.6	23.9	1,017.1	69.0	22.3
Indian River	4,504.3	499.8	10.3	185.0	5.2	0.0	700.3	314.5	20.5
Lake	2,122.5	735.0	84.3	191.3	68.1	0.5	1,079.2	21.9	8.1
Lee	1,489.3	301.4	0.1	9.8	3.0	1.4	315.7	107.8	60.6
Manatee	2,431.0	915.2	74.3	16.7	1.3	83.4	1,090.9	79.8	72.1
Marion	146.1	35.4	11.9	42.0	4.4	0.0	93.7	0.7	0.0
Martin	5,024.3	641.2	47.8	51.3	0.4	38.7	779.4	609.9	91.0
Okeechobee	1,056.9	403.6	14.4	16.6	14.0	0.5	449.1	61.7	0.4
Orange	549.4	199.8	11.7	43.2	10.7	2.1	267.5	16.2	1.8
Osceola	1,411.0	538.6	54.0	44.1	6.5	2.9	646.1	106.9	21.5
Palm Beach	256.4	0.0	0.0	19.1	0.0	0.0	19.1	0.0	0.0
Pasco	1,140.9	661.1	44.2	85.1	19.8	0.1	810.3	5.5	1.8
Polk	10,222.5	3,111.1	262.9	231.1	126.0	32.6	3,763.7	419.0	34.1
Putnam	30.5	1.2	7.7	2.6	0.2	2.4	14.1	0.0	0.0
St. Lucie	6,637.6	542.5	35.3	128.5	1.4	7.9	715.6	200.8	82.0
Sarasota	187.7	17.7	0.7	2.9	4.0	2.0	27.3	5.9	6.5
Seminole	59.6	15.9	3.1	9.4	3.0	0.0	31.4	2.1	0.2
Volusia	120.9	43.3	1.3	24.4	1.7	0.0	70.7	6.2	0.4
Other Counties ^{1/}	5.3	0.0	0.1	2.4	0.0	0.0	2.5	0.1	1.1
Total	81,909.0	22,082.1	1,650.6	1,568.6	302.1	575.6	26,179.0	3,950.7	895.0

^{1/} Alachua and Pinellas counties.

Continued

ALL CITRUS: Number of trees, by variety and county

County	Oranges				Grapefruit				
	Total mid-season	Late	Uniden- tified	Total	White seedless	Colored seedless	Seedy	Uniden- tified	Total
	<i>1,000 trees</i>								
Brevard	33.0	220.7	3.5	473.6	13.8	22.3	0.6	0.0	36.7
Charlotte	46.7	1,000.2	0.0	1,446.8	10.6	120.4	0.0	0.0	131.0
Citrus	0.0	1.4	0.0	12.7	0.0	2.5	0.0	0.0	2.5
Collier	378.9	2,752.2	0.0	4,585.9	13.8	114.9	0.0	0.0	128.7
DeSoto	538.8	4,766.1	81.0	8,011.9	5.7	49.8	0.1	0.0	55.6
Glades	83.5	616.8	4.0	1,322.1	2.2	16.3	0.0	0.0	18.5
Hardee	374.4	1,798.0	119.7	5,307.8	11.0	41.2	1.3	2.7	56.2
Hendry	549.6	7,214.2	13.4	11,388.0	119.1	316.4	4.1	0.0	439.6
Hernando	1.0	2.2	1.4	95.9	0.1	1.0	0.0	0.0	1.1
Highlands	387.4	5,138.4	53.3	7,820.4	45.0	68.9	27.1	2.3	143.3
Hillsborough	91.3	391.1	16.7	1,516.2	4.3	8.2	2.5	0.0	15.0
Indian River	335.0	1,087.9	25.2	2,148.4	882.0	1,303.3	1.2	10.7	2,197.2
Lake	30.0	394.7	21.9	1,525.8	8.2	98.1	3.6	1.4	111.3
Lee	168.4	864.9	0.2	1,349.2	5.3	74.1	0.1	0.0	79.5
Manatee	151.9	1,057.6	43.6	2,344.0	13.9	19.2	8.7	0.0	41.8
Marion	0.7	20.9	0.5	115.8	0.5	3.5	0.0	0.0	4.0
Martin	700.9	3,184.2	6.7	4,671.2	128.9	103.4	0.0	9.2	241.5
Okeechobee	62.1	396.7	0.1	908.0	46.6	53.7	0.0	0.0	100.3
Orange	18.0	188.9	2.3	476.7	1.3	11.6	0.1	0.0	13.0
Osceola	128.4	462.9	1.5	1,238.9	61.2	44.4	0.6	0.0	106.2
Palm Beach	0.0	5.0	0.0	24.1	4.7	44.0	0.0	0.0	48.7
Pasco	7.3	240.8	15.5	1,073.9	2.2	7.9	0.1	0.0	10.2
Polk	453.1	4,551.2	243.3	9,011.3	107.7	201.3	29.6	3.4	342.0
Putnam	0.0	2.6	0.0	16.7	0.0	0.7	0.0	0.0	0.7
St. Lucie	282.8	2,651.8	42.7	3,692.9	689.6	1,871.6	0.0	23.3	2,584.5
Sarasota	12.4	85.5	0.1	125.3	7.8	36.2	0.3	0.0	44.3
Seminole	2.3	8.5	0.3	42.5	0.0	2.2	0.0	0.0	2.2
Volusia	6.6	20.6	1.5	99.4	3.5	11.5	0.3	0.0	15.3
Other Counties ^{1/}	1.2	0.0	0.3	4.0	0.1	0.2	0.2	0.0	0.5
Total	4,845.7	39,126.0	698.7	70,849.4	2,189.1	4,648.8	80.5	53.0	6,971.4

^{1/} Alachua and Pinellas counties.

Continued

ALL CITRUS: Number of trees, by variety and county

County	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	1,000 trees								
Brevard	5.2	16.2	2.3	15.0	17.3	2.7	20.0	0.1	1.7
Charlotte	2.7	9.8	9.4	53.0	62.4	48.9	111.3	0.0	7.0
Citrus	0.0	0.4	0.1	0.8	0.9	0.2	1.1	0.0	0.2
Collier	17.6	15.0	4.3	44.0	48.3	80.2	128.5	5.3	0.7
DeSoto	3.7	11.3	15.5	14.3	29.8	58.9	88.7	0.0	10.5
Glades	0.0	3.6	2.1	12.1	14.2	31.3	45.5	0.0	0.3
Hardee	3.0	25.7	5.1	46.9	52.0	55.0	107.0	0.0	11.8
Hendry	51.0	68.3	9.3	50.6	59.9	185.6	245.5	82.4	5.7
Hernando	0.0	3.4	0.4	3.5	3.9	1.1	5.0	0.0	1.2
Highlands	51.3	34.5	23.5	70.0	93.5	96.9	190.4	0.0	13.0
Hillsborough	3.1	18.4	6.1	29.4	35.5	32.5	68.0	0.0	8.2
Indian River	18.5	48.1	3.1	45.2	48.3	43.6	91.9	0.2	0.0
Lake	4.5	125.4	31.3	204.4	235.7	61.1	296.8	0.1	58.6
Lee	0.0	2.0	10.7	11.9	22.6	34.5	57.1	0.0	1.5
Manatee	5.7	14.7	0.5	3.9	4.4	18.6	23.0	0.0	1.8
Marion	0.0	5.0	1.4	15.5	16.9	0.4	17.3	0.0	4.0
Martin	32.9	25.4	4.4	11.5	15.9	34.0	49.9	1.0	2.4
Okeechobee	3.1	11.7	2.4	14.6	17.0	16.8	33.8	0.0	0.0
Orange	1.5	15.2	7.1	19.4	26.5	13.3	39.8	0.0	3.2
Osceola	10.8	12.4	1.6	27.4	29.0	8.3	37.3	0.0	5.4
Palm Beach	10.0	26.0	16.4	5.8	22.2	88.8	111.0	0.0	36.6
Pasco	1.1	6.7	4.2	21.8	26.0	14.3	40.3	0.0	8.7
Polk	29.0	180.4	98.0	275.0	373.0	218.5	591.5	0.0	68.3
Putnam	0.0	1.1	0.2	5.2	5.4	0.8	6.2	0.0	5.8
St. Lucie	33.2	111.3	5.7	47.3	53.0	119.1	172.1	16.0	27.6
Sarasota	5.0	5.4	2.1	2.0	4.1	2.0	6.1	0.2	1.4
Seminole	0.0	6.7	0.3	5.6	5.9	1.0	6.9	0.0	1.3
Volusia	0.1	2.5	0.9	1.9	2.8	0.2	3.0	0.0	0.6
Other Counties ^{1/}	0.3	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.1
Total	293.3	806.9	268.4	1,058.1	1,326.5	1,268.6	2,595.1	105.3	287.6

^{1/} Alachua and Pinellas counties.

FLORIDA COMMERCIAL CITRUS INVENTORY: All citrus acreage, by year set and biennial census date

Year set	1988	1990	1992	1994	1996	1998	2000	2002	2004	2006
	<i>Acres</i>									
Pre-1982	462,916	398,751	339,857	300,913	274,686	247,888	216,975	180,022	139,961	96,201
1982	22,198	20,475	18,726	17,593	16,651	15,461	14,286	13,208	11,940	9,153
1983	36,688	33,394	31,179	29,138	27,618	25,844	24,096	21,248	18,349	13,909
1984	24,157	21,759	19,605	18,563	17,732	17,005	16,197	14,789	13,396	10,891
1985	26,293	22,061	20,143	19,022	18,036	17,104	16,023	14,580	12,758	9,780
1986	46,494	39,878	37,412	35,952	34,689	33,574	31,397	28,142	24,486	19,387
1987	79,183	75,753	67,886	65,257	62,452	59,363	56,386	51,108	45,505	37,706
1988		52,979	50,843	49,695	49,140	47,318	44,885	41,032	37,367	30,883
1989		67,717	72,412	70,245	67,726	65,550	62,730	57,603	52,994	44,810
1990			59,135	61,143	61,670	59,133	56,216	53,104	49,315	42,321
1991			74,092	78,555	76,802	73,692	68,711	64,243	58,475	45,831
1992				67,720	68,153	65,618	61,754	57,323	51,595	37,959
1993				39,946	42,440	40,853	38,034	35,340	31,879	26,017
1994					19,557	19,229	17,947	16,786	14,638	11,635
1995					20,335	20,730	20,712	19,557	18,443	16,036
1996						15,633	16,050	15,677	14,621	12,028
1997						21,265	23,345	22,677	21,819	18,940
1998							22,870	23,092	21,767	19,146
1999							23,661	25,547	24,788	19,716
2000								17,401	17,899	16,103
2001								24,824	26,433	22,495
2002									20,857	17,639
2003									19,270	19,164
2004										12,807
2005										10,816
Total	697,929	732,767	791,290	853,742	857,687	845,260	832,275	797,303	748,555	621,373
	GROSS LOSS BETWEEN SURVEYS ^{1/}									
Acres	52,240	85,858	74,704	45,214	35,947	49,325	59,541	77,197	88,875	150,805
Percent	8.4	12.3	10.2	5.7	4.2	5.8	7.0	9.3	11.1	20.1

^{1/} Gross loss is the difference between acreage listed in previous survey and acreage remaining in those comparable year set categories in the current survey.

ALL CITRUS: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	23,285	36	669	3,139	60	2,937
1962-71	33,416	282	2,666	2,275	1,915	2,432
1972-81	39,500	873	4,594	2,625	3,471	3,173
1982	9,153	374	1,444	459	1,050	1,280
1983	13,909	332	1,051	1,739	805	2,502
1984	10,891	147	661	723	509	1,263
1985	9,780	190	552	1,144	1,449	1,057
1986	19,387	1,558	1,309	1,096	5,068	1,029
1987	37,706	4,515	4,309	3,017	4,521	2,735
1988	30,883	3,113	1,663	780	5,133	2,528
1989	44,810	1,763	4,343	3,419	9,240	5,003
1990	42,321	3,614	4,024	1,612	6,868	4,349
1991	45,831	4,807	1,753	1,661	8,173	4,196
1992	37,959	1,526	3,048	1,764	4,764	2,695
1993	26,017	559	1,979	1,161	2,820	3,729
1994	11,635	170	1,357	556	1,904	937
1995	16,036	248	1,619	811	2,003	1,625
1996	12,028	144	725	907	995	1,268
1997	18,940	1,051	2,304	1,611	2,890	1,708
1998	19,146	804	4,729	1,522	1,895	2,386
1999	19,716	1,278	1,748	2,438	3,528	2,247
2000	16,103	645	1,346	1,586	1,497	2,156
2001	22,495	1,593	3,650	2,459	2,986	1,594
2002	17,639	1,108	1,884	1,772	1,969	2,572
Bearing	578,586	30,730	53,427	40,276	75,513	57,401
2003	19,164	2,113	3,124	1,592	2,458	1,814
2004	12,807	281	2,184	2,023	1,215	1,222
2005	10,816	270	2,348	1,193	540	2,234
Non-bearing	42,787	2,664	7,656	4,808	4,213	5,270
Total	621,373	33,394	61,083	45,084	79,726	62,671

Continued

ALL CITRUS: Acreage in leading 10 counties, by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	1,236	1,135	422	5,672	349	7,630
1962-71	7,950	1,102	1,726	3,535	3,381	6,152
1972-81	7,910	487	2,558	5,014	3,609	5,186
1982	952	185	132	1,099	1,140	1,038
1983	592	781	886	2,066	1,255	1,900
1984	1,551	541	545	1,633	1,993	1,325
1985	202	323	506	1,362	440	2,555
1986	1,168	232	488	2,137	2,246	3,056
1987	942	2,596	1,680	4,114	2,153	7,124
1988	630	855	2,258	3,217	2,617	8,089
1989	1,627	849	2,412	4,452	4,893	6,809
1990	870	481	680	8,131	5,689	6,003
1991	1,200	1,421	2,264	7,053	1,875	11,428
1992	3,225	1,608	1,793	8,070	1,987	7,479
1993	1,750	1,014	3,037	3,567	2,051	4,350
1994	1,025	362	828	1,900	660	1,936
1995	676	520	1,517	2,294	1,513	3,210
1996	427	287	1,562	2,186	1,254	2,273
1997	698	952	1,092	2,171	923	3,540
1998	816	255	1,346	2,304	1,331	1,758
1999	357	555	338	3,165	1,098	2,964
2000	812	532	1,432	2,496	1,168	2,433
2001	1,282	240	1,217	2,013	3,012	2,449
2002	771	613	1,582	1,670	1,109	2,589
Bearing	38,669	17,926	32,301	81,321	47,746	103,276
2003	798	184	1,630	1,850	1,460	2,141
2004	524	335	560	1,986	1,246	1,231
2005	200	103	547	1,241	935	1,205
Non-bearing	1,522	622	2,737	5,077	3,641	4,577
Total	40,191	18,548	35,038	86,398	51,387	107,853

ALL CITRUS: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	2,225.9	4.2	73.4	323.7	7.3	310.1
1962-71	3,491.7	37.1	332.1	243.3	250.5	278.8
1972-81	4,536.5	93.2	583.3	294.5	492.1	349.8
1982	1,071.3	50.5	184.1	51.7	144.3	159.4
1983	1,680.2	50.9	131.3	204.9	114.6	301.6
1984	1,313.6	20.3	80.6	98.9	86.1	149.6
1985	1,296.7	26.8	68.6	136.3	250.4	132.3
1986	2,589.0	213.0	161.7	137.2	770.1	128.6
1987	5,058.0	666.5	595.0	373.8	724.6	355.0
1988	4,236.1	491.9	221.2	102.0	807.8	365.2
1989	6,583.0	303.2	654.2	478.1	1,516.9	741.9
1990	6,133.7	530.8	591.7	219.1	1,026.3	633.7
1991	6,538.0	751.1	244.6	209.8	1,321.8	612.4
1992	5,255.2	250.4	436.5	228.2	786.9	382.9
1993	3,773.1	82.7	260.7	154.0	446.9	527.9
1994	1,688.5	25.3	179.7	69.8	329.0	126.7
1995	2,247.1	35.4	223.2	106.5	298.4	236.6
1996	1,732.8	18.0	100.2	114.5	153.3	176.6
1997	2,572.3	152.8	316.3	200.8	419.3	222.4
1998	2,576.0	114.4	622.2	200.0	284.4	316.2
1999	2,586.5	170.4	230.9	300.3	508.7	280.3
2000	2,056.1	83.7	176.4	190.8	215.1	263.0
2001	2,962.2	200.6	488.3	299.1	423.6	203.9
2002	2,267.8	148.1	235.3	216.0	278.7	331.3
Bearing	76,471.3	4,521.3	7,191.5	4,953.3	11,657.1	7,586.2
2003	2,471.8	283.4	409.7	185.7	371.8	220.6
2004	1,618.2	42.8	278.4	239.6	170.2	167.9
2005	1,347.7	34.2	302.1	132.9	81.4	278.2
Non-bearing	5,437.7	360.4	990.2	558.2	623.4	666.7
Total	81,909.0	4,881.7	8,181.7	5,511.5	12,280.5	8,252.9

Continued

ALL CITRUS: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	108.7	115.9	45.2	535.9	34.5	667.0
1962-71	723.1	108.8	199.4	365.4	332.7	620.5
1972-81	856.9	52.9	339.5	523.3	378.8	572.2
1982	92.8	20.3	19.2	122.2	111.8	115.0
1983	65.7	99.9	124.9	226.1	138.6	221.7
1984	181.5	62.2	70.7	181.7	234.3	147.7
1985	22.4	37.1	71.0	161.1	58.8	331.9
1986	139.1	25.4	69.2	253.0	303.7	388.0
1987	110.9	324.3	247.1	486.8	276.5	897.5
1988	76.2	123.7	309.2	394.2	321.6	1,023.1
1989	201.0	128.2	364.9	561.3	624.7	1,008.6
1990	98.6	78.9	90.1	1,033.1	909.5	921.9
1991	144.0	228.2	344.0	854.4	239.8	1,587.9
1992	394.3	241.5	257.3	983.6	270.8	1,022.8
1993	255.4	128.3	532.5	444.9	281.6	658.2
1994	127.6	50.7	145.3	247.8	83.6	303.0
1995	74.4	75.1	240.6	291.5	206.3	459.1
1996	56.3	41.5	232.1	292.9	176.1	371.3
1997	97.8	129.8	144.3	260.0	136.5	492.3
1998	96.7	33.3	197.3	291.8	177.7	242.0
1999	41.8	72.1	46.8	378.6	163.4	393.2
2000	90.0	62.6	189.5	302.3	170.2	312.5
2001	158.3	31.5	175.1	242.3	415.6	323.9
2002	97.9	75.0	205.5	204.9	143.9	331.2
Bearing	4,311.4	2,347.2	4,660.7	9,639.1	6,191.0	13,412.5
2003	98.2	25.3	216.2	213.0	180.9	267.0
2004	67.1	45.3	80.0	228.3	147.9	150.7
2005	27.6	13.2	67.4	142.1	117.8	150.8
Non-bearing	192.9	83.8	363.6	583.4	446.6	568.5
Total	4,504.3	2,431.0	5,024.3	10,222.5	6,637.6	13,981.0

EARLY ORANGES: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	6,242	5	145	849	16	289
1962-71	8,410	78	836	849	428	481
1972-81	11,465	235	1,427	1,502	790	651
1982	3,935	64	662	287	452	544
1983	6,755	101	659	1,337	298	972
1984	4,370	38	285	573	85	381
1985	4,381	99	247	817	270	490
1986	8,311	636	495	830	1,760	328
1987	14,990	1,190	1,693	2,052	1,501	705
1988	10,805	1,134	435	549	1,900	607
1989	13,952	712	1,186	1,745	3,029	1,256
1990	11,897	1,048	932	900	1,584	1,081
1991	15,594	1,031	454	1,007	2,412	977
1992	10,820	420	879	761	558	783
1993	6,416	77	526	600	461	762
1994	3,062	106	427	224	205	150
1995	5,203	70	425	527	787	504
1996	3,137	18	242	497	162	196
1997	4,596	232	437	793	429	348
1998	4,484	293	528	605	598	470
1999	6,250	240	448	1,166	1,494	464
2000	5,075	360	429	974	405	409
2001	7,441	418	1,610	1,267	1,272	430
2002	6,811	221	1,214	1,104	652	857
Bearing	184,402	8,826	16,621	21,815	21,548	14,135
2003	7,120	896	1,084	1,043	1,212	371
2004	4,394	106	838	1,174	569	541
2005	4,254	87	1,081	724	173	1,148
Non-bearing	15,768	1,089	3,003	2,941	1,954	2,060
Total	200,170	9,915	19,624	24,756	23,502	16,195

Continued

EARLY ORANGES: Acreage in leading 10 counties, by year set

Year set	Hills- borough	Indian River	Lake	Manatee	Polk	Other counties
	<i>Acres</i>					
Pre-1962	1,714	185	135	371	1,476	1,057
1962-71	841	1,287	84	393	1,178	1,955
1972-81	747	989	69	161	2,037	2,857
1982	74	407	40	128	620	657
1983	159	71	85	600	1,260	1,213
1984	318	200	123	457	855	1,055
1985	325	38	388	240	587	880
1986	315	379	507	197	1,029	1,835
1987	448	373	774	1,544	1,666	3,044
1988	343	27	755	334	1,284	3,437
1989	491	161	947	252	1,586	2,587
1990	238	141	732	161	3,281	1,799
1991	720	110	1,284	639	3,041	3,919
1992	506	427	562	746	2,775	2,403
1993	330	127	430	480	1,278	1,345
1994	235	264	152	127	604	568
1995	204	103	172	124	787	1,500
1996	52	56	61	134	626	1,093
1997	169	113	123	193	542	1,217
1998	125	82	46	86	703	948
1999	128	75	82	166	973	1,014
2000	99	161	84	237	971	946
2001	126	114	68	180	786	1,170
2002	335	135	121	371	525	1,276
Bearing	9,042	6,025	7,824	8,321	30,470	39,775
2003	176	106	83	156	613	1,380
2004	34	23	19	62	497	531
2005	85	27	47	64	357	461
Non-bearing	295	156	149	282	1,467	2,372
Total	9,337	6,181	7,973	8,603	31,937	42,147

EARLY ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	576.7	0.6	15.1	86.8	2.1	28.5
1962-71	892.5	11.5	105.1	90.3	51.2	58.5
1972-81	1,335.8	25.8	178.5	169.6	109.9	74.1
1982	462.1	9.3	81.2	34.1	65.0	68.4
1983	809.8	17.3	80.7	156.5	40.6	118.4
1984	523.1	4.8	35.9	80.2	13.1	48.7
1985	557.7	13.4	31.2	96.8	42.3	59.6
1986	1,091.4	79.9	62.9	103.4	270.9	46.8
1987	2,003.2	183.0	248.6	256.5	233.7	91.0
1988	1,486.6	192.5	59.8	70.9	304.1	88.0
1989	2,094.0	108.7	192.1	236.5	507.7	220.2
1990	1,669.8	156.7	147.2	121.5	226.1	156.4
1991	2,203.8	169.1	62.4	131.4	400.1	137.3
1992	1,458.2	64.9	117.1	97.5	86.2	113.7
1993	882.1	10.7	68.3	77.6	84.0	111.0
1994	403.0	14.0	55.1	27.3	28.9	19.7
1995	722.4	9.6	60.0	63.4	120.1	84.5
1996	430.1	2.0	32.0	62.1	21.9	27.1
1997	638.1	32.0	57.8	96.8	65.4	50.9
1998	585.9	38.9	67.6	73.9	90.0	61.4
1999	824.0	31.0	60.2	143.4	221.0	58.1
2000	656.5	45.8	56.5	117.0	59.9	59.8
2001	969.9	58.9	209.4	152.5	181.9	58.1
2002	871.5	32.7	150.2	129.5	91.1	122.0
Bearing	24,148.2	1,313.1	2,234.9	2,675.5	3,317.2	1,962.2
2003	939.3	114.3	153.6	121.5	184.0	47.3
2004	564.1	16.4	101.3	139.5	82.2	84.1
2005	527.4	11.0	136.2	79.2	27.4	147.7
Non-bearing	2,030.8	141.7	391.1	340.2	293.6	279.1
Total	26,179.0	1,454.8	2,626.0	3,015.7	3,610.8	2,241.3

Continued

EARLY ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Hills- borough	Indian River	Lake	Manatee	Polk	Other counties
	1,000 trees					
Pre-1962	151.5	16.8	13.1	33.9	135.8	92.5
1962-71	76.6	123.6	9.1	37.2	123.3	206.1
1972-81	76.3	124.0	7.5	18.2	214.3	337.6
1982	7.8	34.8	4.7	13.1	65.5	78.2
1983	18.6	9.1	9.8	78.5	138.0	142.3
1984	34.2	22.9	14.7	50.8	96.2	121.6
1985	36.3	4.3	52.1	28.2	71.8	121.7
1986	35.0	43.4	70.3	22.1	120.6	236.1
1987	52.6	40.7	104.8	186.2	200.4	405.7
1988	37.1	3.7	102.8	43.9	155.5	428.3
1989	63.8	19.1	134.2	33.9	201.0	376.8
1990	28.7	17.9	96.3	23.4	416.4	279.2
1991	89.3	12.9	174.4	103.1	380.5	543.3
1992	61.3	51.9	74.1	114.8	343.8	332.9
1993	40.5	20.5	62.8	62.6	161.6	182.5
1994	29.4	29.5	24.2	15.1	73.5	86.3
1995	24.7	11.1	22.4	17.5	93.8	215.3
1996	6.2	7.3	8.0	17.9	70.9	174.7
1997	20.8	23.5	17.5	24.0	61.8	187.6
1998	14.0	10.1	6.1	11.4	81.9	130.6
1999	15.1	8.4	12.2	23.1	114.2	137.3
2000	11.3	17.3	10.7	26.9	114.3	137.0
2001	14.0	13.0	10.8	23.1	94.9	153.3
2002	38.9	16.4	16.1	44.0	64.4	166.2
Bearing	984.0	682.2	1,058.7	1,052.9	3,594.4	5,273.1
2003	19.9	13.1	11.5	21.9	71.0	181.2
2004	3.3	2.9	2.5	8.2	56.1	67.6
2005	9.9	2.1	6.5	7.9	42.2	57.3
Non-bearing	33.1	18.1	20.5	38.0	169.3	306.1
Total	1,017.1	700.3	1,079.2	1,090.9	3,763.7	5,579.2

MIDSEASON ORANGES: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	3,338	0	179	731	7	241
1962-71	4,283	43	524	449	191	262
1972-81	2,933	48	703	290	271	213
1982	479	62	61	40	60	25
1983	867	120	109	74	120	127
1984	494	31	39	32	30	60
1985	468	0	49	67	38	54
1986	681	0	81	46	129	11
1987	1,747	266	99	107	92	203
1988	1,267	241	60	29	137	89
1989	2,028	196	195	210	271	38
1990	1,430	422	56	45	158	118
1991	1,877	274	99	55	169	92
1992	2,110	223	202	82	231	103
1993	1,959	55	131	55	411	403
1994	625	7	127	19	87	75
1995	927	27	205	41	64	43
1996	742	0	50	43	38	54
1997	1,015	51	220	93	146	91
1998	1,028	37	235	66	214	66
1999	1,186	126	79	47	229	198
2000	1,247	81	168	40	55	165
2001	1,302	68	168	186	155	23
2002	1,308	0	48	88	179	104
Bearing	35,341	2,378	3,887	2,935	3,482	2,858
2003	1,291	158	176	57	144	138
2004	497	38	40	122	23	11
2005	472	41	56	28	14	207
Non-bearing	2,260	237	272	207	181	356
Total	37,601	2,615	4,159	3,142	3,663	3,214

Continued

MIDSEASON ORANGES: Acreage in leading 10 counties, by year set

Year set	Indian River	Lee	Martin	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	91	2	35	749	13	1,290
1962-71	847	132	315	395	290	835
1972-81	307	28	203	336	104	430
1982	54	0	6	77	4	90
1983	16	0	116	89	22	74
1984	30	25	41	65	40	101
1985	0	16	4	80	53	107
1986	17	1	83	76	112	125
1987	89	29	350	179	47	286
1988	62	47	429	98	40	35
1989	59	4	425	303	96	231
1990	23	3	81	215	46	263
1991	233	57	170	178	239	311
1992	154	305	258	288	74	190
1993	194	24	490	91	59	46
1994	85	2	24	54	92	53
1995	69	52	237	23	88	78
1996	44	2	373	21	82	35
1997	42	25	69	37	116	125
1998	81	11	193	37	22	66
1999	54	92	58	40	175	88
2000	62	56	340	52	101	127
2001	31	208	150	56	78	179
2002	111	66	170	241	2	299
Bearing	2,755	1,187	4,620	3,780	1,995	5,464
2003	27	28	283	49	30	201
2004	37	45	63	10	2	106
2005	0	0	33	7	28	58
Non-bearing	64	73	379	66	60	365
Total	2,819	1,260	4,999	3,846	2,055	5,829

MIDSEASON ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	332.4	0.0	20.3	77.5	0.7	27.9
1962-71	473.2	5.4	64.7	48.5	28.2	29.4
1972-81	358.6	6.5	89.2	34.5	41.9	22.5
1982	63.8	8.5	7.7	3.7	9.1	2.8
1983	115.2	19.9	13.3	9.1	19.5	17.7
1984	59.8	4.6	5.1	4.0	4.3	5.9
1985	54.7	0.0	6.2	8.0	5.5	5.3
1986	89.6	0.0	10.7	7.6	18.5	1.2
1987	232.3	40.8	12.6	12.8	15.6	25.1
1988	168.7	36.7	8.1	2.9	21.2	12.9
1989	292.4	30.5	25.6	29.5	39.0	6.2
1990	203.1	61.4	7.5	4.8	23.1	14.5
1991	245.6	36.2	15.0	6.2	24.5	11.7
1992	294.3	40.2	26.6	11.2	39.7	13.1
1993	307.5	5.9	19.1	7.7	65.6	56.4
1994	89.8	1.2	16.4	2.2	12.0	9.9
1995	117.9	3.8	26.6	4.9	8.8	5.6
1996	107.5	0.0	6.8	5.4	4.7	7.0
1997	134.2	6.9	29.9	11.1	21.0	9.8
1998	146.2	4.7	32.2	8.1	31.7	8.0
1999	157.1	15.1	10.1	5.3	30.0	23.1
2000	162.1	10.5	21.8	4.5	8.9	17.0
2001	185.0	9.9	21.3	27.8	21.9	3.3
2002	166.8	0.0	6.3	10.4	27.0	12.1
Bearing	4,557.8	348.7	503.1	347.7	522.4	348.4
2003	165.8	20.3	22.9	7.5	22.2	14.9
2004	65.4	5.6	4.8	16.2	3.1	1.2
2005	56.7	4.3	8.0	3.0	1.9	22.9
Non-bearing	287.9	30.2	35.7	26.7	27.2	39.0
Total	4,845.7	378.9	538.8	374.4	549.6	387.4

Continued

MIDSEASON ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Lee	Martin	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	9.3	0.2	4.6	69.8	1.3	120.8
1962-71	84.4	16.7	37.5	42.1	34.2	82.1
1972-81	37.3	3.7	27.4	36.4	12.5	46.7
1982	7.0	0.0	1.0	12.6	0.4	11.0
1983	1.9	0.0	13.1	9.9	2.8	8.0
1984	3.9	3.2	4.9	7.8	4.5	11.6
1985	0.0	2.0	0.5	8.8	6.0	12.4
1986	1.7	0.1	11.4	8.7	14.4	15.3
1987	11.6	3.9	47.9	23.5	8.1	30.4
1988	8.1	6.9	51.4	11.7	4.9	3.9
1989	6.8	0.7	67.2	39.4	12.1	35.4
1990	2.7	0.3	11.5	28.4	6.3	42.6
1991	28.2	8.1	24.9	21.8	30.2	38.8
1992	16.3	43.0	31.5	36.9	9.8	26.0
1993	33.5	3.1	88.3	13.0	9.7	5.2
1994	13.8	0.2	4.3	6.5	11.9	11.4
1995	7.5	7.0	28.5	2.6	13.3	9.3
1996	5.8	0.3	58.3	2.4	12.4	4.4
1997	5.0	3.4	7.3	4.4	17.3	18.1
1998	9.9	1.4	32.2	6.4	2.7	8.9
1999	7.2	11.7	9.9	4.5	30.4	9.8
2000	6.2	7.9	46.9	6.6	17.0	14.8
2001	3.3	26.6	18.8	8.3	11.6	32.2
2002	15.9	9.2	19.0	32.2	0.2	34.5
Bearing	327.3	159.6	648.3	444.7	274.0	633.6
2003	2.9	3.5	39.4	6.2	3.8	22.2
2004	4.8	5.3	9.5	1.2	0.5	13.2
2005	0.0	0.0	3.7	1.0	4.5	7.4
Non-bearing	7.7	8.8	52.6	8.4	8.8	42.8
Total	335.0	168.4	700.9	453.1	282.8	676.4

VALENCIA ORANGES: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	11,288	31	340	1,431	36	2,201
1962-71	11,198	122	1,248	870	911	1,340
1972-81	14,974	438	2,438	800	2,042	2,099
1982	3,005	214	721	123	531	681
1983	4,869	95	276	316	369	1,303
1984	4,021	78	336	109	354	766
1985	4,172	91	246	248	925	476
1986	8,728	922	731	186	2,973	643
1987	17,233	2,924	2,493	705	2,568	1,648
1988	13,296	1,479	1,039	166	2,502	1,703
1989	21,384	752	2,802	1,192	4,933	3,563
1990	21,834	1,919	3,023	412	4,840	2,904
1991	21,968	3,188	1,118	549	5,165	2,556
1992	16,849	757	1,805	758	3,422	1,521
1993	12,803	193	1,271	400	1,732	2,045
1994	5,842	53	733	304	1,275	629
1995	8,097	109	921	236	1,061	1,020
1996	6,368	62	412	346	754	970
1997	11,826	690	1,621	691	2,283	1,243
1998	11,988	368	3,949	845	887	1,783
1999	10,969	893	1,186	1,148	1,575	1,561
2000	8,323	156	746	506	935	1,558
2001	11,474	1,087	1,688	899	1,502	934
2002	7,317	880	582	446	849	1,567
Bearing	269,826	17,501	31,725	13,686	44,424	36,714
2003	8,187	965	1,792	400	1,063	1,204
2004	4,215	137	932	354	559	589
2005	3,541	56	1,007	117	276	763
Non-bearing	15,943	1,158	3,731	871	1,898	2,556
Total	285,769	18,659	35,456	14,557	46,322	39,270

Continued

VALENCIA ORANGES: Acreage in leading 10 counties, by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	570	466	333	2,970	123	2,787
1962-71	1,651	352	385	1,345	775	2,199
1972-81	1,127	163	1,653	2,128	538	1,548
1982	30	37	22	344	11	291
1983	378	134	656	625	133	584
1984	648	83	370	561	485	231
1985	68	66	288	612	168	984
1986	575	29	302	781	1,148	438
1987	228	959	1,224	1,728	772	1,984
1988	76	485	1,349	1,251	1,170	2,076
1989	338	546	1,809	1,904	1,505	2,040
1990	115	148	510	3,655	2,144	2,164
1991	225	639	1,501	2,935	587	3,505
1992	444	678	1,076	3,399	448	2,541
1993	450	486	1,950	1,410	1,577	1,289
1994	190	227	596	963	131	741
1995	160	339	1,076	1,328	690	1,157
1996	137	139	573	1,294	312	1,369
1997	107	724	754	1,381	414	1,918
1998	262	153	914	1,354	729	744
1999	68	344	230	1,915	504	1,545
2000	218	287	911	1,140	453	1,413
2001	548	36	738	986	2,162	894
2002	156	122	833	681	380	821
Bearing	8,769	7,642	20,053	36,690	17,359	35,263
2003	153	6	814	812	318	660
2004	28	48	275	684	99	510
2005	16	11	350	349	308	288
Non-bearing	197	65	1,439	1,845	725	1,458
Total	8,966	7,707	21,492	38,535	18,084	36,721

VALENCIA ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	1,109.8	3.6	37.4	147.6	4.4	233.3
1962-71	1,242.3	14.5	156.5	94.4	119.9	156.0
1972-81	1,824.5	46.6	312.2	87.1	295.3	232.4
1982	375.6	29.6	95.2	13.0	69.6	84.7
1983	606.7	12.0	36.8	38.1	52.7	153.6
1984	501.5	10.9	39.5	13.1	64.1	88.4
1985	586.4	13.4	29.9	30.2	169.1	63.5
1986	1,203.8	133.1	87.9	22.2	449.8	75.7
1987	2,355.5	423.6	331.0	85.0	415.7	219.6
1988	1,897.1	226.1	137.3	24.2	395.3	246.3
1989	3,254.5	149.1	411.2	169.5	841.0	492.9
1990	3,330.6	279.0	435.5	53.9	733.8	432.1
1991	3,279.3	502.7	156.4	65.1	836.2	391.9
1992	2,435.4	128.4	268.2	98.0	578.2	214.0
1993	1,870.3	34.9	164.6	56.4	260.7	294.6
1994	883.6	9.6	95.6	39.5	231.5	84.7
1995	1,159.3	17.2	126.6	37.3	157.2	138.7
1996	955.6	8.5	58.5	44.6	121.0	137.7
1997	1,595.6	101.1	224.1	89.7	328.9	158.6
1998	1,620.8	53.7	520.7	117.4	127.0	236.3
1999	1,439.4	122.1	155.9	142.5	227.7	196.5
2000	1,059.2	23.8	97.6	61.6	135.2	183.3
2001	1,534.5	128.8	232.7	107.0	210.9	118.6
2002	948.6	114.4	73.3	61.7	112.1	192.4
Bearing	37,069.9	2,586.7	4,284.6	1,699.1	6,937.3	4,825.8
2003	1,065.2	137.5	224.2	45.8	159.1	146.1
2004	536.2	20.7	123.1	40.6	75.6	72.4
2005	454.7	7.3	134.2	12.5	42.2	94.1
Non-bearing	2,056.1	165.5	481.5	98.9	276.9	312.6
Total	39,126.0	2,752.2	4,766.1	1,798.0	7,214.2	5,138.4

Continued

VALENCIA ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>1,000 acres</i>					
Pre-1962	51.6	49.8	35.6	288.6	13.7	244.2
1962-71	158.6	34.4	52.0	135.3	80.1	240.6
1972-81	143.7	18.3	223.0	224.5	69.1	172.3
1982	4.6	3.5	2.9	38.1	1.5	32.9
1983	42.0	16.7	98.3	67.9	20.5	68.1
1984	80.7	11.4	49.5	60.2	58.1	25.6
1985	7.0	6.7	40.8	71.2	24.7	129.9
1986	70.8	2.4	44.8	92.0	167.1	58.0
1987	30.8	127.9	181.8	202.8	103.0	234.3
1988	8.2	75.5	195.6	155.5	157.4	275.7
1989	53.0	88.5	273.5	235.6	211.6	328.6
1990	16.2	23.6	67.6	457.5	474.4	357.0
1991	25.0	101.9	231.6	348.8	82.1	537.6
1992	60.5	99.9	165.7	392.3	61.7	368.5
1993	61.4	60.4	355.3	163.2	221.2	197.6
1994	25.1	35.0	104.8	128.1	16.6	113.1
1995	21.9	49.0	179.9	175.5	87.5	168.5
1996	21.8	21.8	86.2	185.0	45.1	225.4
1997	12.4	101.1	94.4	167.5	64.2	253.6
1998	33.9	20.2	132.0	176.3	102.3	101.0
1999	7.8	43.6	31.0	230.8	75.7	205.8
2000	23.2	34.9	114.5	140.1	65.4	179.6
2001	75.7	5.1	115.0	118.4	304.6	117.7
2002	22.6	17.4	112.6	80.5	51.9	109.7
Bearing	1,058.5	1,049.0	2,988.4	4,335.7	2,559.5	4,745.3
2003	22.5	0.9	111.4	93.1	42.5	82.1
2004	2.7	6.2	41.3	81.6	11.9	60.1
2005	4.2	1.5	43.1	40.8	37.9	36.9
Non-bearing	29.4	8.6	195.8	215.5	92.3	179.1
Total	1,087.9	1,057.6	3,184.2	4,551.2	2,651.8	4,924.4

ALL ROUND ORANGES: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	20,868	36	664	3,011	59	2,731
1962-71	23,894	243	2,608	2,168	1,530	2,083
1972-81	29,372	721	4,568	2,592	3,103	2,963
1982	7,419	340	1,444	450	1,043	1,250
1983	12,491	316	1,044	1,727	787	2,402
1984	8,885	147	660	714	469	1,207
1985	9,021	190	542	1,132	1,233	1,020
1986	17,720	1,558	1,307	1,062	4,862	982
1987	33,981	4,380	4,285	2,875	4,161	2,556
1988	25,371	2,854	1,534	744	4,539	2,399
1989	37,402	1,660	4,183	3,156	8,233	4,857
1990	35,193	3,389	4,011	1,357	6,582	4,103
1991	39,474	4,493	1,671	1,611	7,746	3,638
1992	29,840	1,400	2,886	1,601	4,211	2,407
1993	21,179	325	1,928	1,055	2,604	3,210
1994	9,529	166	1,287	547	1,567	854
1995	14,260	206	1,551	804	1,912	1,567
1996	10,256	80	704	886	954	1,220
1997	17,466	973	2,278	1,580	2,858	1,682
1998	17,514	698	4,712	1,516	1,699	2,319
1999	18,581	1,259	1,732	2,400	3,298	2,223
2000	14,853	597	1,343	1,552	1,395	2,134
2001	20,547	1,573	3,466	2,443	2,929	1,555
2002	15,855	1,101	1,879	1,731	1,682	2,551
Bearing	490,971	28,705	52,287	38,714	69,456	53,913
2003	17,259	2,019	3,122	1,588	2,425	1,783
2004	11,200	281	2,138	1,993	1,185	1,221
2005	9,811	184	2,322	1,192	517	2,199
Non-bearing	38,270	2,484	7,582	4,773	4,127	5,203
Total	529,241	31,189	59,869	43,487	73,583	59,116

Continued

ALL ROUND ORANGES: Acreage in leading 10 counties, by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	846	1,055	368	5,195	156	6,747
1962-71	3,785	908	1,165	2,921	1,432	5,051
1972-81	2,423	367	2,529	4,501	952	4,653
1982	491	185	125	1,041	58	992
1983	465	758	876	1,974	268	1,874
1984	878	540	538	1,481	985	1,266
1985	106	318	502	1,279	241	2,458
1986	971	232	479	1,886	1,661	2,720
1987	690	2,542	1,671	3,573	939	6,309
1988	165	830	2,100	2,636	1,267	6,303
1989	558	823	2,375	3,820	1,972	5,765
1990	279	464	644	7,183	2,314	4,867
1991	568	1,359	2,067	6,176	986	9,159
1992	1,025	1,517	1,581	6,493	1,169	5,550
1993	771	972	2,781	2,780	1,686	3,067
1994	539	357	726	1,621	266	1,599
1995	332	501	1,450	2,141	931	2,865
1996	237	280	1,241	1,948	664	2,042
1997	269	944	1,033	1,975	652	3,222
1998	428	245	1,296	2,105	990	1,506
1999	197	554	303	2,998	846	2,771
2000	455	532	1,390	2,322	934	2,199
2001	700	238	1,133	1,882	2,396	2,232
2002	409	612	1,352	1,623	551	2,364
Bearing	17,587	17,133	29,725	71,554	24,316	87,581
2003	315	184	1,475	1,723	568	2,057
2004	137	330	467	1,932	396	1,120
2005	105	102	471	1,221	392	1,106
Non-bearing	557	616	2,413	4,876	1,356	4,283
Total	18,144	17,749	32,138	76,430	25,672	91,864

ALL ROUND ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	2,018.9	4.2	72.8	311.9	7.2	289.7
1962-71	2,608.4	31.4	326.3	233.2	199.3	243.9
1972-81	3,518.9	78.9	579.9	291.2	447.1	329.0
1982	901.5	47.4	184.1	50.8	143.7	155.9
1983	1,531.7	49.2	130.8	203.7	112.8	289.7
1984	1,084.4	20.3	80.5	97.3	81.5	143.0
1985	1,198.8	26.8	67.3	135.0	216.9	128.4
1986	2,384.8	213.0	161.5	133.2	739.2	123.7
1987	4,592.2	647.4	592.2	355.5	665.0	335.7
1988	3,552.8	455.3	205.2	98.0	720.6	347.2
1989	5,645.7	288.3	628.9	437.2	1,387.7	719.3
1990	5,207.6	497.1	590.2	180.2	983.0	603.0
1991	5,734.3	708.0	233.8	202.7	1,260.8	543.2
1992	4,198.2	233.5	411.9	206.7	704.1	340.8
1993	3,060.0	51.5	252.0	141.7	410.3	462.0
1994	1,376.4	24.8	167.1	69.0	272.4	114.3
1995	2,005.6	30.6	213.2	105.6	286.1	228.8
1996	1,494.5	10.5	97.3	112.1	147.6	171.8
1997	2,371.8	140.0	311.8	198.0	415.3	219.3
1998	2,354.5	97.3	620.5	199.4	248.7	305.7
1999	2,443.4	168.2	229.0	295.9	478.7	277.7
2000	1,904.4	80.1	175.9	187.0	204.0	260.4
2001	2,727.4	197.6	463.4	297.1	414.8	199.7
2002	2,038.2	147.1	234.7	210.7	230.6	329.0
Bearing	65,954.4	4,248.5	7,030.3	4,753.1	10,777.4	7,161.2
2003	2,249.3	272.1	409.5	185.3	366.3	217.2
2004	1,424.5	42.7	273.3	236.6	166.0	167.7
2005	1,221.2	22.6	298.8	132.8	78.3	274.3
Non-bearing	4,895.0	337.4	981.6	554.7	610.6	659.2
Total	70,849.4	4,585.9	8,011.9	5,307.8	11,388.0	7,820.4

Continued

ALL ROUND ORANGES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Manatee	Martin	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	77.7	107.8	40.2	494.2	17.0	596.2
1962-71	366.6	89.4	141.6	301.1	157.2	518.4
1972-81	305.0	41.7	336.4	475.2	117.6	516.9
1982	46.4	20.3	18.3	116.2	7.4	111.0
1983	53.0	98.1	123.9	215.8	36.2	218.5
1984	107.5	62.2	69.9	164.2	116.9	141.1
1985	11.3	36.6	70.4	151.8	33.9	320.4
1986	115.9	25.3	68.0	221.3	235.9	347.8
1987	83.1	318.2	246.0	426.7	127.8	794.6
1988	20.0	120.7	289.8	323.1	168.8	804.1
1989	78.9	125.3	359.4	478.9	277.7	864.1
1990	36.8	76.8	86.1	906.4	498.9	749.1
1991	66.1	217.9	320.6	754.4	132.4	1,294.4
1992	128.7	231.0	231.8	777.4	163.8	768.5
1993	115.4	123.7	494.7	337.9	237.2	433.6
1994	68.4	50.4	129.3	208.1	34.3	238.3
1995	40.5	72.9	228.0	272.3	125.3	402.3
1996	34.9	40.4	192.1	259.3	101.1	327.4
1997	42.1	129.0	135.2	235.5	100.7	444.9
1998	54.2	32.2	191.2	265.9	139.3	200.1
1999	23.4	72.0	42.8	357.8	132.3	365.6
2000	48.7	62.6	184.3	281.2	142.3	277.9
2001	92.8	31.2	165.4	227.7	339.2	298.5
2002	55.6	74.9	176.9	199.4	75.1	304.2
Bearing	2,073.0	2,260.6	4,342.3	8,451.8	3,518.3	11,337.9
2003	43.0	25.3	200.9	197.5	75.7	256.5
2004	17.0	45.0	69.5	222.4	48.9	135.4
2005	15.4	13.1	58.5	139.6	50.0	137.8
Non-bearing	75.4	83.4	328.9	559.5	174.6	529.7
Total	2,148.4	2,344.0	4,671.2	9,011.3	3,692.9	11,867.6

WHITE SEEDLESS GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	State Total	Brevard	Hendry	Highlands	Indian River	Manatee
	<i>Acres</i>					
Pre-1962	628	61	0	15	267	1
1962-71	4,886	29	56	47	2,921	8
1972-81	2,346	19	112	79	1,500	45
1982	110	0	0	17	47	0
1983	87	0	2	11	30	1
1984	165	0	39	0	20	0
1985	89	0	0	11	56	1
1986	120	0	4	11	22	0
1987	356	0	40	52	46	1
1988	643	1	42	8	126	0
1989	2,327	9	296	11	608	3
1990	2,136	13	62	50	378	0
1991	936	2	41	14	323	0
1992	1,238	9	70	10	644	67
1993	589	5	66	23	187	6
1994	460	5	1	24	258	1
1995	651	0	16	18	188	0
1996	654	0	15	5	73	2
1997	407	4	0	8	280	0
1998	367	1	3	15	197	1
1999	165	0	1	6	62	0
2000	271	0	50	2	142	0
2001	425	0	3	10	213	0
2002	357	0	1	9	133	0
Bearing	20,413	158	920	456	8,721	137
2003	368	0	1	5	178	0
2004	137	0	0	0	16	0
2005	9	0	3	1	1	0
Non-bearing	514	0	4	6	195	0
Total	20,927	158	924	462	8,916	137

Continued

WHITE SEEDLESS GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	Martin	Okee- chobee	Osceola	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	0	6	4	115	77	82
1962-71	324	209	44	112	1,010	126
1972-81	1	85	48	176	248	33
1982	0	9	0	8	28	1
1983	8	0	0	14	19	2
1984	0	0	1	8	97	0
1985	3	0	0	6	10	2
1986	0	0	0	14	31	38
1987	1	0	69	103	38	6
1988	71	1	233	84	53	24
1989	8	0	12	52	1,297	31
1990	11	14	6	96	1,357	149
1991	113	153	13	126	127	24
1992	97	1	3	96	153	88
1993	81	1	5	47	148	20
1994	30	0	3	10	124	4
1995	0	0	18	10	356	45
1996	252	2	6	15	283	1
1997	5	0	47	4	54	5
1998	16	0	4	15	98	17
1999	13	2	0	12	59	10
2000	0	11	1	9	56	0
2001	9	2	16	10	161	1
2002	67	6	34	8	67	32
Bearing	1,110	502	567	1,150	5,951	741
2003	8	0	2	5	138	31
2004	3	0	13	3	102	0
2005	2	0	0	0	2	0
Non-bearing	13	0	15	8	242	31
Total	1,123	502	582	1,158	6,193	772

WHITE SEEDLESS GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Brevard	Hendry	Highlands	Indian River	Manatee
	<i>1,000 trees</i>					
Pre-1962	50.9	5.0	0.0	1.4	20.4	0.1
1962-71	415.1	2.2	6.2	4.9	244.9	0.6
1972-81	239.1	1.7	15.5	7.8	150.4	5.0
1982	9.9	0.0	0.0	1.3	4.2	0.0
1983	8.5	0.0	0.3	1.0	2.9	0.1
1984	17.4	0.0	4.5	0.0	1.9	0.0
1985	9.8	0.0	0.0	1.1	6.4	0.0
1986	13.5	0.0	0.5	1.2	2.0	0.0
1987	38.2	0.0	5.0	5.6	5.2	0.1
1988	71.7	0.1	4.4	0.8	14.0	0.0
1989	272.0	0.9	37.0	1.1	66.4	0.2
1990	240.9	1.2	7.8	4.9	39.0	0.0
1991	104.8	0.1	4.6	1.5	39.5	0.0
1992	143.4	1.0	11.1	0.9	73.3	6.8
1993	66.4	0.5	11.1	2.3	19.8	0.6
1994	53.0	0.4	0.1	2.1	29.3	0.0
1995	72.4	0.0	2.1	1.5	17.1	0.0
1996	79.4	0.0	2.0	0.4	8.0	0.3
1997	51.6	0.6	0.1	0.7	37.0	0.0
1998	37.7	0.1	0.3	1.4	19.9	0.1
1999	17.4	0.0	0.1	0.5	7.0	0.0
2000	28.9	0.0	5.6	0.2	14.8	0.0
2001	44.5	0.0	0.3	0.9	21.3	0.0
2002	43.6	0.0	0.1	0.9	15.4	0.0
Bearing	2,130.1	13.8	118.7	44.4	860.1	13.9
2003	41.9	0.0	0.1	0.5	19.9	0.0
2004	16.2	0.0	0.0	0.0	1.9	0.0
2005	0.9	0.0	0.3	0.1	0.1	0.0
Non-bearing	59.0	0.0	0.4	0.6	21.9	0.0
Total	2,189.1	13.8	119.1	45.0	882.0	13.9

Continued

WHITE SEEDLESS GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Martin	Okee- chobee	Osceola	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	0.0	1.0	0.3	9.2	6.8	6.7
1962-71	31.9	15.7	2.5	9.4	85.2	11.6
1972-81	0.1	8.3	4.6	15.5	27.1	3.1
1982	0.0	0.8	0.0	0.8	2.7	0.1
1983	0.8	0.0	0.0	1.2	2.0	0.2
1984	0.0	0.0	0.1	0.8	10.1	0.0
1985	0.4	0.0	0.0	0.6	1.2	0.1
1986	0.0	0.0	0.0	1.4	4.4	4.0
1987	0.1	0.0	7.8	9.5	4.2	0.7
1988	8.9	0.1	25.6	8.9	6.0	2.9
1989	1.4	0.0	1.0	5.4	155.3	3.3
1990	0.9	1.7	0.9	9.5	158.1	16.9
1991	13.8	16.7	1.3	11.4	13.3	2.6
1992	11.4	0.1	0.4	9.8	18.1	10.5
1993	8.7	0.1	0.3	4.8	16.1	2.1
1994	5.0	0.0	0.4	0.9	14.4	0.4
1995	0.0	0.0	2.0	0.9	44.1	4.7
1996	30.4	0.3	0.8	1.5	35.6	0.1
1997	0.7	0.0	5.3	0.4	6.3	0.5
1998	1.9	0.0	0.5	1.3	10.4	1.8
1999	1.7	0.1	0.0	1.1	5.9	1.0
2000	0.0	0.9	0.1	1.0	6.3	0.0
2001	1.0	0.2	1.6	0.9	18.2	0.1
2002	8.3	0.6	3.9	0.7	9.3	4.4
Bearing	127.4	46.6	59.4	106.9	661.1	77.8
2003	1.0	0.0	0.2	0.5	16.2	3.5
2004	0.3	0.0	1.6	0.3	12.1	0.0
2005	0.2	0.0	0.0	0.0	0.2	0.0
Non-bearing	1.5	0.0	1.8	0.8	28.5	3.5
Total	128.9	46.6	61.2	107.7	689.6	81.3

COLORED GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	State Total	Charlotte	Collier	Hendry	Highlands	Indian River
	<i>Acres</i>					
Pre-1962	464	0	0	0	4	84
1962-71	2,123	1	8	26	2	1,113
1972-81	6,984	0	84	79	19	3,929
1982	1,541	0	34	3	3	412
1983	1,099	1	9	0	0	82
1984	1,537	0	0	0	8	574
1985	389	0	0	116	1	40
1986	888	0	0	98	0	153
1987	1,880	0	52	120	2	173
1988	2,700	2	33	160	16	324
1989	3,016	14	0	518	35	402
1990	2,759	0	57	49	124	206
1991	2,611	494	225	197	116	235
1992	3,726	163	98	282	94	1,294
1993	1,636	103	185	11	106	726
1994	590	0	0	63	0	202
1995	421	0	23	11	5	134
1996	446	0	0	8	7	111
1997	282	1	0	4	1	127
1998	585	8	7	181	0	141
1999	395	3	2	152	3	64
2000	454	0	47	42	2	170
2001	984	19	5	9	2	307
2002	940	0	5	189	4	187
Bearing	38,450	809	874	2,318	554	11,190
2003	992	0	43	6	0	276
2004	983	48	0	24	0	333
2005	807	61	32	12	0	94
Non-bearing	2,782	109	75	42	0	703
Total	41,232	918	949	2,360	554	11,893

Continued

COLORED GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	Lake	Lee	Martin	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	23	0	21	103	39	190
1962-71	0	0	130	14	619	210
1972-81	0	0	19	190	2,326	338
1982	0	0	0	23	1,047	19
1983	0	0	2	9	961	35
1984	0	0	0	81	860	14
1985	1	10	0	13	188	20
1986	0	9	2	49	514	63
1987	76	1	0	162	1,083	211
1988	169	85	0	139	1,175	597
1989	98	0	0	136	1,557	256
1990	107	1	7	195	1,778	235
1991	167	47	70	194	574	292
1992	41	477	56	310	459	452
1993	37	5	65	155	139	104
1994	13	1	65	28	199	19
1995	11	0	11	42	158	26
1996	7	3	14	15	274	7
1997	16	2	3	21	89	18
1998	3	2	14	31	174	24
1999	0	1	16	8	134	12
2000	1	1	1	24	156	10
2001	0	0	34	69	351	188
2002	3	0	157	6	333	56
Bearing	773	645	687	2,017	15,187	3,396
2003	5	1	143	15	491	12
2004	0	1	9	19	504	45
2005	0	0	70	3	490	45
Non-bearing	5	2	222	37	1,485	102
Total	778	647	909	2,054	16,672	3,498

COLORED GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Charlotte	Collier	Hendry	Highlands	Indian River
	<i>1,000 trees</i>					
Pre-1962	36.5	0.0	0.0	0.0	0.4	6.9
1962-71	190.0	0.1	0.6	3.2	0.2	98.2
1972-81	684.8	0.0	7.4	9.9	1.4	393.7
1982	150.5	0.0	3.1	0.2	0.3	42.0
1983	113.0	0.1	0.9	0.0	0.0	8.0
1984	173.5	0.0	0.0	0.0	0.7	61.6
1985	46.2	0.0	0.0	13.3	0.1	4.7
1986	102.1	0.0	0.0	11.3	0.0	18.0
1987	220.8	0.0	6.8	15.2	0.2	18.7
1988	308.1	0.1	4.7	23.0	1.9	39.6
1989	360.3	1.4	0.0	62.0	4.9	47.6
1990	317.9	0.0	6.3	5.5	16.2	22.0
1991	309.1	62.9	29.6	26.2	13.0	27.2
1992	454.2	22.9	13.1	38.7	14.3	152.9
1993	228.2	15.4	24.2	1.5	13.0	111.4
1994	75.7	0.0	0.0	9.1	0.0	26.2
1995	53.1	0.0	2.2	1.4	0.5	13.2
1996	55.4	0.0	0.0	1.1	0.6	12.5
1997	33.1	0.2	0.0	0.4	0.1	15.7
1998	77.2	0.7	0.9	33.9	0.0	14.5
1999	45.6	0.4	0.2	17.8	0.4	7.1
2000	50.0	0.0	3.5	4.1	0.2	20.8
2001	118.4	2.0	0.6	1.0	0.1	35.8
2002	119.3	0.0	0.7	31.9	0.4	22.5
Bearing	4,323.0	106.2	104.8	310.7	68.9	1,220.8
2003	112.0	0.0	5.9	0.9	0.0	31.3
2004	114.6	6.2	0.0	3.5	0.0	39.1
2005	99.2	8.0	4.2	1.3	0.0	12.1
Non-bearing	325.8	14.2	10.1	5.7	0.0	82.5
Total	4,648.8	120.4	114.9	316.4	68.9	1,303.3

Continued

COLORED GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Lake	Lee	Martin	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	1.4	0.0	1.6	7.7	3.1	15.4
1962-71	0.0	0.0	12.4	1.1	55.4	18.8
1972-81	0.1	0.0	2.0	16.2	221.8	32.3
1982	0.0	0.0	0.0	2.2	101.0	1.7
1983	0.0	0.0	0.2	0.9	99.9	3.0
1984	0.0	0.0	0.0	8.8	101.0	1.4
1985	0.1	1.1	0.0	1.1	23.6	2.2
1986	0.0	1.8	0.2	4.9	59.0	6.9
1987	8.5	0.0	0.0	16.9	131.5	23.0
1988	23.7	10.1	0.0	14.5	132.1	58.4
1989	16.0	0.0	0.0	13.9	181.8	32.7
1990	12.1	0.1	0.7	20.0	205.6	29.4
1991	18.4	5.7	8.0	18.1	69.5	30.5
1992	5.0	53.5	6.4	31.7	59.1	56.6
1993	6.2	0.5	8.4	16.6	18.6	12.4
1994	1.6	0.1	9.8	2.7	24.7	1.5
1995	1.1	0.0	1.8	3.5	26.6	2.8
1996	1.0	0.4	2.2	1.5	35.4	0.7
1997	1.4	0.2	0.2	2.1	10.8	2.0
1998	0.4	0.2	1.4	2.7	19.8	2.7
1999	0.0	0.1	1.5	0.8	16.2	1.1
2000	0.1	0.1	0.0	2.2	18.2	0.8
2001	0.0	0.0	3.9	7.4	43.4	24.2
2002	0.4	0.0	19.7	0.5	38.2	5.0
Bearing	97.5	73.9	80.4	198.0	1,696.3	365.5
2003	0.6	0.1	13.7	1.3	57.1	1.1
2004	0.0	0.1	1.0	1.5	58.7	4.5
2005	0.0	0.0	8.3	0.5	59.5	5.3
Non-bearing	0.6	0.2	23.0	3.3	175.3	10.9
Total	98.1	74.1	103.4	201.3	1,871.6	376.4

ALL GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	State Total	Charlotte	Collier	Hendry	Highlands	Indian River
	<i>Acres</i>					
Pre-1962	1,311	2	0	0	53	355
1962-71	7,142	5	8	99	94	4,037
1972-81	9,448	0	101	196	154	5,429
1982	1,658	0	34	3	20	459
1983	1,191	1	9	2	12	112
1984	1,704	0	0	40	8	594
1985	495	0	0	116	21	96
1986	1,049	0	0	102	44	175
1987	2,310	0	52	160	84	219
1988	3,368	2	33	211	27	450
1989	5,353	20	0	814	49	1,010
1990	4,959	44	89	111	177	584
1991	3,567	498	231	238	131	558
1992	5,010	166	126	352	129	1,938
1993	2,258	104	185	85	134	913
1994	1,052	0	0	64	25	460
1995	1,078	0	26	27	26	322
1996	1,104	0	0	23	12	186
1997	694	3	0	4	10	407
1998	965	18	8	184	27	338
1999	563	3	9	153	10	126
2000	730	0	47	92	6	315
2001	1,445	19	5	12	14	520
2002	1,322	6	5	190	16	338
Bearing	59,776	891	968	3,278	1,283	19,941
2003	1,442	13	61	7	17	455
2004	1,366	48	0	24	0	386
2005	835	61	32	15	11	95
Non-bearing	3,643	122	93	46	28	936
Total	63,419	1,013	1,061	3,324	1,311	20,877

Continued

ALL GRAPEFRUIT: Acreage in leading 10 counties, by year set

Year set	Martin	Okee- chobee	Osceola	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	21	6	29	301	116	428
1962-71	454	233	45	138	1,629	400
1972-81	20	142	123	419	2,574	290
1982	0	12	0	38	1,075	17
1983	10	10	0	25	980	30
1984	0	3	1	90	957	11
1985	3	1	1	26	198	33
1986	2	0	4	68	548	106
1987	1	5	70	298	1,126	295
1988	71	38	502	236	1,228	570
1989	8	0	23	195	2,854	380
1990	18	93	7	327	3,136	373
1991	183	336	37	331	701	323
1992	153	48	10	426	612	1,050
1993	146	5	15	217	287	167
1994	95	2	6	39	323	38
1995	11	0	30	55	514	67
1996	266	3	6	32	557	19
1997	8	0	50	29	143	40
1998	30	3	8	47	272	30
1999	29	2	0	22	193	16
2000	1	12	5	33	212	7
2001	43	28	34	89	535	146
2002	224	39	36	18	400	50
Bearing	1,797	1,021	1,042	3,499	21,170	4,886
2003	151	0	12	25	693	8
2004	93	1	13	36	710	55
2005	72	0	0	4	500	45
Non-bearing	316	1	25	65	1,903	108
Total	2,113	1,022	1,067	3,564	23,073	4,994

ALL GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Charlotte	Collier	Hendry	Highlands	Indian River
	<i>1,000 trees</i>					
Pre-1962	107.3	0.2	0.0	0.0	5.0	27.8
1962-71	618.9	0.5	0.6	11.2	9.7	343.4
1972-81	935.1	0.0	9.2	26.0	14.8	544.1
1982	161.2	0.0	3.1	0.2	1.6	46.2
1983	121.9	0.1	0.9	0.3	1.1	10.9
1984	191.2	0.0	0.0	4.6	0.7	63.5
1985	57.6	0.0	0.0	13.3	2.0	11.1
1986	119.8	0.0	0.0	11.8	4.5	20.0
1987	266.7	0.0	6.8	20.2	8.7	23.9
1988	382.4	0.1	4.7	28.5	3.0	53.6
1989	633.4	2.0	0.0	99.0	6.4	114.0
1990	565.6	5.0	10.6	13.3	21.4	61.0
1991	416.1	63.3	30.2	30.8	14.6	66.7
1992	602.0	23.2	16.9	49.8	17.7	226.2
1993	297.4	15.5	24.2	13.1	15.7	131.2
1994	128.8	0.0	0.0	9.2	2.1	55.5
1995	126.0	0.0	2.5	3.5	2.3	30.3
1996	135.2	0.0	0.0	3.1	1.0	20.7
1997	85.2	0.4	0.0	0.5	0.9	52.7
1998	116.3	1.7	1.1	34.2	2.7	34.4
1999	63.2	0.4	0.9	17.9	1.0	14.1
2000	79.3	0.0	3.5	9.7	0.6	35.8
2001	167.3	2.0	0.6	1.3	1.2	57.1
2002	165.3	1.0	0.7	32.0	1.6	39.6
Bearing	6,543.2	115.4	116.5	433.5	140.3	2,083.8
2003	162.8	1.4	8.0	1.0	1.8	51.3
2004	163.0	6.2	0.0	3.5	0.0	49.9
2005	102.4	8.0	4.2	1.6	1.2	12.2
Non-bearing	428.2	15.6	12.2	6.1	3.0	113.4
Total	6,971.4	131.0	128.7	439.6	143.3	2,197.2

Continued

ALL GRAPEFRUIT: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Martin	Okee-chobee	Osceola	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	1.6	1.0	2.4	23.7	9.9	35.7
1962-71	44.3	17.6	2.6	11.6	140.6	36.8
1972-81	2.1	13.8	13.6	36.4	248.9	26.2
1982	0.0	1.1	0.0	3.8	103.7	1.5
1983	1.0	0.9	0.0	2.2	101.9	2.6
1984	0.0	0.3	0.1	9.8	111.1	1.1
1985	0.4	0.1	0.2	2.4	24.8	3.3
1986	0.2	0.0	0.3	6.8	63.8	12.4
1987	0.1	0.6	7.9	29.8	136.2	32.5
1988	8.9	3.8	47.8	24.6	138.1	69.3
1989	1.4	0.0	1.9	20.0	337.1	51.6
1990	1.6	10.9	1.0	33.0	363.8	44.0
1991	21.8	35.5	3.6	30.8	82.8	36.0
1992	17.8	5.6	2.5	43.4	77.2	121.7
1993	17.1	0.5	1.2	22.8	34.7	21.4
1994	14.8	0.2	0.6	3.7	39.1	3.6
1995	1.8	0.0	3.3	4.6	70.7	7.0
1996	32.6	0.4	0.8	3.2	71.0	2.4
1997	0.9	0.0	5.5	2.9	17.1	4.3
1998	3.3	0.4	0.8	4.1	30.2	3.4
1999	3.2	0.1	0.0	2.0	22.1	1.5
2000	0.0	1.0	0.3	3.2	24.5	0.7
2001	4.9	2.9	3.1	9.2	64.8	20.2
2002	28.0	3.5	4.0	1.6	47.5	5.8
Bearing	207.8	100.2	103.5	335.6	2,361.6	545.0
2003	14.7	0.0	1.1	2.2	80.4	0.9
2004	10.5	0.1	1.6	3.6	81.7	5.9
2005	8.5	0.0	0.0	0.6	60.8	5.3
Non-bearing	33.7	0.1	2.7	6.4	222.9	12.1
Total	241.5	100.3	106.2	342.0	2,584.5	557.1

TEMPLES: Acreage in leading 10 counties, by year set

Year set	State Total	Brevard	Collier	Hendry	Highlands	Indian River
	<i>Acres</i>					
Pre-1962	538	41	0	1	127	14
1962-71	851	13	30	213	133	38
1972-81	70	2	4	0	28	11
1982	9	0	0	4	2	0
1983	7	0	0	0	2	1
1984	32	0	0	0	31	0
1985	7	0	0	0	2	0
1986	113	0	0	57	0	0
1987	75	0	0	11	12	1
1988	98	0	15	18	32	0
1989	176	0	43	22	26	15
1990	35	1	0	1	5	1
1991	79	2	0	18	24	0
1992	49	0	0	2	2	10
1993	38	0	0	7	6	0
1994	10	1	0	0	1	2
1995	44	0	10	3	2	0
1996	67	0	0	1	31	3
1997	40	0	0	5	4	15
1998	31	4	0	4	3	1
1999	31	0	1	1	1	13
2000	50	0	0	0	4	15
2001	28	0	6	0	1	7
2002	23	0	2	2	0	5
Bearing	2,501	64	111	370	479	152
2003	27	0	0	0	4	5
2004	6	0	0	0	0	0
2005	8	0	0	0	4	0
Non-bearing	41	0	0	0	8	5
Total	2,542	64	111	370	487	157

Continued

TEMPLES: Acreage in leading 10 counties, by year set

Year set	Martin	Osceola	Palm Beach	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	11	119	0	69	36	120
1962-71	80	7	28	71	135	103
1972-81	5	3	0	11	1	5
1982	1	0	0	0	0	2
1983	0	0	0	3	1	0
1984	0	0	0	0	1	0
1985	0	0	0	2	0	3
1986	0	0	0	11	8	37
1987	0	1	0	25	23	2
1988	11	0	0	6	1	15
1989	25	0	28	4	1	12
1990	8	0	0	8	8	3
1991	12	0	0	8	8	7
1992	15	0	0	9	4	7
1993	2	0	8	4	11	0
1994	1	0	0	2	2	1
1995	12	0	0	3	2	12
1996	9	0	15	3	5	0
1997	9	0	0	1	0	6
1998	9	0	0	4	6	0
1999	6	0	0	1	3	5
2000	13	0	0	14	4	0
2001	11	0	0	0	3	0
2002	1	0	0	0	13	0
Bearing	241	130	79	259	276	340
2003	0	0	0	0	18	0
2004	0	0	0	0	6	0
2005	0	0	0	0	4	0
Non-bearing	0	0	0	0	28	0
Total	241	130	79	259	304	340

TEMPLES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Brevard	Collier	Hendry	Highlands	Indian River
	<i>1,000 trees</i>					
Pre-1962	47.9	2.9	0.0	0.1	13.1	1.2
1962-71	99.9	1.2	4.9	29.7	12.6	4.2
1972-81	7.2	0.2	0.4	0.0	2.8	1.2
1982	0.8	0.0	0.0	0.4	0.2	0.0
1983	0.8	0.0	0.0	0.0	0.2	0.1
1984	4.0	0.0	0.0	0.0	3.9	0.0
1985	0.7	0.0	0.0	0.0	0.1	0.0
1986	14.3	0.0	0.0	8.1	0.0	0.0
1987	9.1	0.0	0.0	1.4	1.3	0.1
1988	13.6	0.0	2.6	2.6	4.3	0.0
1989	22.1	0.0	6.5	3.1	2.5	1.7
1990	4.4	0.1	0.0	0.1	0.6	0.1
1991	9.8	0.2	0.0	2.5	2.9	0.0
1992	6.6	0.0	0.0	0.3	0.2	1.4
1993	4.8	0.0	0.0	1.0	0.7	0.0
1994	0.8	0.1	0.0	0.0	0.1	0.1
1995	6.9	0.0	1.7	0.3	0.3	0.0
1996	8.3	0.0	0.0	0.1	3.2	0.4
1997	5.6	0.0	0.0	0.5	0.4	2.2
1998	3.8	0.5	0.0	0.5	0.5	0.1
1999	3.9	0.0	0.1	0.1	0.1	2.0
2000	7.0	0.0	0.0	0.0	0.4	1.8
2001	3.8	0.0	1.1	0.0	0.1	0.8
2002	2.7	0.0	0.3	0.2	0.0	0.5
Bearing	288.8	5.2	17.6	51.0	50.5	17.9
2003	2.9	0.0	0.0	0.0	0.4	0.6
2004	0.5	0.0	0.0	0.0	0.0	0.0
2005	1.1	0.0	0.0	0.0	0.4	0.0
Non-bearing	4.5	0.0	0.0	0.0	0.8	0.6
Total	293.3	5.2	17.6	51.0	51.3	18.5

Continued

TEMPLES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Martin	Osceola	Palm Beach	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	1.2	9.8	0.0	5.9	3.7	10.0
1962-71	10.5	0.6	3.2	8.4	13.6	11.0
1972-81	0.5	0.3	0.0	1.2	0.1	0.5
1982	0.1	0.0	0.0	0.0	0.0	0.1
1983	0.0	0.0	0.0	0.3	0.2	0.0
1984	0.0	0.0	0.0	0.0	0.1	0.0
1985	0.0	0.0	0.0	0.3	0.0	0.3
1986	0.0	0.0	0.0	1.4	0.8	4.0
1987	0.0	0.1	0.0	3.0	3.0	0.2
1988	1.6	0.0	0.0	0.8	0.2	1.5
1989	3.4	0.0	3.2	0.3	0.1	1.3
1990	1.2	0.0	0.0	1.0	1.0	0.3
1991	1.4	0.0	0.0	1.1	0.8	0.9
1992	2.0	0.0	0.0	1.0	0.7	1.0
1993	0.3	0.0	0.9	0.6	1.3	0.0
1994	0.1	0.0	0.0	0.2	0.2	0.0
1995	2.6	0.0	0.0	0.3	0.3	1.4
1996	1.2	0.0	2.7	0.3	0.4	0.0
1997	1.6	0.0	0.0	0.1	0.0	0.8
1998	1.1	0.0	0.0	0.5	0.6	0.0
1999	0.8	0.0	0.0	0.1	0.3	0.4
2000	1.9	0.0	0.0	2.2	0.7	0.0
2001	1.3	0.0	0.0	0.0	0.4	0.1
2002	0.1	0.0	0.0	0.0	1.6	0.0
Bearing	32.9	10.8	10.0	29.0	30.1	33.8
2003	0.0	0.0	0.0	0.0	1.9	0.0
2004	0.0	0.0	0.0	0.0	0.5	0.0
2005	0.0	0.0	0.0	0.0	0.7	0.0
Non-bearing	0.0	0.0	0.0	0.0	3.1	0.0
Total	32.9	10.8	10.0	29.0	33.2	33.8

TANGELOS: Acreage in leading 10 counties, by year set

Year set	State Total	Hardee	Hendry	Highlands	Hills- borough	Indian River
	<i>Acres</i>					
Pre-1962	313	24	0	13	32	21
1962-71	896	30	62	53	79	70
1972-81	136	1	5	2	0	11
1982	23	0	0	1	0	2
1983	37	7	0	1	0	2
1984	76	0	0	1	1	14
1985	43	0	0	0	4	0
1986	211	8	0	2	3	6
1987	402	46	31	15	13	7
1988	610	1	182	13	10	5
1989	356	6	32	6	8	3
1990	479	38	51	5	6	2
1991	645	8	29	131	14	13
1992	567	29	8	17	10	71
1993	330	3	1	30	0	12
1994	114	0	17	0	1	7
1995	91	1	0	0	0	9
1996	109	2	0	1	0	0
1997	110	0	1	0	0	0
1998	114	0	0	0	1	15
1999	74	0	5	3	0	20
2000	86	0	0	0	0	25
2001	91	3	2	0	0	32
2002	164	2	0	0	1	18
Bearing	6,077	209	426	294	183	365
2003	132	0	0	0	0	23
2004	67	0	0	0	0	1
2005	34	0	0	0	0	0
Non-bearing	233	0	0	0	0	24
Total	6,310	209	426	294	183	389

Continued

TANGELOS: Acreage in leading 10 counties, by year set

Year set	Lake	Martin	Palm Beach	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	39	16	0	4	19	145
1962-71	36	17	0	261	100	188
1972-81	0	4	0	33	31	49
1982	0	0	0	4	5	11
1983	1	0	0	11	6	9
1984	21	7	0	11	19	2
1985	1	1	0	21	1	15
1986	33	0	0	87	19	53
1987	139	1	0	46	32	72
1988	109	26	50	112	23	79
1989	80	1	0	104	14	102
1990	118	5	0	109	43	102
1991	105	0	0	146	89	110
1992	49	8	10	260	45	60
1993	23	17	62	82	26	74
1994	41	1	0	16	24	7
1995	19	8	0	9	8	37
1996	14	27	27	18	12	8
1997	4	20	0	23	38	24
1998	9	7	3	23	39	17
1999	6	0	0	8	7	25
2000	9	15	20	5	10	2
2001	2	14	0	9	28	1
2002	2	2	0	4	115	20
Bearing	860	197	172	1,406	753	1,212
2003	0	1	0	10	84	14
2004	7	0	0	3	49	7
2005	0	0	0	3	27	4
Non-bearing	7	1	0	16	160	25
Total	867	198	172	1,422	913	1,237

TANGELOS: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Hardee	Hendry	Highlands	Hills- borough	Indian River
	<i>1,000 trees</i>					
Pre-1962	26.0	2.6	0.0	0.8	2.9	2.0
1962-71	90.2	2.4	8.9	5.3	5.9	6.5
1972-81	16.0	0.2	0.7	0.3	0.1	1.5
1982	2.2	0.0	0.0	0.3	0.0	0.2
1983	3.5	0.6	0.0	0.1	0.0	0.2
1984	8.8	0.0	0.0	0.1	0.1	1.7
1985	5.9	0.0	0.0	0.1	0.6	0.0
1986	25.5	1.0	0.0	0.3	0.6	0.9
1987	55.2	5.8	6.5	1.5	1.7	0.9
1988	83.3	0.1	27.8	2.1	1.4	0.7
1989	49.7	0.9	5.1	0.8	1.0	0.3
1990	72.4	5.4	8.9	0.7	0.7	0.2
1991	82.6	1.2	4.7	15.4	1.9	1.5
1992	76.7	4.1	1.4	2.9	1.2	10.1
1993	45.9	0.5	0.1	3.5	0.0	1.5
1994	18.1	0.0	2.9	0.0	0.1	0.9
1995	12.6	0.1	0.0	0.0	0.0	1.4
1996	18.7	0.2	0.0	0.1	0.0	0.0
1997	16.0	0.0	0.1	0.0	0.0	0.0
1998	15.4	0.0	0.0	0.0	0.1	2.3
1999	8.4	0.0	1.0	0.2	0.0	2.2
2000	11.7	0.0	0.0	0.0	0.0	3.5
2001	11.7	0.5	0.2	0.0	0.0	4.1
2002	20.2	0.1	0.0	0.0	0.1	2.0
Bearing	776.7	25.7	68.3	34.5	18.4	44.6
2003	16.6	0.0	0.0	0.0	0.0	3.3
2004	8.6	0.0	0.0	0.0	0.0	0.2
2005	5.0	0.0	0.0	0.0	0.0	0.0
Non-bearing	30.2	0.0	0.0	0.0	0.0	3.5
Total	806.9	25.7	68.3	34.5	18.4	48.1

Continued

TANGELOS: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Lake	Martin	Palm Beach	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	3.0	1.6	0.0	0.5	1.7	10.9
1962-71	3.4	1.8	0.0	27.4	10.1	18.5
1972-81	0.0	0.5	0.0	3.9	2.9	5.9
1982	0.0	0.0	0.0	0.4	0.5	0.8
1983	0.1	0.0	0.0	1.3	0.3	0.9
1984	2.4	0.8	0.0	1.4	2.1	0.2
1985	0.1	0.2	0.0	2.9	0.1	1.9
1986	4.5	0.0	0.0	11.3	2.0	4.9
1987	20.8	0.1	0.0	5.7	4.3	7.9
1988	16.2	3.1	5.1	14.2	3.0	9.6
1989	12.9	0.1	0.0	13.5	1.6	13.5
1990	19.4	0.6	0.0	14.8	5.1	16.6
1991	14.6	0.0	0.0	17.8	11.5	14.0
1992	6.0	0.9	1.0	35.5	5.7	7.9
1993	3.6	2.7	9.3	12.0	3.3	9.4
1994	7.4	0.1	0.0	2.6	3.3	0.8
1995	2.5	1.7	0.0	1.2	0.9	4.8
1996	3.2	3.2	7.1	2.2	1.4	1.3
1997	0.5	3.7	0.0	3.2	5.5	3.0
1998	1.1	1.0	0.5	3.0	4.8	2.6
1999	0.9	0.0	0.0	0.9	0.7	2.5
2000	1.2	1.3	3.0	0.7	1.8	0.2
2001	0.2	1.6	0.0	1.3	3.6	0.2
2002	0.4	0.2	0.0	0.4	15.0	2.0
Bearing	124.4	25.2	26.0	178.1	91.2	140.3
2003	0.0	0.2	0.0	1.7	9.8	1.6
2004	1.0	0.0	0.0	0.4	6.0	1.0
2005	0.0	0.0	0.0	0.2	4.3	0.5
Non-bearing	1.0	0.2	0.0	2.3	20.1	3.1
Total	125.4	25.4	26.0	180.4	111.3	143.4

EARLY TANGERINES^{1/}: Acreage in leading 10 counties, by year set

Year set	State Total	Charlotte	Collier	Hardee	Hendry	Highlands
Acres						
Pre-1962 ^{2/}						
1962-71 ^{2/}						
1972-81	48	0	0	0	0	0
1982	11	0	0	0	0	6
1983	50	0	0	0	0	21
1984	121	0	0	0	0	14
1985	52	0	0	0	0	0
1986	124	0	0	8	0	0
1987	510	0	62	63	19	25
1988	864	97	83	2	109	48
1989	890	0	0	47	77	27
1990	989	136	53	64	4	16
1991	1,271	0	14	27	68	140
1992	1,379	0	0	70	58	44
1993	1,252	72	38	48	21	289
1994	176	0	3	0	0	5
1995	180	1	0	2	0	1
1996	149	0	0	2	6	2
1997	169	0	5	10	9	0
1998	132	20	0	2	0	0
1999	116	8	6	7	1	2
2000	77	2	0	1	2	4
2001	132	26	7	0	7	4
2002	42	0	0	0	0	0
Bearing	8,734	362	271	353	381	648
2003	71	4	6	1	2	5
2004	33	6	0	4	0	0
2005	75	0	47	0	0	6
Non-bearing	179	10	53	5	2	11
Total	8,913	372	324	358	383	659

^{1/} Includes Fallglo and Sunburst varieties.

Continued

^{2/} Sunburst (USDA release, 1979) and Fallglo (USDA release, 1987) not available for planting.

EARLY TANGERINES^{1/}: Acreage in leading 10 counties, by year set

Year set	Hills-borough	Indian River	Lake	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962 ^{2/}						
1962-71 ^{2/}						
1972-81	0	0	0	6	19	23
1982	0	0	0	4	0	1
1983	0	0	2	27	0	0
1984	1	52	8	31	15	0
1985	5	0	16	23	0	8
1986	7	16	26	40	3	24
1987	42	5	124	73	22	75
1988	25	10	119	157	50	164
1989	5	41	176	234	36	247
1990	10	4	190	412	28	72
1991	51	27	314	269	67	294
1992	34	109	174	568	80	242
1993	20	33	100	323	11	297
1994	8	8	54	65	18	15
1995	1	11	40	43	0	81
1996	2	0	32	81	5	19
1997	4	3	18	38	6	76
1998	0	10	12	50	2	36
1999	0	0	14	42	4	32
2000	0	1	8	24	1	34
2001	0	1	25	19	7	36
2002	1	1	4	14	1	21
Bearing	216	332	1,456	2,543	375	1,797
2003	3	0	2	26	12	10
2004	0	0	0	8	5	10
2005	0	0	0	13	3	6
Non-bearing	3	0	2	47	20	26
Total	219	332	1,458	2,590	395	1,823

^{1/} Includes Fallglo and Sunburst varieties.

^{2/} Sunburst (USDA release, 1979) and Fallglo (USDA release, 1987) not available for planting.

EARLY TANGERINES^{1/}: Number of trees in leading 10 counties,(based on acreage), by year set

Year set	State Total	Charlotte	Collier	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962 ^{2/}						
1962-71 ^{2/}						
1972-81	5.4	0.0	0.0	0.0	0.0	0.0
1982	1.9	0.0	0.0	0.0	0.0	1.3
1983	6.6	0.0	0.0	0.0	0.0	2.4
1984	15.2	0.0	0.0	0.0	0.0	1.7
1985	6.3	0.0	0.0	0.0	0.0	0.0
1986	18.4	0.0	0.0	1.1	0.0	0.0
1987	72.8	0.0	8.9	8.7	3.7	3.0
1988	121.7	12.1	11.8	0.3	16.0	7.3
1989	131.5	0.0	0.0	8.3	12.0	4.4
1990	166.5	22.4	8.4	9.3	0.5	3.1
1991	187.2	0.0	2.4	4.2	12.2	21.1
1992	200.9	0.0	0.0	10.0	8.3	7.3
1993	191.3	17.8	6.1	6.6	3.5	37.4
1994	26.6	0.0	0.4	0.0	0.0	1.1
1995	29.2	0.1	0.0	0.3	0.0	0.2
1996	24.5	0.0	0.0	0.2	0.9	0.3
1997	24.3	0.0	0.7	1.1	1.2	0.0
1998	20.7	4.3	0.0	0.2	0.0	0.0
1999	15.5	0.9	0.9	1.0	0.1	0.3
2000	10.8	0.4	0.0	0.1	0.2	0.6
2001	17.7	2.8	1.0	0.0	1.0	0.7
2002	5.9	0.0	0.0	0.0	0.0	0.0
Bearing	1,300.9	60.8	40.6	51.4	59.6	92.2
2003	10.1	0.8	1.0	0.1	0.3	0.6
2004	4.9	0.8	0.0	0.5	0.0	0.0
2005	10.6	0.0	6.7	0.0	0.0	0.7
Non-bearing	25.6	1.6	7.7	0.6	0.3	1.3
Total	1,326.5	62.4	48.3	52.0	59.9	93.5

^{1/} Includes Fallglo and Sunburst varieties.

Continued

^{2/} Sunburst (USDA release, 1979) and Fallglo (USDA release, 1987) not available for planting.

EARLY TANGERINES^{1/}: Number of trees in leading 10 counties,(based on acreage), by year set

Year set	Hills-borough	Indian River	Lake	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962 ^{2/}						
1962-71 ^{2/}						
1972-81	0.0	0.0	0.0	0.9	1.8	2.7
1982	0.0	0.0	0.0	0.5	0.0	0.1
1983	0.0	0.0	0.7	3.5	0.0	0.0
1984	0.1	6.6	1.0	3.8	2.0	0.0
1985	0.9	0.0	2.0	2.4	0.0	1.0
1986	0.9	2.3	4.1	6.6	0.4	3.0
1987	5.5	0.6	19.6	10.0	3.3	9.5
1988	3.8	1.9	20.9	22.7	6.2	18.7
1989	0.7	6.1	26.3	35.1	4.5	34.1
1990	1.7	0.5	35.8	65.8	4.5	14.5
1991	9.8	3.7	46.9	35.3	9.1	42.5
1992	5.6	17.2	26.6	79.4	10.6	35.9
1993	3.3	4.4	16.2	47.8	1.4	46.8
1994	1.0	1.1	9.3	8.9	2.6	2.2
1995	0.4	1.5	6.8	6.8	0.0	13.1
1996	0.3	0.1	6.8	12.3	0.6	3.0
1997	0.9	0.3	2.7	4.7	0.8	11.9
1998	0.0	1.6	2.3	7.7	0.3	4.3
1999	0.0	0.0	2.1	5.1	0.7	4.4
2000	0.0	0.1	1.2	3.1	0.1	5.0
2001	0.0	0.1	3.5	2.5	1.1	5.0
2002	0.1	0.2	0.6	1.8	0.1	3.1
Bearing	35.0	48.3	235.4	366.7	50.1	260.8
2003	0.5	0.0	0.3	3.4	1.6	1.5
2004	0.0	0.0	0.0	1.2	0.8	1.6
2005	0.0	0.0	0.0	1.7	0.5	1.0
Non-bearing	0.5	0.0	0.3	6.3	2.9	4.1
Total	35.5	48.3	235.7	373.0	53.0	264.9

^{1/} Includes Fallglo and Sunburst varieties.

^{2/} Sunburst (USDA release, 1979) and Fallglo (USDA release, 1987) not available for planting.

HONEY TANGERINE: Acreage in leading 10 counties, by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	216	0	0	6	0	13
1962-71	498	0	23	41	5	68
1972-81	384	37	0	16	161	26
1982	23	0	0	2	0	1
1983	109	2	4	1	16	64
1984	56	0	0	6	0	2
1985	136	0	10	3	100	14
1986	135	0	2	15	42	1
1987	268	12	0	3	114	43
1988	373	97	23	9	43	9
1989	459	59	94	57	61	38
1990	512	64	0	47	80	43
1991	517	63	45	7	24	19
1992	943	0	40	32	101	96
1993	735	10	4	20	18	58
1994	519	0	59	0	131	51
1995	268	1	25	2	13	29
1996	286	28	18	16	2	2
1997	339	72	11	1	6	12
1998	338	87	4	4	3	37
1999	296	0	5	27	70	8
2000	295	0	0	29	8	8
2001	163	2	1	1	36	20
2002	194	0	0	8	95	5
Bearing	8,062	534	368	353	1,129	667
2003	170	27	2	1	24	5
2004	59	0	3	24	6	1
2005	42	3	1	1	8	14
Non-bearing	271	30	6	26	38	20
Total	8,333	564	374	379	1,167	687

Continued

HONEY TANGERINE: Acreage in leading 10 counties, by year set

Year set	Indian River	Lake	Palm Beach	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	0	0	0	89	22	86
1962-71	20	0	70	110	82	79
1972-81	36	0	0	31	31	46
1982	0	0	0	9	2	9
1983	12	0	0	7	0	3
1984	13	0	0	19	16	0
1985	0	0	0	5	0	4
1986	0	4	0	31	7	33
1987	20	27	0	16	11	22
1988	0	3	104	15	48	22
1989	0	4	9	47	16	74
1990	0	0	20	38	160	60
1991	34	9	59	104	23	130
1992	72	1	54	238	77	232
1993	21	21	145	131	28	279
1994	9	83	6	131	16	33
1995	2	14	0	32	51	99
1996	0	26	0	99	11	84
1997	4	42	4	95	15	77
1998	24	6	18	75	22	58
1999	1	21	0	85	5	74
2000	1	77	26	95	4	47
2001	22	2	0	10	20	49
2002	0	4	23	9	7	43
Bearing	291	344	538	1,521	674	1,643
2003	0	1	4	65	35	6
2004	0	8	0	3	13	1
2005	0	4	0	0	2	9
Non-bearing	0	13	4	68	50	16
Total	291	357	542	1,589	724	1,659

HONEY TANGERINE: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Collier	DeSoto	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	22.6	0.0	0.0	0.6	0.0	1.5
1962-71	59.3	0.0	2.2	5.0	0.4	7.1
1972-81	48.9	3.0	0.0	1.6	17.4	2.9
1982	2.5	0.0	0.0	0.2	0.0	0.1
1983	12.8	0.2	0.3	0.1	1.5	8.1
1984	8.2	0.0	0.0	1.2	0.0	0.2
1985	24.7	0.0	1.3	0.5	20.2	1.7
1986	21.7	0.0	0.2	1.6	10.1	0.1
1987	41.2	2.2	0.0	0.4	22.6	4.8
1988	48.1	13.1	4.1	0.9	6.4	1.3
1989	79.1	8.4	16.3	11.9	9.9	8.5
1990	93.3	11.6	0.0	11.3	12.2	4.9
1991	75.1	9.6	5.7	0.9	3.1	2.6
1992	146.3	0.0	6.1	3.8	17.4	14.0
1993	131.0	0.8	0.4	2.1	1.7	8.5
1994	88.9	0.0	11.1	0.0	19.1	9.0
1995	42.7	0.1	4.7	0.3	1.6	5.0
1996	42.8	2.1	2.5	1.9	0.3	0.2
1997	53.6	11.9	2.4	0.2	0.7	1.8
1998	53.5	14.4	0.4	0.4	0.3	7.3
1999	43.7	0.0	0.5	3.0	10.9	1.0
2000	41.2	0.0	0.0	3.3	1.2	1.0
2001	23.0	0.2	0.1	0.1	6.3	2.2
2002	30.1	0.0	0.0	1.2	15.9	0.7
Bearing	1,234.3	77.6	58.3	52.5	179.2	94.5
2003	21.3	2.3	0.2	0.1	4.2	0.6
2004	7.2	0.1	0.3	2.3	0.7	0.2
2005	5.8	0.2	0.1	0.1	1.5	1.6
Non-bearing	34.3	2.6	0.6	2.5	6.4	2.4
Total	1,268.6	80.2	58.9	55.0	185.6	96.9

Continued

HONEY TANGERINE: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Lake	Palm Beach	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	0.0	0.0	0.0	10.4	2.2	7.9
1962-71	2.4	0.0	9.3	12.6	10.9	9.4
1972-81	5.1	0.0	0.0	4.2	7.4	7.3
1982	0.0	0.0	0.0	0.9	0.2	1.1
1983	1.5	0.0	0.0	0.8	0.0	0.3
1984	2.2	0.0	0.0	2.4	2.1	0.1
1985	0.0	0.0	0.0	0.6	0.0	0.4
1986	0.0	0.5	0.0	4.2	0.8	4.2
1987	2.3	2.6	0.0	2.0	1.9	2.4
1988	0.0	0.3	11.5	2.1	5.4	3.0
1989	0.0	0.5	1.2	6.8	3.7	11.9
1990	0.0	0.0	2.2	5.1	36.2	9.8
1991	6.0	1.0	9.9	12.5	3.1	20.7
1992	10.7	0.1	11.8	36.9	12.8	32.7
1993	2.9	3.6	29.3	19.3	3.5	58.9
1994	1.6	17.6	1.3	21.2	1.8	6.2
1995	0.7	2.9	0.0	4.5	8.3	14.6
1996	0.0	4.3	0.0	14.8	1.6	15.1
1997	0.5	7.2	0.9	12.4	2.7	12.9
1998	4.1	1.1	3.0	10.6	2.5	9.4
1999	0.1	4.9	0.0	11.6	0.8	10.9
2000	0.1	11.8	4.4	11.5	0.4	7.5
2001	3.4	0.3	0.0	1.1	2.8	6.5
2002	0.0	0.6	3.3	1.5	1.4	5.5
Bearing	43.6	59.3	88.1	210.0	112.5	258.7
2003	0.0	0.2	0.7	8.2	4.2	0.6
2004	0.0	1.2	0.0	0.3	1.8	0.3
2005	0.0	0.4	0.0	0.0	0.6	1.3
Non-bearing	0.0	1.8	0.7	8.5	6.6	2.2
Total	43.6	61.1	88.8	218.5	119.1	260.9

ALL TANGERINES: Acreage in leading 10 counties, by year set

Year set	State Total	Charlotte	Collier	Hardee	Hendry	Highlands
	<i>Acres</i>					
Pre-1962	216	0	0	6	0	13
1962-71	498	0	0	41	5	68
1972-81	432	0	37	16	161	26
1982	34	0	0	2	0	7
1983	159	0	2	1	16	85
1984	177	0	0	6	0	16
1985	188	0	0	3	100	14
1986	259	0	0	23	42	1
1987	778	0	74	66	133	68
1988	1,237	97	180	11	152	57
1989	1,349	0	59	104	138	65
1990	1,501	165	117	111	84	59
1991	1,788	0	77	34	92	159
1992	2,322	0	0	102	159	140
1993	1,987	183	48	68	39	347
1994	695	23	3	0	131	56
1995	448	1	1	4	13	30
1996	435	16	28	18	8	4
1997	508	5	77	11	15	12
1998	470	20	87	6	3	37
1999	412	25	6	34	71	10
2000	372	2	0	30	10	12
2001	295	26	9	1	43	24
2002	236	0	0	8	95	5
Bearing	16,796	563	805	706	1,510	1,315
2003	241	4	33	2	26	10
2004	92	6	0	28	6	1
2005	117	0	50	1	8	20
Non-bearing	450	10	83	31	40	31
Total	17,246	573	888	737	1,550	1,346

Continued

ALL TANGERINES: Acreage in leading 10 counties, by year set

Year set	Indian River	Lake	Palm Beach	Polk	St. Lucie	Other counties
	<i>Acres</i>					
Pre-1962	0	0	0	89	22	86
1962-71	20	0	70	110	82	102
1972-81	36	0	0	37	50	69
1982	0	0	0	13	2	10
1983	12	2	0	34	0	7
1984	65	8	0	50	31	1
1985	0	16	0	28	0	27
1986	16	30	0	71	10	66
1987	25	151	0	89	33	139
1988	10	122	148	172	98	190
1989	41	180	51	281	52	378
1990	4	190	20	450	188	113
1991	61	323	59	373	90	520
1992	181	175	63	806	157	539
1993	54	121	182	454	39	452
1994	17	137	6	196	34	92
1995	13	54	5	75	51	201
1996	0	58	0	180	16	107
1997	7	60	4	133	21	163
1998	34	18	31	125	24	85
1999	1	35	0	127	9	94
2000	2	85	51	119	5	56
2001	23	27	0	29	27	86
2002	1	8	23	23	8	65
Bearing	623	1,800	713	4,064	1,049	3,648
2003	0	3	4	91	47	21
2004	0	8	0	11	18	14
2005	0	4	0	13	5	16
Non-bearing	0	15	4	115	70	51
Total	623	1,815	717	4,179	1,119	3,699

ALL TANGERINES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	State Total	Charlotte	Collier	Hardee	Hendry	Highlands
	<i>1,000 trees</i>					
Pre-1962	22.6	0.0	0.0	0.6	0.0	1.5
1962-71	59.3	0.0	0.0	5.0	0.4	7.1
1972-81	54.3	0.0	3.0	1.6	17.4	2.9
1982	4.4	0.0	0.0	0.2	0.0	1.4
1983	19.4	0.0	0.2	0.1	1.5	10.5
1984	23.4	0.0	0.0	1.2	0.0	1.9
1985	31.0	0.0	0.0	0.5	20.2	1.7
1986	40.1	0.0	0.0	2.7	10.1	0.1
1987	114.0	0.0	11.1	9.1	26.3	7.8
1988	169.8	12.1	24.9	1.2	22.4	8.6
1989	210.6	0.0	8.4	20.2	21.9	12.9
1990	259.8	28.5	20.0	20.6	12.7	8.0
1991	262.3	0.0	12.0	5.1	15.3	23.7
1992	347.2	0.0	0.0	13.8	25.7	21.3
1993	322.3	46.9	6.9	8.7	5.2	45.9
1994	115.5	5.3	0.4	0.0	19.1	10.1
1995	71.9	0.1	0.1	0.6	1.6	5.2
1996	67.3	3.3	2.1	2.1	1.2	0.5
1997	77.9	1.0	12.6	1.3	1.9	1.8
1998	74.2	4.3	14.4	0.6	0.3	7.3
1999	59.2	5.0	0.9	4.0	11.0	1.3
2000	52.0	0.4	0.0	3.4	1.4	1.6
2001	40.7	2.8	1.2	0.1	7.3	2.9
2002	36.0	0.0	0.0	1.2	15.9	0.7
Bearing	2,535.2	109.7	118.2	103.9	238.8	186.7
2003	31.4	0.8	3.3	0.2	4.5	1.2
2004	12.1	0.8	0.1	2.8	0.7	0.2
2005	16.4	0.0	6.9	0.1	1.5	2.3
Non-bearing	59.9	1.6	10.3	3.1	6.7	3.7
Total	2,595.1	111.3	128.5	107.0	245.5	190.4

Continued

ALL TANGERINES: Number of trees in leading 10 counties, (based on acreage), by year set

Year set	Indian River	Lake	Palm Beach	Polk	St. Lucie	Other counties
	<i>1,000 trees</i>					
Pre-1962	0.0	0.0	0.0	10.4	2.2	7.9
1962-71	2.4	0.0	9.3	12.6	10.9	11.6
1972-81	5.1	0.0	0.0	5.1	9.2	10.0
1982	0.0	0.0	0.0	1.4	0.2	1.2
1983	1.5	0.7	0.0	4.3	0.0	0.6
1984	8.8	1.0	0.0	6.2	4.1	0.2
1985	0.0	2.0	0.0	3.0	0.0	3.6
1986	2.3	4.6	0.0	10.8	1.2	8.3
1987	2.9	22.2	0.0	12.0	5.2	17.4
1988	1.9	21.2	16.5	24.8	11.6	24.6
1989	6.1	26.8	6.0	41.9	8.2	58.2
1990	0.5	35.8	2.2	70.9	40.7	19.9
1991	9.7	47.9	9.9	47.8	12.2	78.7
1992	27.9	26.7	12.8	116.3	23.4	79.3
1993	7.3	19.8	34.8	67.1	4.9	74.8
1994	2.7	26.9	1.3	30.1	4.4	15.2
1995	2.2	9.7	0.5	11.3	8.3	32.3
1996	0.1	11.1	0.0	27.1	2.2	17.6
1997	0.8	9.9	0.9	17.1	3.5	27.1
1998	5.7	3.4	4.7	18.3	2.8	12.4
1999	0.1	7.0	0.0	16.7	1.5	11.7
2000	0.2	13.0	8.1	14.6	0.5	8.8
2001	3.5	3.8	0.0	3.6	3.9	11.6
2002	0.2	1.2	3.3	3.3	1.5	8.7
Bearing	91.9	294.7	110.3	576.7	162.6	541.7
2003	0.0	0.5	0.7	11.6	5.8	2.8
2004	0.0	1.2	0.0	1.5	2.6	2.2
2005	0.0	0.4	0.0	1.7	1.1	2.4
Non-bearing	0.0	2.1	0.7	14.8	9.5	7.4
Total	91.9	296.8	111.0	591.5	172.1	549.1

ALL CITRUS: Acreage, by variety and marketing district

Marketing District	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pine-apple	Other mid-season
		<i>Acres</i>							
Florida SunRidge	373,434	121,501	10,025	7,893	2,088	3,188	144,695	18,589	4,216
Indian River	103,723	8,803	415	3,360	69	176	12,823	5,604	752
Gulf	144,216	38,912	1,935	958	37	810	42,652	6,931	1,509
State	621,373	169,216	12,375	12,211	2,194	4,174	200,170	31,124	6,477

Continued

ALL CITRUS: Acreage, by variety and marketing district

Marketing District	Oranges				Grapefruit				
	Total mid-season	Late	Uniden-tified	Total	White seedless	Colored seedless	Seedy	Uniden-tified	Total
	<i>Acres</i>								
Florida SunRidge	22,805	171,212	5,018	343,730	3,666	6,294	770	82	10,812
Indian River	6,356	33,125	559	52,863	16,064	29,908	22	345	46,339
Gulf	8,440	81,432	124	132,648	1,197	5,030	41	0	6,268
State	37,601	285,769	5,701	529,241	20,927	41,232	833	427	63,419

Continued

ALL CITRUS: Acreage, by variety and marketing district

Marketing District	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	Acres								
Florida SunRidge	1,375	4,075	1,472	5,311	6,783	4,923	11,706	1	1,735
Indian River	667	1,602	92	760	852	1,072	1,924	127	201
Gulf	500	633	201	1,077	1,278	2,338	3,616	475	76
State	2,542	6,310	1,765	7,148	8,913	8,333	17,246	603	2,012

ALL CITRUS: Number of trees, by variety and marketing district

Marketing District	All citrus	Oranges							
		Hamlin	Parson Brown	Navel	Amber-sweet	Other early	Total early	Pine-apple	Other mid-season
		<i>1,000 trees</i>							
Florida SunRidge	47,359.0	15,150.5	1,291.9	1,023.6	285.7	431.8	18,183.5	2,236.8	550.6
Indian River	12,799.9	1,111.5	48.3	404.4	10.1	22.2	1,596.5	715.9	115.3
Gulf	21,750.1	5,820.1	310.4	140.6	6.3	121.6	6,399.0	998.0	229.1
State	81,909.0	22,082.1	1,650.6	1,568.6	302.1	575.6	26,179.0	3,950.7	895.0

Continued

ALL CITRUS: Number of trees, by variety and marketing district

Marketing District	Oranges				Grapefruit				
	Total mid-season	Late	Uniden-tified	Total	White seedless	Colored seedless	Seedy	Uniden-tified	Total
					<i>1,000 trees</i>				
Florida SunRidge	2,787.4	22,034.3	608.8	43,614.0	359.0	680.6	74.2	9.8	1,123.6
Indian River	831.2	4,643.4	72.3	7,143.4	1,679.1	3,326.1	2.1	43.2	5,050.5
Gulf	1,227.1	12,448.3	17.6	20,092.0	151.0	642.1	4.2	0.0	797.3
State	4,845.7	39,126.0	698.7	70,849.4	2,189.1	4,648.8	80.5	53.0	6,971.4

Continued

ALL CITRUS: Number of trees, by variety and marketing district

Marketing District	Specialty		Tangerines					Lemons	Other citrus
	Temples	Tangelos	Fallglo	Sunburst	Total early	Honey	Total		
	1,000 trees								
Florida SunRidge	144.3	518.1	219.0	780.9	999.9	716.0	1,715.9	0.3	242.8
Indian River	77.7	190.1	13.6	105.6	119.2	172.1	291.3	17.3	29.6
Gulf	71.3	98.7	35.8	171.6	207.4	380.5	587.9	87.7	15.2
State	293.3	806.9	268.4	1,058.1	1,326.5	1,268.6	2,595.1	105.3	287.6

FLORIDA SUNRIDGE MARKETING DISTRICT: Acreage, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>Acres</i>				
Pre-1962	20,138	5,706	2,997	9,924	195	233
1962-71	17,285	5,770	2,590	6,597	643	78
1972-81	21,447	8,382	1,953	9,815	449	456
1982	5,112	2,626	255	2,084	35	43
1983	9,795	5,530	548	3,449	36	45
1984	6,549	3,417	328	2,524	9	98
1985	6,846	3,781	359	2,490	20	28
1986	9,921	5,332	416	3,516	63	107
1987	24,549	11,724	1,109	10,016	232	387
1988	17,025	6,731	648	7,199	349	839
1989	24,213	9,106	1,148	11,777	142	431
1990	22,752	8,293	714	11,431	232	638
1991	25,708	11,133	781	10,476	357	740
1992	22,738	8,424	1,087	9,802	240	878
1993	16,751	5,255	1,128	7,940	118	416
1994	6,935	2,417	300	3,438	42	91
1995	9,570	3,613	567	4,713	88	82
1996	7,215	2,216	493	3,927	77	34
1997	11,576	3,158	601	7,266	65	56
1998	13,263	3,085	568	9,106	36	47
1999	11,779	3,833	490	6,912	30	17
2000	10,335	3,514	749	5,426	23	36
2001	12,372	4,987	659	5,827	43	249
2002	11,530	5,423	851	4,580	101	54
Bearing	345,404	133,456	21,339	160,235	3,625	6,083
2003	10,930	4,111	767	5,180	21	106
2004	8,887	3,420	349	3,099	19	73
2005	8,213	3,708	350	2,698	1	32
Non-bearing	28,030	11,239	1,466	10,977	41	211
Total	373,434	144,695	22,805	171,212	3,666	6,294

Continued

FLORIDA SUNRIDGE MARKETING DISTRICT: Acreage, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	Acres				
Pre-1962	654	0	0	188	241
1962-71	981	0	0	386	240
1972-81	124	0	29	94	145
1982	20	0	11	21	17
1983	30	0	50	79	28
1984	74	0	54	27	18
1985	44	0	47	36	41
1986	232	0	105	82	68
1987	356	2	397	111	215
1988	373	13	501	185	187
1989	361	175	550	303	220
1990	323	191	542	179	209
1991	530	110	970	331	280
1992	446	220	834	567	240
1993	281	426	573	477	137
1994	69	67	75	340	96
1995	76	35	113	184	99
1996	133	44	90	178	23
1997	66	27	71	198	68
1998	64	37	59	192	69
1999	38	30	63	198	168
2000	66	35	26	259	201
2001	41	40	43	82	401
2002	15	2	38	78	388
Bearing	5,397	1,454	5,241	4,775	3,799
2003	29	5	41	84	586
2004	17	5	15	39	1,851
2005	7	8	14	25	1,370
Non-bearing	53	18	70	148	3,807
Total	5,450	1,472	5,311	4,923	7,606

FLORIDA SUNRIDGE MARKETING DISTRICT: Number of trees, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>1,000 trees</i>				
Pre-1962	1,947.1	529.3	299.0	985.2	16.6	17.9
1962-71	1,845.8	609.6	282.3	724.2	53.7	6.7
1972-81	2,445.2	945.6	230.0	1,142.8	42.5	40.9
1982	611.6	307.6	34.2	254.7	3.0	4.1
1983	1,166.2	652.2	66.8	417.5	3.3	4.0
1984	774.9	410.0	38.0	294.3	0.9	10.4
1985	845.3	472.2	41.0	307.3	1.8	2.7
1986	1,225.1	664.1	54.1	427.9	6.6	11.1
1987	3,145.5	1,513.1	136.1	1,292.3	23.8	41.8
1988	2,223.1	865.8	76.3	976.9	38.2	89.9
1989	3,422.2	1,300.0	154.5	1,659.9	14.8	56.8
1990	3,104.8	1,116.6	100.2	1,567.9	23.6	74.1
1991	3,449.1	1,485.3	101.6	1,444.4	37.1	77.1
1992	3,016.6	1,111.8	139.8	1,303.5	24.7	102.8
1993	2,364.0	694.1	176.5	1,147.1	12.0	49.1
1994	945.4	316.2	38.5	462.6	3.8	10.0
1995	1,314.8	486.9	68.3	657.6	8.8	7.7
1996	1,001.5	283.4	72.7	560.0	7.7	3.6
1997	1,503.1	405.2	75.3	950.9	7.1	5.4
1998	1,757.4	386.2	80.4	1,216.1	3.4	4.3
1999	1,471.7	477.3	60.0	864.7	2.9	1.8
2000	1,277.8	438.9	92.4	662.8	2.2	3.2
2001	1,591.1	628.8	86.6	768.2	4.1	30.6
2002	1,447.9	681.2	101.7	583.3	11.8	4.9
Bearing	43,897.2	16,781.4	2,606.3	20,672.1	354.4	660.9
2003	1,347.2	518.1	94.7	634.8	2.3	8.6
2004	1,108.5	428.1	45.7	388.0	2.2	7.0
2005	1,006.1	455.9	40.7	339.4	0.1	4.1
Non-bearing	3,461.8	1,402.1	181.1	1,362.2	4.6	19.7
Total	47,359.0	18,183.5	2,787.4	22,034.3	359.0	680.6

Continued

FLORIDA SUNRIDGE MARKETING DISTRICT: Number of trees, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	1,000 trees				
Pre-1962	57.8	0.0	0.0	19.8	21.5
1962-71	98.7	0.0	0.0	45.0	25.6
1972-81	14.1	0.0	3.6	11.6	14.1
1982	1.8	0.0	1.9	2.3	2.0
1983	3.0	0.0	6.6	9.6	3.2
1984	8.9	0.0	6.6	3.8	2.0
1985	6.0	0.0	5.7	4.5	4.1
1986	27.9	0.0	15.7	10.3	7.4
1987	46.3	0.2	55.7	12.2	24.0
1988	49.0	1.4	72.2	23.2	30.2
1989	48.3	25.4	82.4	52.8	27.3
1990	47.1	32.9	88.9	27.2	26.3
1991	66.8	13.8	143.4	46.9	32.7
1992	60.0	32.6	121.0	87.7	32.7
1993	39.1	62.0	82.7	81.0	20.4
1994	11.2	10.2	11.5	61.1	20.3
1995	10.1	5.5	18.3	28.7	22.9
1996	22.1	7.6	14.7	26.2	3.5
1997	8.8	3.7	9.1	29.9	7.7
1998	8.6	5.3	8.7	30.8	13.6
1999	4.3	4.6	7.9	27.2	21.0
2000	8.8	5.1	3.5	35.4	25.5
2001	5.2	5.9	5.7	10.2	45.8
2002	1.6	0.4	5.3	10.9	46.8
Bearing	655.5	216.6	771.1	698.3	480.6
2003	3.9	0.7	5.6	10.6	67.9
2004	2.4	0.6	2.4	4.3	227.8
2005	0.6	1.1	1.8	2.8	159.6
Non-bearing	6.9	2.4	9.8	17.7	455.3
Total	662.4	219.0	780.9	716.0	935.9

INDIAN RIVER MARKETING DISTRICT: Acreage, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>Acres</i>				
Pre-1962	2,855	450	304	1,198	431	231
1962-71	12,590	1,969	1,203	2,674	4,183	2,010
1972-81	12,354	1,487	514	2,117	1,768	6,319
1982	2,139	475	74	44	75	1,461
1983	1,927	239	42	531	49	1,044
1984	3,519	762	76	995	117	1,439
1985	755	83	55	310	69	235
1986	2,784	554	135	1,300	53	674
1987	3,312	374	250	1,148	84	1,320
1988	3,693	106	193	1,401	252	1,543
1989	7,929	618	337	2,879	1,883	2,053
1990	6,904	310	133	2,442	1,748	1,997
1991	4,413	419	549	1,714	528	901
1992	5,701	1,149	252	1,129	851	1,828
1993	4,255	287	322	2,094	404	907
1994	2,119	260	188	710	417	435
1995	3,151	295	204	1,660	544	304
1996	2,275	379	209	652	561	401
1997	1,949	254	163	779	340	219
1998	2,637	349	185	1,313	317	340
1999	1,657	219	249	742	126	214
2000	2,353	519	236	969	198	328
2001	4,262	295	158	2,564	379	692
2002	2,233	298	116	638	249	677
Bearing	97,766	12,150	6,147	32,003	15,626	27,572
2003	2,835	487	141	664	315	836
2004	1,869	145	40	127	118	837
2005	1,253	41	28	331	5	663
Non-bearing	5,957	673	209	1,122	438	2,336
Total	103,723	12,823	6,356	33,125	16,064	29,908

Continued

INDIAN RIVER MARKETING DISTRICT: Acreage, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	Acres				
Pre-1962	196	0	0	28	17
1962-71	436	0	0	107	8
1972-81	62	0	19	67	1
1982	8	0	0	2	0
1983	10	0	0	12	0
1984	34	0	67	29	0
1985	1	0	0	0	2
1986	35	0	19	11	3
1987	70	0	30	31	5
1988	89	8	53	48	0
1989	55	3	85	16	0
1990	74	16	22	160	2
1991	140	6	95	59	2
1992	158	0	195	137	2
1993	74	34	60	71	2
1994	37	0	31	25	16
1995	40	8	21	68	7
1996	41	2	7	20	3
1997	77	1	10	25	81
1998	67	2	14	46	4
1999	56	3	2	6	40
2000	69	2	3	5	24
2001	70	2	7	42	53
2002	153	1	1	7	93
Bearing	2,052	88	741	1,022	365
2003	130	3	10	35	214
2004	56	1	6	13	526
2005	31	0	3	2	149
Non-bearing	217	4	19	50	889
Total	2,269	92	760	1,072	1,254

INDIAN RIVER MARKETING DISTRICT: Number of trees, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>1,000 trees</i>				
Pre-1962	245.8	37.4	29.6	105.7	34.1	18.6
1962-71	1,189.5	199.5	126.6	269.9	354.8	179.4
1972-81	1,340.3	182.2	64.6	271.0	179.3	622.4
1982	209.4	43.0	9.1	6.3	6.9	143.1
1983	221.6	27.9	5.0	73.5	4.9	108.0
1984	412.6	88.5	9.2	122.9	12.0	163.1
1985	95.9	10.2	6.2	42.1	8.0	29.1
1986	372.8	72.6	16.9	190.8	6.4	77.9
1987	418.7	43.8	35.8	154.8	9.4	157.0
1988	460.0	12.3	27.5	190.7	29.1	176.3
1989	1,029.9	83.3	51.3	413.5	219.6	240.1
1990	1,057.8	42.5	18.1	519.0	198.1	229.2
1991	583.3	54.4	69.6	249.4	62.1	107.0
1992	736.3	155.6	30.1	157.5	98.3	223.2
1993	606.3	46.0	53.9	293.4	43.2	136.3
1994	298.9	31.3	27.8	118.3	49.1	56.5
1995	441.5	41.1	28.5	244.6	61.2	41.7
1996	317.7	59.9	29.8	98.6	69.6	50.3
1997	277.0	45.1	23.0	108.9	44.2	26.9
1998	344.6	48.9	26.2	181.5	32.8	37.2
1999	229.6	31.8	40.2	104.6	13.6	24.8
2000	311.6	75.8	33.4	128.2	21.1	39.1
2001	568.9	39.3	22.9	359.2	40.1	83.3
2002	286.7	38.3	16.5	88.0	30.7	80.4
Bearing	12,056.7	1,510.7	801.8	4,492.4	1,628.6	3,050.9
2003	358.7	64.4	19.5	93.1	36.0	96.5
2004	225.5	17.4	5.4	14.6	14.0	97.8
2005	159.0	4.0	4.5	43.3	0.5	80.9
Non-bearing	743.2	85.8	29.4	151.0	50.5	275.2
Total	12,799.9	1,596.5	831.2	4,643.4	1,679.1	3,326.1

Continued

INDIAN RIVER MARKETING DISTRICT: Number of trees, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	1,000 trees				
Pre-1962	16.0	0.0	0.0	2.8	1.6
1962-71	44.6	0.0	0.0	13.9	0.8
1972-81	6.4	0.0	1.8	12.5	0.1
1982	0.8	0.0	0.0	0.2	0.0
1983	0.8	0.0	0.0	1.5	0.0
1984	3.9	0.0	8.6	4.4	0.0
1985	0.1	0.0	0.0	0.0	0.2
1986	3.8	0.0	2.7	1.3	0.4
1987	8.9	0.0	4.3	4.2	0.5
1988	10.5	1.1	7.1	5.4	0.0
1989	6.7	0.6	11.1	3.7	0.0
1990	8.8	2.6	3.1	36.2	0.2
1991	17.3	1.0	13.0	9.3	0.2
1992	21.2	0.0	28.7	21.5	0.2
1993	9.6	4.7	8.4	10.4	0.4
1994	4.7	0.0	4.5	3.4	3.3
1995	6.8	1.5	3.4	11.9	0.8
1996	4.7	0.3	0.9	3.2	0.4
1997	12.0	0.1	1.2	4.1	11.5
1998	8.5	0.3	2.1	6.6	0.5
1999	6.4	0.5	0.3	0.9	6.5
2000	9.8	0.2	0.3	0.5	3.2
2001	8.9	0.2	1.1	6.2	7.7
2002	19.3	0.1	0.1	1.4	11.9
Bearing	240.5	13.2	102.7	165.5	50.4
2003	15.6	0.3	1.4	4.2	27.7
2004	6.7	0.1	1.0	1.8	66.7
2005	5.0	0.0	0.5	0.6	19.7
Non-bearing	27.3	0.4	2.9	6.6	114.1
Total	267.8	13.6	105.6	172.1	164.5

GULF MARKETING DISTRICT: Acreage, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>Acres</i>				
Pre-1962	292	86	37	166	2	0
1962-71	3,541	671	490	1,927	60	35
1972-81	5,699	1,596	466	3,042	129	209
1982	1,902	834	150	877	0	37
1983	2,187	986	277	889	2	10
1984	823	191	90	502	39	0
1985	2,179	517	54	1,372	0	126
1986	6,682	2,425	130	3,912	4	107
1987	9,845	2,892	388	6,069	40	173
1988	10,165	3,968	426	4,696	42	318
1989	12,668	4,228	543	6,728	302	532
1990	12,665	3,294	583	7,961	156	124
1991	15,710	4,042	547	9,778	51	970
1992	9,520	1,247	771	5,918	147	1,020
1993	5,011	874	509	2,769	67	313
1994	2,581	385	137	1,694	1	64
1995	3,315	1,295	156	1,724	19	35
1996	2,538	542	40	1,789	16	11
1997	5,415	1,184	251	3,781	2	7
1998	3,246	1,050	275	1,569	14	198
1999	6,280	2,198	447	3,315	9	164
2000	3,415	1,042	262	1,928	50	90
2001	5,861	2,159	485	3,083	3	43
2002	3,876	1,090	341	2,099	7	209
Bearing	135,416	38,796	7,855	77,588	1,162	4,795
2003	5,399	2,522	383	2,343	32	50
2004	2,051	829	108	989	0	73
2005	1,350	505	94	512	3	112
Non-bearing	8,800	3,856	585	3,844	35	235
Total	144,216	42,652	8,440	81,432	1,197	5,030

Continued

GULF MARKETING DISTRICT: Acreage, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	Acres				
Pre-1962	1	0	0	0	0
1962-71	330	0	0	5	23
1972-81	20	0	0	223	14
1982	4	0	0	0	0
1983	4	0	0	18	1
1984	0	0	0	0	1
1985	5	0	5	100	0
1986	57	0	0	42	5
1987	51	0	81	126	25
1988	246	5	284	140	40
1989	116	2	75	140	2
1990	117	25	193	173	39
1991	54	8	82	127	51
1992	12	66	64	239	36
1993	13	49	110	187	120
1994	18	0	3	154	125
1995	19	1	2	16	48
1996	2	2	4	88	44
1997	7	26	34	116	7
1998	14	0	20	100	6
1999	11	4	14	92	26
2000	1	6	5	31	0
2001	8	0	40	39	1
2002	19	0	0	109	2
Bearing	1,129	194	1,016	2,265	616
2003	0	6	6	51	6
2004	0	0	6	7	39
2005	4	1	49	15	55
Non-bearing	4	7	61	73	100
Total	1,133	201	1,077	2,338	716

GULF MARKETING DISTRICT: Number of trees, by variety and year set

Year set	All citrus	Oranges			Grapefruit	
		Early	Midseason	Late	White seedless	Colored seedless
		<i>1,000 trees</i>				
Pre-1962	33.0	10.0	3.8	18.9	0.2	0.0
1962-71	456.4	83.4	64.3	248.2	6.6	3.9
1972-81	751.0	208.0	64.0	410.7	17.3	21.5
1982	250.3	111.5	20.5	114.6	0.0	3.3
1983	292.4	129.7	43.4	115.7	0.3	1.0
1984	126.1	24.6	12.6	84.3	4.5	0.0
1985	355.5	75.3	7.5	237.0	0.0	14.4
1986	991.1	354.7	18.6	585.1	0.5	13.1
1987	1,493.8	446.3	60.4	908.4	5.0	22.0
1988	1,553.0	608.5	64.9	729.5	4.4	41.9
1989	2,130.9	710.7	86.6	1,181.1	37.6	63.4
1990	1,971.1	510.7	84.8	1,243.7	19.2	14.6
1991	2,505.6	664.1	74.4	1,585.5	5.6	125.0
1992	1,502.3	190.8	124.4	974.4	20.4	128.2
1993	802.8	142.0	77.1	429.8	11.2	42.8
1994	444.2	55.5	23.5	302.7	0.1	9.2
1995	490.8	194.4	21.1	257.1	2.4	3.7
1996	413.6	86.8	5.0	297.0	2.1	1.5
1997	792.2	187.8	35.9	535.8	0.3	0.8
1998	474.0	150.8	39.6	223.2	1.5	35.7
1999	885.2	314.9	56.9	470.1	0.9	19.0
2000	466.7	141.8	36.3	268.2	5.6	7.7
2001	802.2	301.8	75.5	407.1	0.3	4.5
2002	533.2	152.0	48.6	277.3	1.1	34.0
Bearing	20,517.4	5,856.1	1,149.7	11,905.4	147.1	611.2
2003	765.9	356.8	51.6	337.3	3.6	6.9
2004	284.2	118.6	14.3	133.6	0.0	9.8
2005	182.6	67.5	11.5	72.0	0.3	14.2
Non-bearing	1,232.7	542.9	77.4	542.9	3.9	30.9
Total	21,750.1	6,399.0	1,227.1	12,448.3	151.0	642.1

Continued


GULF MARKETING DISTRICT: Number of trees, by variety and year set

Year set	Temples and Tangelos	Tangerines			Other citrus
		Fallglo	Sunburst	Honey	
	1,000 trees				
Pre-1962	0.1	0.0	0.0	0.0	0.0
1962-71	46.8	0.0	0.0	0.4	2.8
1972-81	2.7	0.0	0.0	24.8	2.0
1982	0.4	0.0	0.0	0.0	0.0
1983	0.5	0.0	0.0	1.7	0.1
1984	0.0	0.0	0.0	0.0	0.1
1985	0.5	0.0	0.6	20.2	0.0
1986	8.1	0.0	0.0	10.1	0.9
1987	9.1	0.0	12.6	24.8	5.2
1988	37.4	0.9	39.0	19.5	7.0
1989	16.8	0.3	11.7	22.6	0.1
1990	20.9	4.8	34.2	29.9	8.3
1991	8.3	2.6	13.4	18.9	7.8
1992	2.1	9.6	9.0	37.1	6.3
1993	2.0	10.0	23.5	39.6	24.8
1994	3.0	0.0	0.4	24.4	25.4
1995	2.6	0.1	0.4	2.1	6.9
1996	0.2	0.3	0.7	13.4	6.6
1997	0.8	4.6	5.6	19.6	1.0
1998	2.1	0.0	4.3	16.1	0.7
1999	1.6	0.5	1.7	15.6	4.0
2000	0.1	1.0	0.7	5.3	0.0
2001	1.4	0.0	4.8	6.6	0.2
2002	2.0	0.0	0.0	17.8	0.4
Bearing	169.5	34.7	162.6	370.5	110.6
2003	0.0	0.9	1.2	6.5	1.1
2004	0.0	0.0	0.8	1.1	6.0
2005	0.5	0.2	7.0	2.4	7.0
Non-bearing	0.5	1.1	9.0	10.0	14.1
Total	170.0	35.8	171.6	380.5	124.7

FLORIDA COMMERCIAL CITRUS MARKETING DISTRICTS



COMMERCIAL CITRUS TREES 2006



COMMERCIAL TREES ^{1/}

1,000 trees

Hendry	12,280.5
Polk	10,222.5
Highlands	8,252.9
DeSoto	8,181.7
St. Lucie	6,637.6
Hardee	5,511.5
Martin	5,024.3
Collier	4,881.7
Indian River	4,504.3
Manatee	2,431.0
Lake	2,122.5
Charlotte	1,708.6
Hillsborough	1,628.9
Lee	1,489.3
Osceola	1,411.0
Glades	1,390.0
Pasco	1,140.9
Okeechobee	1,056.9
Brevard	553.5
Orange	549.4
Palm Beach	256.4
Sarasota	187.7
Marion	146.1
Volusia	120.9
Hernando	106.6
Seminole	59.6
Putnam	30.5
Citrus	16.9
Other ^{2/}	5.3

Total 81,909.0

^{1/} Excludes Miami-Dade and Broward Counties.

^{2/} Alachua and Pinellas Counties.

