

FLORIDA AGRICULTURAL STATISTICS

Citrus Maturity and Yield Tests

FLORIDA DEPARTMENT OF AGRICULTURE
AND CONSUMER SERVICES
DOYLE CONNER, COMMISSIONER
TALLAHASSEE, FLORIDA

Florida Crop and Livestock
Reporting Service
Richard P. Small, Chief

Division of Marketing
John D. Stiles, Director

Cooperating with
U. S. Department of Agriculture
Statistical Reporting Service

ACKNOWLEDGMENT

The Citrus Maturity Testing Program historic series contained in this publication were prepared by the Crop and Livestock Reporting Service from tests made at the Maturity Test Laboratory, located at the Orange County Agricultural Center.

To the many growers, who allowed picking of fruit samples from their groves, the Orange County Commissioners, who maintain our test facilities, and citrus organizations who have voluntarily cooperated in this program, we offer our sincere thanks.

The report was assembled under the direction of James W. Todd and Harry M. Whittaker of the Florida Crop and Livestock Reporting Service.

CONTENTS

Page

History of Citrus Maturity Testing Program	1
Sampling	2
Testing	2
Comparisons with State Test	3
Forecasts of Yield of FCOJ	3
The 1974-75 Season	3
The 1975-76 Season	4
The 1976-77 Season	4
The 1977-78 Season	4
The 1978-79 Season	4
The 1979-80 Season	5
The 1980-81 Season	5
The 1981-82 Season	5
The 1982-83 Season	5
Unadjusted Averages	
Early Oranges	6
Midseason Oranges	9
Late Oranges	12
Unadjusted Matched Averages from Identical Sample Trees, Within Season	
Early Oranges	16
Midseason Oranges	19
Late Oranges	22
Unadjusted Matched Averages from Identical Sample Trees, Yearly Comparisons	
Early Oranges	25
Midseason Oranges	27
Late Oranges	29
Unadjusted Averages	
Seedy Grapefruit	31
White Seedless Grapefruit	34
Pink Seedless Grapefruit	37

CITRUS MATURITY TESTING PROGRAM

Introduction

Since the processing industry began to utilize the bulk of the orange crop in Florida, the concept of production estimates and forecasts only in terms of boxes of a given weight has become obsolete. To be more meaningful, forecasts and estimates of production need to be expressed in terms of total pounds of solids as well as in terms of boxes. This interest has been expressed to the Florida Crop and Livestock Reporting Service by both processors and growers.

HISTORY

In the late 1950's the Service began to collect fruit samples of oranges monthly to determine if maturity and yield factors could be projected in advance of harvest. For several years fieldmen picked a single fruit from each grove that they entered to make monthly counts and size measurements in their regular drop and growth surveys. These fruit were combined into a single sample for each type of orange—early, midseason and late—and juice was extracted with the aid of an electrically operated reamer. The necessary weights and test results were accumulated. Within a few seasons it was determined that declines in acid, increases in soluble solids and ratio increases and later decreases in juice, and increases in pounds-solids followed predictable patterns. It appeared from these data that changes in these elements could be predicted over time if sufficient observations were available to provide a valid statistical base. None of the results of these tests were published. The yield of pounds-solids shown in these tests appears to be correlated with changes in yield levels of fruit received at the processing plants.

In early 1963, following the disastrous freeze of December 1962, the industry was very concerned over the level of pounds-solids yield that would be obtained from Valencia oranges which had been damaged severely. In response to requests from the Citrus Crop Estimates Advisory Committee and others in the citrus industry, the Florida Crop and Livestock Reporting Service conducted a series of tests using fruit from randomly selected sample groves. Three successive tests were made at 2 week intervals. These indicated rather accurately the abnormally low level of yields of juice and pounds of solids in Valencias that spring.

This pilot project provided experience in a regular survey procedure which would yield statistically reliable results. Sufficient funds and manpower were available to finance the work and a regular program of surveys on a monthly basis was begun October 1, 1963. The sample size selected in these first surveys provided for 50 groves each for early, midseason and late oranges. Reports were issued individually on early and midseason oranges on the first of each month from October through January in the 1963-64 season, and from October 1 through February 1 in the 1964-65 and 1965-66 seasons. Valencia orange test results were reported on October 1 through April 1 in the 1963-64 season, and through May 1 in the 1964-65 season. In the 1965-66 season, Valencias were tested at the first of each month from October through February and, beginning in February, a midmonth report was added, continuing through April of that season. In the 1966-67 season, testing began September 1 and midmonth tests were added to the previous monthly programs.

In 1967 following a statistical evaluation of the preceding four years' results, the Service responded to industry requests for area data from the maturity and yield tests, and expanded sample sizes. In that year, the number of early orange groves was increased to 73, midseasons to 55, and Valencias to 100. September 1 was continued as the first test date and the schedule of midmonth tests was retained.

In the 1964-65 season, seedless grapefruit tests were added to the program with a separate series for white and pink varieties. A series for seedy grapefruit was added in the 1965-66 season.

SAMPLING

Starting the first of October, and monthly thereafter, the Florida Crop and Livestock Reporting Service collects fruit samples. Each sample consists of 15 oranges or 5 grapefruit. The samples are picked from preselected groves and predetermined sample trees. The number of sample groves are: early orange, 80; midseason orange, 60; late (Valencia) orange, 110; seedy grapefruit, 25; white seedless, 62; and pink or red seedless, 52.

Sample groves and trees remain relatively constant from year to year in order to assure greatest continuity of data. Each sample is picked from a randomly selected cluster of five trees, a central (pivot) tree and four adjacent trees. Sample fruit are selected from the pivot tree's side nearest the road of travel and from the side of the other four sample trees nearest the pivot tree. This procedure insures that fruit from all exposures are included in the samples.

TESTING

Early and midseason oranges are now tested on the first of each month beginning October 1 and continuing through February 1. They are also tested December 15. Late oranges are tested on the first of each month beginning October 1 and terminating June 1. They are also tested April 15. Grapefruit tests are run the 1st of each month from October through December.

All maturity tests are run at a testing facility located at the Orange County Agricultural Center at 2350 E. Michigan Avenue in Orlando. The testing laboratory was built with funds and labor donated by Florida Citrus Mutual, the Florida Citrus Processors Association, the Florida Fresh Fruit Shippers Association (now Florida Citrus Packers) and the Orange County Commissioners.

All samples are run through an FMC 091 test extractor using mechanical pressure only. This machine utilizes a .040 short strainer and standard 5/8 inch orifice tube. The beam setting is 1/4 inch and no restrictors are used. Only the 3 inch cup is used for oranges, and only the 5 inch cup for grapefruit. The extractor and specifications correspond to those used for official State tests when this program began. State tests are now run on the FMC 091B utilizing air pressure.

COMPARISONS WITH RESULTS OF FRUIT INSPECTIONS

These Maturity Test Results are not directly comparable with the results of tests being taken by the Division of Fruit and Vegetable Inspection for each load of fruit delivered for processing. The Maturity Tests are from a sample of all fruit remaining on trees at the time of sampling, whereas the DFVI tests are of fruit currently being delivered. Secondly, the Maturity Test Results are based on an extraction procedure which has not varied or changed over the entire history of the tests, and the resulting measures of acids, solids and juice are unadjusted, whereas the DFVI tests are made primarily to establish a basis for payment of fruit, in accord with industry regulations. Thus, the Maturity Test Results are stated for unfinished juice, and the DFVI tests are made, then adjusted to calculate finished juice based on current factoring.

The finished quantity of juice entered on DFVI inspection certificates will always be less than the amount of unfinished juice that was extracted by the inspector. This will also be less than the amount of unfinished juice reported in Maturity Test Results for the corresponding date.

FORECASTS OF YIELD OF FCOJ

Yield forecasts are based on historic relationships, adjusted to reflect the effects of changing regulations on allowable extraction rates and current Brix standards. The forecast is made and measured against the history of actual final yields reported by the Florida Citrus Processors Association. Variables used in the forecasts include Maturity Test Results, and the forecasts properly take into account the actual cumulative yield to date as reported by the Florida Citrus Processors Association.

Starting in the 1965-66 season the standard for Florida orange juice was increased to 45° Brix, from the previous standard of 42°. This standard was changed to 43.4° with the 1980-81 season, then to 42.0° Brix, the U. S. standard, in 1981-82 and subsequently.

THE 1974-75 SEASON

The October 1, 1974, FCOJ maturity and yield test results indicated an all orange yield of 1.29 gallons per box. The original projection was unchanged through April. Early and midseason oranges were forecast in October to reach 1.25 gallons per box and achieved 1.25275 gallons. In May, maturity test results and the Valencias utilized as reported by the Florida Citrus Processors Association suggested an increase in projected yield; the May 1 all orange projection was raised to 1.30 gallons. With a better than average increase in Valencia pounds-solids during May, the June 1 all orange forecast was again raised to 1.31 gallons. The Valencias were of excellent quality this year as shown by the average yield of 1.39936 gallons. The final yield of FCOJ for all oranges was 1.31482.

THE 1975-76 SEASON

The first FCOJ yield projection of the 1975-76 season was 1.35 gallons per box. The December expected yield figure was unchanged from October at 1.35 gallons. By January, the lower than average Brix of late oranges caused a reduction in expected yield to 1.34 gallons. In the February forecast, the all oranges projected yield was reduced to 1.31. On March 9, there was a further reduction of 1.30 gallons. This yield estimate was held until the June 9 forecast when all the orange FCOJ yield regression calculations suggested a yield of 1.29. This gradual lowering of the FCOJ yield forecast from January to June was caused by the failure of the soluble solids to reach average levels. There was very little late bloom to indicate lower expectations. The early and midseason orange final yield was 1.26386 gallons, the late orange final was 1.31855 and the all orange yield, 1.28879 gallons.

THE 1976-77 SEASON

The October FCOJ forecast for the 1976-77 season was 1.29 gallons per box. December and January forecasts continued at 1.29 gallons. The February projection, at 1.17 gallons per box, was lower as a result of the January 18-21 freeze. The prolonged freezing temperatures on these nights occurred in all major citrus areas and were the most severe since December 1962. The effects of the freeze in lowering juice and solids yields were greater than indicated by the February forecast, and this situation persisted in subsequent forecasts which were lowered each month thereafter, necessitating reduction in FCOJ yield to 1.12 in March, then 1.08 in April, and finally, to a season average 1.06945 gallons per box. For early and midseason oranges the yield changed from the January forecast of 1.24 gallons to a season final of 1.07914 while Valencias dropped from 1.36 gallons to 1.05032 gallons.

THE 1977-78 SEASON

The first FCOJ yield projection for the 1977-78 season was 1.28 gallons per box for all oranges. The 1.28 all orange projection was maintained through January. There were some light and scattered freezing temperatures the middle of January that caused some juice loss. A freeze survey conducted at the end of January showed there was some dryness from fruit icing that caused continued reductions in expected juice yield. The February all orange yield projection was lowered to 1.25 with another lowering to 1.24 the first of April. The early and midseason orange final yield was 1.20407, the late final yield, 1.26487, and the all orange yield was 1.23123 gallons.

THE 1978-79 SEASON

The October 1, 1978, all orange FCOJ yield was projected at 1.29 gallons per box. The 1.29 yield projection was held through January. Very good growing conditions and absence of severe cold resulted in an increase of 1.32 gallons on February 1 and 1.33 on March 1. The mild spring weather along with adequate moisture helped the all orange yield reach a final average of 1.34058. The early and midseason orange yield was 1.30909, the highest since the 1967-68 season when the yield was 1.32174. The late orange final for this season was 1.37985 gallons.

The usable juice factor for early and mids started at 86, then moved to 89 for the balance of the season. Valencias started with an 89 factor and progressed to a record high factor of 93 for a two week trial period, after which it was lowered to 92 until the end of the season.

This year's bloom was one of the most uniform in recent history with almost no late bloom, which resulted in the high yield and excellent quality.

THE 1979-80 SEASON

The October projection of FCOJ yield for the 1979-80 season was 1.30 gallons per box, 45° Brix equivalent. The projection was lowered to 1.28 gallons in December based on low juice weight per box, then reversed again to 1.32 gallons in January because of excellent conditions and much improved maturity survey averages. The projection was increased to 1.33 gallons in February and continued in March. As a result of the early March freeze the April projection was lower at 1.31. The final all orange yield was 1.33497 gallons. The early and midseason final yield was 1.30205 and the final value for late oranges was 1.37834.

THE 1980-81 SEASON (THE FIRST SEASON AT 43.4° BRIX)

The all orange FCOJ yield projection on October 1 was 1.37 gallons of 43.4° Brix equivalent and was continued through January. The mornings of January 13 and 14 saw the most severe freeze since 1962. Temperatures were in the high teens and low 20's for long durations in most citrus producing counties except the lower East Coast which escaped with little damage. The all orange FCOJ projection for February 1 was lowered to 1.19 gallons per box. This level was continued until May 1 when the yield was raised to 1.20 gallons. The final early and mid orange yield was 1.21081 with the late yield at 1.20688 gallons. The final all orange FCOJ yield was 1.20935.

THE 1981-82 SEASON (THE FIRST SEASON RETURNING TO 42.0° BRIX)

The first FCOJ yield projection for the 1981-82 season on October 1 was 1.42 gallons at 42.0° Brix. This projection was carried until January 1 when the yield was lowered to 1.41 due to slightly lower projections. This was the second year in a row when there was a severe January freeze. On the morning of January 12, temperatures dropped into the teens in most citrus growing areas causing considerable damage to both trees and fruit. The February 1 all orange FCOJ projection was lowered to 1.28 gallons per box. The yield was raised to 1.29 gallons per box March 1 but lowered again to 1.28 gallons April 1 with the final yield for all oranges at 1.27730. The final early and mid yield was 1.31576 and the late orange yield was 1.21496 gallons.

THE 1982-83 SEASON (42.0° BRIX)

The October 1 all orange FCOJ yield projection was 1.37 gallons per box of 42.0° Brix concentrate. The January 1 yield projection was raised to 1.42 gallons per box. Near perfect growing conditions and excellent soil moisture prevailed throughout the winter which helped the all orange yield finally attain its highest level in many years. The all orange FCOJ yield was 1.48358. The early and midseason orange yield was 1.41625 and the late orange yield was 1.55933 gallons per box.

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER

PERCENT

POUNDS

SEPTEMBER 1

1974-75	74	1.49	8.95	6.28	47.40	4.24
1975-76	75	1.46	9.19	6.54	47.32	4.34
1976-77	80	1.72	9.23	5.49	43.53	4.01
1977-78	80	2.02	9.61	4.83	41.20	3.95
1978-79	80	1.91	9.20	4.86	41.34	3.80
1979-80	80	2.00	9.54	4.81	40.47	3.86
1980-81	80	2.13	9.63	4.56	40.39	3.88
1981-82	80	1.89	9.34	5.03	43.32	4.04
1982-83	17					

OCTOBER 1

1974-75	74	1.15	9.41	8.55	50.53	4.75
1975-76	75	1.10	9.62	9.08	50.11	4.82
1976-77	80	1.22	9.48	7.97	47.82	4.53
1977-78	80	1.34	9.45	7.19	46.26	4.37
1978-79	80	1.42	9.81	7.01	45.54	4.47
1979-80	80	1.34	9.27	6.97	46.42	4.30
1980-81	80	1.34	9.67	7.38	47.95	4.63
1981-82	80	1.32	9.53	7.44	48.75	4.65
1982-83	78	1.04	9.15	9.07	49.38	4.53

NOVEMBER 1

1974-75	71	1.00	10.20	10.57	52.45	5.35
1975-76	69	0.94	10.56	11.66	52.45	5.54
1976-77	80	1.02	10.75	10.80	49.85	5.35
1977-78	77	1.14	10.45	9.35	49.16	5.13
1978-79	80	1.06	10.56	10.14	49.19	5.19
1979-80	79	1.02	10.45	10.38	50.53	5.28
1980-81	79	1.13	10.40	9.45	50.57	5.26
1981-82	80	1.06	10.34	9.89	50.56	5.23
1982-83	77	0.86	9.79	11.57	50.97	5.00

17 SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

CONTINUED

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP	SAMPLE	ACID	SOLUBLE	RATIO	JUICE	SOLIDS
YEAR	GROVES		SOLIDS		PER BOX	PER BOX

NUMBER

PERCENT

POUNDS

DECEMBER 1

1974-75	62	0.98	11.41	11.91	51.59	5.89
1975-76	58	0.82	11.54	14.41	52.48	6.05
1976-77	75	0.94	11.58	12.53	49.73	5.76
1977-78	70	0.95	11.36	12.22	50.15	5.69
1978-79	74	0.96	11.82	12.49	50.74	5.99
1979-80	73	0.90	11.19	12.61	50.21	5.62
1980-81	73	0.97	11.34	11.90	50.91	5.77
1981-82	78	0.98	11.20	11.64	51.45	5.76
1982-83	70	0.77	11.88	14.41	50.13	5.47

DECEMBER 15

1974-75	53	0.98	11.65	12.16	50.86	5.93
1975-76	50	0.88	11.77	13.67	52.44	6.17
1976-77	64	0.93	11.77	12.83	49.21	5.79
1977-78	59	0.94	11.65	12.59	49.37	5.75
1978-79	64	0.91	12.06	13.43	50.99	6.14
1979-80	61	0.90	11.73	13.13	50.79	5.96
1980-81	64	0.99	11.86	12.21	50.96	6.04
1981-82	72	0.98	11.56	12.02	51.30	5.93
1982-83	56	0.72	11.24	15.96	50.70	5.71

JANUARY 1

1974-75	46	0.91	11.78	13.14	50.11	5.90
1975-76	40	0.85	12.04	14.42	51.93	6.26
1976-77	53	0.89	12.10	13.80	49.86	6.04
1977-78	52	0.88	11.96	13.83	48.93	5.86
1978-79	54	0.88	12.25	14.08	49.64	6.08
1979-80	53	0.87	12.20	14.21	49.64	6.06
1980-81	52	0.99	12.11	12.45	49.51	6.00
1981-82	57	0.95	11.76	12.61	49.70	5.85
1982-83	39	0.76	11.50	15.45	50.59	5.85

CONTINUED

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	POUNDS				
FEBRUARY 1						
1974-75	25	0.85	12.89	15.55	49.79	6.42
1975-76	22	0.85	12.90	15.45	49.34	6.37
1976-77	25	0.78	12.83	16.95	42.52	5.48
1977-78	23	0.89	12.51	14.56	47.89	6.01
1978-79	26	0.89	13.57	15.49	48.44	6.57
1979-80	34	0.83	13.15	15.88	49.11	6.46
1980-81	23	0.75	12.28	16.96	41.23	5.07
1981-82	19	0.81	12.79	16.47	46.41	5.96
1982-83	1/					

1/ TOO FEW SAMPLES TO PUBLISH.

MIDSEASON ORANGES
 MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

 CROP : SAMPLE : : SOLUBLE : : JUICE : : SOLIDS
 YEAR : GROVES : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER PERCENT POUNDS

SEPTEMBER 1

1974-75	56	1.90	8.69	4.76	46.57	4.05
1975-76	57	1.65	8.92	5.55	49.35	4.40
1976-77	60	1.98	8.93	4.63	44.52	3.97
1977-78	60	2.23	9.33	4.27	42.17	3.93
1978-79	60	2.14	8.96	4.24	41.83	3.74
1979-80	60	2.19	9.22	4.26	40.84	3.76
1980-81	60	2.30	9.41	4.14	42.09	3.96
1981-82	60	2.03	9.14	4.58	45.18	4.12
1982-83	1/					

OCTOBER 1

1974-75	56	1.45	9.12	6.64	50.84	4.64
1975-76	57	1.27	9.24	7.63	52.83	4.88
1976-77	60	1.40	9.26	6.92	49.43	4.57
1977-78	60	1.56	9.20	6.09	47.71	4.39
1978-79	60	1.58	9.36	6.03	46.40	4.34
1979-80	60	1.53	9.01	5.98	47.51	4.28
1980-81	60	1.54	9.43	6.22	49.68	4.69
1981-82	60	1.44	9.31	6.63	50.51	4.70
1982-83	60	1.19	9.18	8.03	51.71	4.75

NOVEMBER 1

1974-75	56	1.26	10.22	8.49	93.19	5.44
1975-76	57	1.01	10.32	10.64	55.18	5.70
1976-77	59	1.18	10.53	9.26	51.98	5.47
1977-78	60	1.21	10.20	8.60	51.68	5.27
1978-79	60	1.19	10.25	8.80	50.86	5.21
1979-80	60	1.17	10.12	8.76	52.21	5.28
1980-81	59	1.27	10.39	8.40	52.21	5.42
1981-82	60	1.20	10.36	8.77	51.74	5.35
1982-83	60	1.01	10.04	10.32	53.15	5.34

1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82.

CONTINUED

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER

PERCENT

POUNDS

DECEMBER 1

1974-75	56	1.12	11.43	10.64	52.70	6.02
1975-76	56	0.89	11.20	13.02	55.43	6.21
1976-77	59	1.07	11.40	11.09	51.17	5.82
1977-78	60	1.05	11.18	10.95	51.91	5.81
1978-79	59	1.05	11.48	11.21	52.32	6.00
1979-80	60	0.99	11.00	11.24	51.54	5.67
1980-81	59	1.10	11.44	10.72	50.27	5.74
1981-82	59	1.08	11.33	10.75	53.64	6.07
1982-83	59	0.91	11.14	12.76	53.16	5.93

DECEMBER 15

1974-75	57	1.19	11.86	10.28	51.64	6.13
1975-76	54	0.94	11.61	12.79	54.11	6.29
1976-77	57	1.01	11.53	11.86	51.09	5.88
1977-78	56	1.04	11.60	11.41	51.93	6.02
1978-79	53	0.99	11.81	12.11	52.29	6.17
1979-80	59	1.02	11.54	11.42	52.68	6.08
1980-81	56	1.13	11.84	10.63	52.26	6.19
1981-82	57	1.08	11.76	11.01	52.71	6.20
1982-83	54	0.82	11.54	14.58	52.87	6.11

JANUARY 1

1974-75	50	1.05	11.89	11.63	52.04	6.19
1975-76	48	0.94	11.82	12.92	53.70	6.36
1976-77	54	0.99	11.86	12.37	51.41	6.10
1977-78	52	1.00	11.88	12.12	51.99	6.18
1978-79	52	0.98	12.06	12.45	51.36	6.19
1979-80	54	0.93	12.10	13.21	51.83	6.27
1980-81	52	1.12	12.15	11.07	50.93	6.19
1981-82	52	1.01	11.79	11.88	51.83	6.11
1982-83	42	0.89	12.03	13.95	52.94	6.39

CONTINUED

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	POUNDS				
FEBRUARY 1						
1974-75	39	0.99	12.80	13.28	51.20	6.56
1975-76	32	0.97	12.82	13.41	52.98	6.79
1976-77	35	0.92	12.65	14.19	45.97	5.82
1977-78	34	0.95	12.25	13.03	51.26	6.29
1978-79	30	1.00	13.09	13.33	51.31	6.71
1979-80	37	0.93	13.02	14.10	51.16	6.67
1980-81	32	0.89	12.51	14.64	43.94	5.51
1981-82	31	0.86	12.52	14.84	48.66	6.13
1982-83	12	0.82	12.32	15.59	50.24	6.23

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	POUNDS				
OCTOBER 1						
1974-75	100	2.52	8.38	3.39	47.93	4.01
1975-76	101	2.39	8.49	3.60	49.33	4.19
1976-77	110	2.65	8.62	3.29	45.18	3.90
1977-78	110	2.80	8.67	3.13	44.73	3.88
1978-79	110	2.84	8.89	3.16	42.51	3.77
1979-80	110	2.68	8.53	3.21	43.43	3.70
1980-81	110	2.77	9.01	3.28	46.80	4.22
1981-82	110	2.56	8.63	3.41	47.37	4.09
1982-83	110	2.22	8.42	3.86	48.68	4.10
NOVEMBER 1						
1974-75	100	2.14	9.20	4.40	52.21	4.80
1975-76	101	1.94	9.10	4.78	53.01	4.82
1976-77	110	2.11	9.39	4.50	49.11	4.61
1977-78	110	2.21	9.36	4.29	48.83	4.57
1978-79	110	2.28	9.68	4.29	48.06	4.65
1979-80	110	2.13	9.12	4.34	49.53	4.51
1980-81	110	2.37	9.66	4.11	50.20	4.85
1981-82	110	2.10	9.20	4.44	50.15	4.62
1982-83	110	1.85	8.74	4.91	51.58	4.62
DECEMBER 1						
1974-75	100	1.87	10.44	5.67	53.17	5.55
1975-76	101	1.62	9.87	6.19	55.27	5.46
1976-77	110	1.76	10.34	5.93	51.79	5.36
1977-78	110	1.84	10.16	5.59	51.12	5.19
1978-79	110	1.89	10.47	5.62	50.65	5.30
1979-80	110	1.83	9.94	5.47	51.36	5.11
1980-81	110	1.87	10.29	5.57	52.08	5.36
1981-82	110	1.79	9.97	5.67	54.00	5.39
1982-83	110	1.48	9.90	6.84	54.23	5.38

CONTINUED

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER PERCENT POUNDS

JANUARY 1

1974-75	100	1.59	11.01	7.07	53.82	5.92
1975-76	101	1.50	10.64	7.20	55.19	5.87
1976-77	110	1.54	10.94	7.20	53.19	5.82
1977-78	110	1.58	10.71	6.85	52.77	5.65
1978-79	110	1.61	11.09	7.00	51.71	5.73
1979-80	110	1.57	10.81	6.97	53.51	5.79
1980-81	110	1.76	10.94	6.35	53.33	5.83
1981-82	110	1.63	10.53	6.54	53.57	5.65
1982-83	110	1.35	10.75	8.09	55.54	5.98

FEBRUARY 1

1974-75	100	1.41	11.67	8.38	53.99	6.30
1975-76	101	1.40	11.30	8.18	55.05	6.22
1976-77	110	1.36	11.47	8.54	49.81	5.72
1977-78	109	1.42	11.30	8.13	53.03	5.99
1978-79	109	1.44	11.96	8.44	52.62	6.28
1979-80	108	1.42	11.72	8.33	53.71	6.29
1980-81	110	1.57	11.40	7.39	50.81	5.80
1981-82	110	1.38	10.97	8.07	51.70	5.69
1982-83	109	1.20	11.25	9.51	54.98	6.19

MARCH 1

1974-75	99	1.28	12.35	9.73	54.45	6.72
1975-76	100	1.30	12.00	9.37	54.30	6.52
1976-77	106	1.27	12.04	9.64	46.38	5.58
1977-78	108	1.35	11.82	8.89	52.52	6.21
1978-79	109	1.31	12.48	9.64	52.08	6.50
1979-80	108	1.31	12.34	9.47	53.71	6.63
1980-81	107	1.38	11.91	8.78	47.22	5.63
1981-82	102	1.18	11.28	9.67	49.32	5.59
1982-83	108	1.15	11.93	10.57	54.00	6.46

CONTINUED

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER

PERCENT

POUNDS

APRIL 1

1974-75	95	1.16	12.93	11.28	55.17	7.13
1975-76	97	1.12	12.27	11.18	54.80	6.72
1976-77	88	1.12	12.34	11.17	45.93	5.67
1977-78	104	1.16	12.34	10.78	51.76	6.39
1978-79	105	1.19	13.08	11.19	53.02	6.93
1979-80	105	1.11	12.85	11.67	52.15	6.70
1980-81	82	1.21	12.07	10.19	47.26	5.71
1981-82	76	1.03	11.33	11.16	50.28	5.71
1982-83	98	1.05	12.21	11.74	53.92	6.60

APRIL 15

1974-75	87	1.18	13.22	11.41	54.62	7.22
1975-76	92	1.05	12.35	11.96	54.86	6.77
1976-77	67	1.03	12.75	12.55	45.76	5.82
1977-78	100	1.11	12.58	11.57	52.56	6.61
1978-79	94	1.11	13.21	12.11	53.81	7.11
1979-80	90	1.07	12.85	12.21	52.58	6.76
1980-81	65	1.11	12.26	11.16	48.03	5.89
1981-82	68	0.99	11.54	11.84	50.16	5.82
1982-83	91	0.96	12.34	13.01	53.95	6.67

MAY 1

1974-75	74	1.09	13.57	12.77	54.74	7.42
1975-76	74	1.01	12.81	12.93	56.24	7.20
1976-77	49	1.00	13.19	13.31	46.78	6.17
1977-78	77	1.03	12.89	12.68	52.96	6.83
1978-79	65	1.06	13.57	13.04	52.67	7.15
1979-80	54	1.00	13.10	13.29	53.33	6.99
1980-81	43	1.05	12.45	11.99	49.75	6.18
1981-82	51	0.89	11.43	13.02	49.21	5.65
1982-83	66	0.95	12.38	13.15	53.79	6.67

CONTINUED

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	POUNDS				
JUNE 1						
1974-75	38	0.99	14.11	14.60	51.92	7.32
1975-76	35	0.87	12.95	15.06	55.16	7.15
1976-77	28	0.92	13.95	15.37	45.74	6.39
1977-78	45	0.91	13.67	15.22	53.60	7.33
1978-79	30	0.90	13.60	15.33	52.89	7.19
1979-80	28	0.92	13.22	14.50	53.66	7.10
1980-81	15	0.92	12.78	14.18	51.94	6.61
1981-82	09	0.82	11.74	14.47	47.44	5.55
1982-83	15	0.87	13.15	15.31	52.02	6.84

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
 DATE : ACID : SOLIDS : RATIO : PER BOX : PER BOX

NUMBER PERCENT POUNDS

1974-75 (46 GROVES)

SEP	1	1.60	9.01	5.96	46.50	4.18
OCT	1	1.20	9.37	8.21	50.51	4.74
NOV	1	1.04	10.19	10.24	52.59	5.36
DEC	1	0.99	11.33	11.66	51.70	5.87
DEC	15	1.00	11.58	11.81	50.80	5.89
JAN	1	0.91	11.78	13.14	50.11	5.90

1975-76 (40 GROVES)

SEP	1	1.51	9.22	6.48	47.10	4.33
OCT	1	1.13	9.69	8.94	50.33	4.87
NOV	1	0.97	10.62	11.41	53.01	5.62
DEC	1	0.82	11.56	14.42	52.77	6.09
DEC	15	0.87	11.82	13.82	52.77	6.23
JAN	1	0.85	12.04	14.42	51.93	6.26

1976-77 (53 GROVES)

SEP	1	1.78	9.26	5.29	43.67	4.04
OCT	1	1.27	9.55	7.69	47.83	4.56
NOV	1	1.06	10.85	10.38	49.66	5.38
DEC	1	0.97	11.65	12.13	49.74	5.80
DEC	15	0.95	11.85	12.65	49.34	5.85
JAN	1	0.89	12.10	13.80	49.86	6.04

 CONTINUED

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

SEASON AND DATE	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------------	------	----------------	-------	---------------	----------------

NUMBER PERCENT POUNDS

1977-78 (52 GROVES)

SEP	1	2.08	9.63	4.68	40.91	3.93
OCT	1	1.37	9.45	7.04	45.95	4.34
NOV	1	1.18	10.50	9.07	48.80	5.12
DEC	1	0.97	11.36	11.89	49.87	5.67
DEC	15	0.94	11.62	12.50	49.35	5.73
JAN	1	0.88	11.96	13.83	48.93	5.86

1978-79 (54 GROVES)

SEP	1	1.95	9.25	4.78	41.59	3.85
OCT	1	1.47	9.82	6.78	45.61	4.47
NOV	1	1.09	10.57	9.86	49.33	5.21
DEC	1	0.97	11.84	12.29	50.73	6.00
DEC	15	0.91	12.15	13.45	50.93	6.18
JAN	1	0.88	12.25	14.08	49.64	6.08

1979-80 (53 GROVES)

SEP	1	2.03	9.52	4.72	40.99	3.90
OCT	1	1.37	9.29	6.82	46.22	4.29
NOV	1	1.05	10.45	10.14	50.61	5.29
DEC	1	0.92	11.25	12.35	50.38	5.67
DEC	15	0.90	11.72	13.14	50.86	5.96
JAN	1	0.87	12.20	14.21	49.64	6.06

CONTINUED

EARLY ORANGES
 MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
 DATE : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER PERCENT POUNDS

1980-81 (52 GROVES)

SEP	1	2.16	9.65	4.50	39.60	3.82
OCT	1	1.36	9.72	7.26	48.06	4.67
NOV	1	1.16	10.49	9.27	51.14	5.36
DEC	1	0.99	11.40	11.73	51.43	5.86
DEC	15	1.01	11.89	11.97	50.74	6.03
JAN	1	0.99	12.11	12.45	49.51	6.00

1981-82 (57 GROVES)

SEP	1	1.94	9.39	4.91	42.81	4.01
OCT	1	1.36	9.57	7.21	48.57	4.65
NOV	1	1.09	10.36	9.65	50.80	5.26
DEC	1	1.01	11.27	11.38	51.34	5.78
DEC	15	1.00	11.66	11.86	51.39	6.00
JAN	1	0.95	11.76	12.61	49.70	5.85

1982-83 (39 GROVES)

OCT	1	1.06	9.11	8.84	49.62	4.53
NOV	1	0.87	9.78	11.48	51.28	5.02
DEC	1	0.78	10.80	14.13	50.39	5.45
DEC	15	0.70	11.13	16.12	50.01	5.58
JAN	1	0.76	11.50	15.45	50.59	5.85

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

SEASON AND DATE	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------------	------	----------------	-------	---------------	----------------

NUMBER PERCENT POUNDS

1974-75 (39 GROVES)

SEP	1	1.93	8.68	4.70	46.77	4.07
OCT	1	1.45	9.03	6.56	51.24	4.63
NOV	1	1.26	10.25	8.47	53.85	5.52
DEC	1	1.15	11.45	10.43	53.23	6.09
DEC	15	1.21	11.86	10.16	52.19	6.19
JAN	1	1.06	11.92	11.53	52.63	6.28
FEB	1	0.99	12.80	13.28	51.20	6.56

1975-76 (32 GROVES)

SEP	1	1.77	9.04	5.25	49.56	4.47
OCT	1	1.38	9.37	7.09	52.62	4.93
NOV	1	1.11	10.50	9.76	55.33	5.82
DEC	1	0.95	11.42	12.35	55.88	6.38
DEC	15	1.00	11.77	12.01	54.56	6.42
JAN	1	0.98	11.87	12.33	54.37	6.46
FEB	1	0.97	12.82	13.41	52.98	6.79

1976-77 (35 GROVES)

SEP	1	2.11	9.01	4.36	44.66	4.01
OCT	1	1.52	9.36	6.36	49.60	4.63
NOV	1	1.25	10.68	8.74	51.81	5.53
DEC	1	1.17	11.59	10.20	51.45	5.95
DEC	15	1.09	11.73	11.09	51.14	6.00
JAN	1	1.05	12.01	11.65	51.55	6.19
FEB	1	0.92	12.65	14.19	45.97	5.82

CONTINUED

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
 DATE : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER PERCENT POUNDS

1977-78 (34 GROVES)

SEP	1	2.33	9.33	4.07	42.32	3.95
OCT	1	1.66	9.26	5.73	47.89	4.44
NOV	1	1.29	10.33	8.14	52.08	5.38
DEC	1	1.13	11.24	10.19	52.30	5.88
DEC	15	1.10	11.67	10.80	52.64	6.14
JAN	1	1.04	11.96	11.78	52.62	6.29
FEB	1	0.95	12.25	13.03	51.26	6.29

1978-79 (30 GROVES)

SEP	1	2.19	8.92	4.13	42.55	3.79
OCT	1	1.63	9.34	5.83	47.40	4.43
NOV	1	1.25	10.20	8.32	51.55	5.26
DEC	1	1.12	11.48	10.43	53.27	6.11
DEC	15	1.01	11.68	11.81	53.23	6.22
JAN	1	1.01	12.06	12.15	52.10	6.28
FEB	1	1.00	13.09	13.33	51.31	6.71

1979-80 (37 GROVES)

SEP	1	2.23	9.29	4.20	40.63	3.77
OCT	1	1.57	9.08	5.86	47.49	4.31
NOV	1	1.20	10.15	8.55	52.09	5.29
DEC	1	1.02	10.96	10.89	51.34	5.63
DEC	15	1.04	11.53	11.19	53.20	6.14
JAN	1	0.95	12.09	12.90	52.35	6.33
FEB	1	0.93	13.02	14.10	51.16	6.67

 CONTINUED

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
 DATE : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER		PERCENT			POUNDS	
1980-81 (32 GROVES)						
SEP	1	2.34	9.38	4.05	41.91	3.93
OCT	1	1.58	9.41	6.01	49.49	4.65
NOV	1	1.33	10.38	8.06	52.21	5.42
DEC	1	1.15	11.45	10.22	50.29	5.75
DEC	15	1.17	11.84	10.25	51.88	6.14
JAN	1	1.14	12.10	10.83	50.86	6.15
FEB	1	0.89	12.51	14.64	43.94	5.51

1981-82 (31 GROVES)						
SEP	1	2.14	9.28	4.40	45.52	4.22
OCT	1	1.52	9.44	6.33	50.72	4.78
NOV	1	1.25	10.51	8.57	52.09	5.46
DEC	1	1.10	11.48	10.64	53.79	6.16
DEC	15	1.10	11.92	10.98	53.13	6.33
JAN	1	1.04	11.88	11.65	52.16	6.20
FEB	1	0.86	12.52	14.84	48.66	6.13

1982-83 (12 GROVES)						
OCT	1	1.18	9.21	8.27	52.77	4.87
NOV	1	1.02	10.00	10.27	52.80	5.29
DEC	1	0.90	11.10	13.00	53.35	5.93
DEC	15	0.80	11.32	14.78	52.67	5.98
JAN	1	0.89	12.00	13.90	52.31	6.29
FEB	1	0.82	12.32	15.59	50.24	6.23

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
DATE : ACID : SOLIDS : RATIO : PER BOX : PER BOX

NUMBER PERCENT POUNDS

1974-75 (74 GROVES)

OCT	1	2.55	8.40	3.34	48.16	4.04
NOV	1	2.18	9.18	4.28	52.34	4.80
DEC	1	1.91	10.51	5.57	53.35	5.61
JAN	1	1.65	11.05	6.80	53.78	5.94
FEB	1	1.44	11.68	8.21	54.11	6.32
MAR	1	1.31	12.37	9.51	54.96	6.79
APR	1	1.19	12.98	11.04	55.51	7.20
APR	15	1.20	13.24	11.21	54.75	7.25
MAY	1	1.09	13.57	12.77	54.74	7.42

1975-76 (74 GROVES)

OCT	1	2.47	8.53	3.51	48.95	4.17
NOV	1	1.97	9.11	4.73	52.92	4.82
DEC	1	1.64	9.87	6.09	55.05	5.43
JAN	1	1.54	10.67	7.06	54.96	5.83
FEB	1	1.43	11.35	8.06	54.65	6.20
MAR	1	1.33	12.08	9.22	54.10	6.54
APR	1	1.14	12.36	11.08	54.52	6.74
APR	15	1.06	12.38	11.87	54.68	6.77
MAY	1	1.01	12.81	12.93	56.24	7.20

1976-77 (49 GROVES)

OCT	1	2.72	8.74	3.26	44.93	3.92
NOV	1	2.16	9.50	4.45	48.93	4.64
DEC	1	1.83	10.46	5.78	51.53	5.39
JAN	1	1.58	11.04	7.07	53.37	5.89
FEB	1	1.39	11.57	8.41	50.22	5.82
MAR	1	1.30	12.25	9.51	46.49	5.69
APR	1	1.15	12.57	11.06	46.46	5.84
APR	15	1.05	12.89	12.36	46.13	5.94
MAY	1	1.00	13.19	13.31	46.78	6.17

CONTINUED

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
DATE : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER PERCENT POUNDS

1977-78 (77 GROVES)

OCT	1	2.87	8.73	3.07	44.94	3.93
NOV	1	2.25	9.38	4.22	48.90	4.58
DEC	1	1.89	10.16	5.46	51.33	5.22
JAN	1	1.61	10.71	6.72	52.96	5.67
FEB	1	1.44	11.57	7.98	53.22	6.01
MAR	1	1.37	11.85	8.76	52.81	6.26
APR	1	1.19	12.37	10.58	52.07	6.45
APR	15	1.12	12.56	11.40	53.08	6.67
MAY	1	1.03	12.89	12.68	52.96	6.83

1978-79 (65 GROVES)

OCT	1	2.90	8.98	3.11	42.13	3.78
NOV	1	2.31	9.78	4.27	47.98	4.69
DEC	1	1.95	10.61	5.51	50.51	5.35
JAN	1	1.65	11.19	6.85	51.61	5.77
FEB	1	1.48	12.04	8.24	52.62	6.32
MAR	1	1.32	12.51	9.60	51.85	6.48
APR	1	1.21	13.16	11.05	53.04	6.98
APR	15	1.14	13.33	11.86	53.58	7.14
MAY	1	1.06	13.57	13.04	52.67	7.15

1979-80 (54 GROVES)

OCT	1	2.73	8.59	3.18	42.84	3.68
NOV	1	2.18	9.21	4.28	49.26	4.54
DEC	1	1.84	9.96	5.44	50.87	5.06
JAN	1	1.59	10.83	6.88	53.32	5.77
FEB	1	1.43	11.76	8.26	53.52	6.29
MAR	1	1.33	12.38	9.44	53.89	6.67
APR	1	1.12	12.88	11.64	52.54	6.77
APR	15	1.07	12.88	12.21	52.98	6.83
MAY	1	1.00	13.10	13.29	53.33	6.99

CONTINUED

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 SEASON AND : : SOLUBLE : : JUICE : : SOLIDS
 DATE : : ACID : : SOLIDS : : RATIO : : PER BOX : : PER BOX

NUMBER PERCENT POUNDS

1980-81 (43 GROVES)

OCT	1	2.78	8.93	3.24	46.53	4.16
NOV	1	2.41	9.72	4.06	50.14	4.88
DEC	1	1.93	10.41	5.47	51.81	5.39
JAN	1	1.82	11.04	6.18	53.11	5.86
FEB	1	1.65	11.61	7.12	52.54	6.10
MAR	1	1.44	12.12	8.52	49.49	6.00
APR	1	1.24	12.24	10.06	49.31	6.04
APR	15	1.13	12.33	11.09	49.15	6.06
MAY	1	1.05	12.45	11.99	49.75	6.18

1981-82 (51 GROVES)

OCT	1	2.63	8.72	3.35	47.52	4.14
NOV	1	2.16	9.33	4.36	50.75	4.73
DEC	1	1.86	10.11	5.51	54.53	5.51
JAN	1	1.71	10.70	6.31	53.90	5.77
FEB	1	1.45	11.14	7.80	52.92	5.90
MAR	1	1.25	11.39	9.23	51.02	5.83
APR	1	1.04	11.42	11.03	51.10	5.84
APR	15	1.00	11.57	11.78	50.63	5.89
MAY	1	0.89	11.43	13.02	49.21	5.65

1982-83 (66 GROVES)

OCT	1	2.25	8.40	3.78	48.45	4.07
NOV	1	1.87	8.89	4.83	51.59	4.60
DEC	1	1.50	9.83	6.64	54.42	5.35
JAN	1	1.39	10.76	7.85	55.50	5.98
FEB	1	1.21	11.20	9.35	54.88	6.16
MAR	1	1.15	11.84	10.43	54.03	6.42
APR	1	1.06	12.12	11.57	53.74	6.53
APR	15	0.97	12.36	12.83	53.96	6.68
MAY	1	0.95	12.38	13.15	53.79	6.67

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

SEP 1	1.60	1.51	1.78	2.08	1.95	2.03	2.16	1.94	1/
OCT 1	1.20	1.13	1.27	1.37	1.47	1.37	1.36	1.36	1.06
NOV 1	1.04	0.97	1.06	1.18	1.09	1.05	1.16	1.09	0.87
DEC 1	0.99	0.82	0.97	0.97	0.97	0.92	0.99	1.01	0.78
DEC 15	1.00	0.87	0.95	0.94	0.91	0.90	1.01	1.00	0.70
JAN 1	0.91	0.85	0.89	0.88	0.88	0.87	0.99	0.95	0.76

PERCENT SOLUBLE SOLIDS

SEP 1	9.01	9.22	9.26	9.63	9.25	9.52	9.65	9.39	1/
OCT 1	9.37	9.69	9.55	9.45	9.82	9.29	9.72	9.57	9.11
NOV 1	10.19	10.62	10.85	10.50	10.57	10.45	10.49	10.36	9.78
DEC 1	11.33	11.56	11.65	11.36	11.84	11.25	11.40	11.27	10.80
DEC 15	11.58	11.82	11.85	11.62	12.15	11.72	11.89	11.66	11.13
JAN 1	11.78	12.04	12.10	11.96	12.25	12.20	12.11	11.76	11.50

RATIO

SEP 1	5.96	6.48	5.29	4.68	4.78	4.72	4.50	4.91	1/
OCT 1	8.21	8.94	7.69	7.04	6.78	6.82	7.26	7.21	8.84
NOV 1	10.24	11.41	10.38	9.07	9.86	10.14	9.27	9.65	11.48
DEC 1	11.66	14.42	12.13	11.89	12.29	12.35	11.73	11.38	14.13
DEC 15	11.81	13.82	12.65	12.50	13.45	13.14	11.97	11.86	16.12
JAN 1	13.14	14.42	13.80	13.83	14.08	14.21	12.45	12.61	15.45

1/ SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

POUNDS JUICE PER BOX

SEP 1	46.50	47.10	43.67	40.91	44.59	40.99	39.60	42.81	1/
OCT 1	50.51	50.33	47.83	45.95	45.61	46.22	48.06	48.57	49.62
NOV 1	52.59	53.01	49.66	48.80	49.33	50.61	51.14	50.80	51.28
DEC 1	51.70	52.77	49.74	49.87	50.73	50.38	51.43	51.34	50.39
DEC 15	50.80	52.77	49.34	49.35	50.93	50.86	50.74	51.39	50.01
JAN 1	50.11	51.93	49.86	48.93	49.64	49.64	49.51	49.70	50.59

POUNDS SOLIDS PER BOX

SEP 1	4.18	4.33	4.04	3.93	3.85	3.90	3.82	4.01	1/
OCT 1	4.74	4.87	4.56	4.34	4.47	4.29	4.67	4.65	4.53
NOV 1	5.36	5.62	5.38	5.12	5.21	5.29	5.36	5.26	5.02
DEC 1	5.87	6.09	5.80	5.67	6.00	5.67	5.86	5.78	5.45
DEC 15	5.89	6.23	5.85	5.73	6.18	5.96	6.03	6.00	5.58
JAN 1	5.90	6.26	6.04	5.86	6.08	6.06	6.00	5.85	5.85

 1/ SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

SEP 1	1.93	1.77	2.11	2.33	2.19	2.23	2.34	2.14	1/
OCT 1	1.45	1.38	1.52	1.66	1.63	1.57	1.58	1.52	1.18
NOV 1	1.26	1.11	1.25	1.29	1.25	1.20	1.33	1.25	1.02
DEC 1	1.15	0.95	1.17	1.13	1.12	1.02	1.15	1.10	0.90
DEC 15	1.21	1.00	1.09	1.10	1.01	1.04	1.17	1.10	0.80
JAN 1	1.06	0.98	1.05	1.04	1.01	0.95	1.14	1.04	0.89
FEB 1	0.99	0.97	0.92	0.95	1.00	0.93	0.89	0.86	0.82

PERCENT SOLUBLE SOLIDS

SEP 1	8.68	9.04	9.01	9.33	8.92	9.29	9.38	9.28	1/
OCT 1	9.03	9.37	9.36	9.26	9.34	9.08	9.41	9.44	9.21
NOV 1	10.25	10.50	10.68	10.33	10.20	10.15	10.38	10.51	10.00
DEC 1	11.45	11.42	11.59	11.24	11.48	10.96	11.45	11.48	11.10
DEC 15	11.86	11.77	11.73	11.67	11.68	11.53	11.84	11.92	11.32
JAN 1	11.92	11.87	12.01	11.96	12.06	12.09	12.10	11.88	12.00
FEB 1	12.80	12.82	12.65	12.25	13.09	13.02	12.51	12.52	12.32

RATIO

SEP 1	4.70	5.25	4.36	4.07	4.13	4.20	4.05	4.40	1/
OCT 1	6.56	7.09	6.36	5.73	5.83	5.86	6.01	6.33	8.27
NOV 1	8.47	9.76	8.74	8.14	8.32	8.55	8.06	8.57	10.27
DEC 1	10.43	12.35	10.20	10.19	10.43	10.89	10.22	10.64	13.00
DEC 15	10.16	12.01	11.09	10.80	11.81	11.19	10.25	10.98	14.78
JAN 1	11.53	12.33	11.65	11.78	12.15	12.90	10.83	11.65	13.90
FEB 1	13.28	13.41	14.19	13.03	13.33	14.10	14.64	14.84	15.59

 1/ SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

POUNDS JUICE PER BOX

DATE	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83
SEP 1	46.77	49.56	44.66	42.32	42.55	40.63	41.91	45.52	1/
OCT 1	51.24	52.62	49.60	47.89	47.40	47.49	49.49	50.72	52.77
NOV 1	53.85	55.33	51.81	52.08	51.55	52.09	52.21	52.09	52.80
DEC 1	53.23	55.88	51.45	52.30	53.27	51.34	50.29	53.79	53.35
DEC 15	52.19	54.56	51.14	52.64	53.23	53.20	51.88	53.13	52.67
JAN 1	52.63	54.37	51.55	52.62	52.10	52.35	50.86	52.16	52.31
FEB 1	51.20	52.98	45.97	51.26	51.31	51.16	43.94	48.66	50.24

POUNDS SOLIDS PER BOX

DATE	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83
SEP 1	4.07	4.47	4.01	3.95	3.79	3.77	3.93	4.22	1/
OCT 1	4.63	4.93	4.63	4.44	4.43	4.31	4.65	4.78	4.87
NOV 1	5.52	5.82	5.93	5.38	5.26	5.29	5.42	5.46	5.29
DEC 1	6.09	6.38	5.95	5.88	6.11	5.63	5.75	6.16	5.93
DEC 15	6.19	6.42	6.00	6.14	6.22	6.14	6.14	6.33	5.98
JAN 1	6.28	6.46	6.19	6.29	6.28	6.33	6.15	6.20	6.29
FEB 1	6.56	6.79	5.82	6.29	6.71	6.67	5.51	6.13	6.23

 1/ SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83
OCT 1	2.55	2.47	2.72	2.87	2.90	2.73	2.78	2.63	2.25
NOV 1	2.18	1.97	2.16	2.25	2.31	2.18	2.41	2.16	1.87
DEC 1	1.91	1.64	1.83	1.89	1.95	1.84	1.93	1.86	1.50
JAN 1	1.65	1.54	1.58	1.61	1.65	1.59	1.82	1.71	1.39
FEB 1	1.44	1.43	1.39	1.44	1.48	1.43	1.65	1.45	1.21
MAR 1	1.31	1.33	1.30	1.37	1.32	1.33	1.44	1.25	1.15
APR 1	1.19	1.14	1.15	1.19	1.21	1.12	1.24	1.04	1.06
APR 15	1.20	1.06	1.05	1.12	1.14	1.07	1.13	1.00	0.97
MAY 1	1.09	1.01	1.00	1.03	1.06	1.00	1.05	0.89	0.95

PERCENT SOLUBLE SOLIDS

	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83
OCT 1	8.40	8.53	8.74	8.73	8.98	8.59	8.93	8.72	8.40
NOV 1	9.18	9.11	9.50	9.38	9.78	9.21	9.72	9.33	8.89
DEC 1	10.51	9.87	10.46	10.16	10.61	9.96	10.41	10.11	9.83
JAN 1	11.05	10.67	11.04	10.71	11.19	10.83	11.04	10.70	10.76
FEB 1	11.68	11.35	11.57	11.57	12.04	11.76	11.61	11.14	11.20
MAR 1	12.37	12.08	12.25	11.85	12.51	12.38	12.12	11.39	11.84
APR 1	12.98	12.36	12.57	12.37	13.16	12.88	12.24	11.42	12.12
APR 15	13.24	12.38	12.89	12.56	13.33	12.88	12.33	11.57	12.36
MAY 1	13.57	12.81	13.19	12.89	13.57	13.10	12.45	11.43	12.38

RATIO

	1974-75	1975-76	1976-77	1977-78	1978-79	1979-80	1980-81	1981-82	1982-83
OCT 1	3.34	3.51	3.26	3.07	3.11	3.18	3.24	3.35	3.78
NOV 1	4.28	4.73	4.45	4.22	4.27	4.28	4.06	4.36	4.83
DEC 1	5.57	6.09	5.78	5.46	5.51	5.44	5.47	5.51	6.64
JAN 1	6.80	7.06	7.07	6.72	6.85	6.88	6.18	6.31	7.85
FEB 1	8.21	8.06	8.41	7.98	8.24	8.26	7.12	7.80	9.35
MAR 1	9.51	9.22	9.51	8.76	9.60	9.44	8.52	9.23	10.43
APR 1	11.04	11.03	11.06	10.58	11.05	11.64	10.06	11.03	11.57
APR 15	11.21	11.87	12.36	11.40	11.86	12.21	11.09	11.78	12.83
MAY 1	12.77	12.93	13.31	12.68	13.04	13.29	11.99	13.02	13.15

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

POUNDS JUICE PER BOX

OCT 1	48.16	48.95	44.93	44.94	42.13	42.84	46.53	47.52	48.45
NOV 1	52.34	52.92	48.93	48.90	47.98	49.26	50.14	50.75	51.59
DEC 1	53.35	55.05	51.53	51.33	50.51	50.87	51.81	54.53	54.42
JAN 1	53.78	54.69	53.37	52.96	51.61	53.32	53.11	53.90	55.50
FEB 1	54.11	54.65	50.22	53.22	52.62	53.52	52.54	52.92	54.88
MAR 1	54.96	54.10	46.49	52.81	51.85	53.89	49.49	51.02	54.03
APR 1	55.51	54.52	46.46	52.07	53.04	52.54	49.31	51.10	53.74
APR 15	54.75	54.68	46.13	53.08	53.58	52.98	49.15	50.63	53.96
MAY 1	54.74	56.24	46.78	52.96	52.67	53.33	49.75	49.21	53.79

POUNDS SOLIDS PER BOX

OCT 1	4.08	4.17	3.92	3.93	3.78	3.68	4.16	4.14	4.07
NOV 1	4.80	4.82	4.64	4.58	4.69	4.54	4.88	4.73	4.60
DEC 1	5.61	5.43	5.39	5.22	5.35	5.06	5.39	5.51	5.35
JAN 1	5.94	5.83	5.89	5.67	5.77	5.77	5.86	5.77	5.98
FEB 1	6.32	6.20	5.82	6.01	6.32	6.29	6.10	5.90	6.16
MAR 1	6.79	6.54	5.69	6.26	6.48	6.77	6.00	5.83	6.42
APR 1	7.20	6.74	5.84	6.45	6.98	6.77	6.04	5.84	6.53
APR 15	7.25	6.77	5.94	6.67	7.14	6.83	6.06	5.89	6.68
MAY 1	7.42	7.20	6.17	6.83	7.15	6.99	6.18	5.65	6.67

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT				POUNDS	POUNDS
SEPTEMBER 1						
1974-75	25	1.60	8.81	5.59	38.73	3.41
1975-76	25	1.56	9.37	6.06	35.75	3.36
1976-77	25	1.76	9.19	5.27	28.73	2.64
1977-78	25	1.79	9.28	5.23	28.76	2.68
1978-79	25	1.79	9.08	5.10	29.06	2.64
1979-80	25	1.74	9.51	5.47	26.98	2.57
1980-81	25	1.81	9.94	5.51	32.68	3.26
1981-82	25	1.71	9.36	5.50	32.82	3.07
1982-83	1/					
OCTOBER 1						
1974-75	24	1.43	9.16	6.50	37.33	3.42
1975-76	25	1.40	9.51	6.88	38.59	3.68
1976-77	25	1.61	9.38	5.88	33.83	3.17
1977-78	25	1.55	9.65	6.29	32.63	3.15
1978-79	25	1.74	9.90	5.74	32.50	3.22
1979-80	25	1.54	9.37	6.16	30.84	2.89
1980-81	25	1.60	10.12	6.35	33.61	3.40
1981-82	25	1.52	9.53	6.32	36.78	3.50
1982-83	25	1.36	9.15	6.78	36.14	3.30

1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82

CONTINUED

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER		PERCENT			POUNDS	
NOVEMBER 1						
1974-75	22	1.53	9.84	6.55	40.39	3.97
1975-76	23	1.36	10.05	7.52	40.39	4.34
1976-77	25	1.60	10.12	6.41	37.06	3.76
1977-78	23	1.57	10.14	6.53	37.17	3.76
1978-79	25	1.78	10.73	6.16	36.70	3.94
1979-80	22	1.47	9.76	6.70	37.04	3.61
1980-81	25	1.56	10.59	6.86	41.62	4.42
1981-82	25	1.52	10.07	6.65	40.98	4.14
1982-83	25	1.30	9.46	7.37	38.22	3.62
DECEMBER 1						
1974-75	20	1.56	10.85	7.08	43.02	4.66
1975-76	16	1.38	10.38	7.72	43.91	4.56
1976-77	18	1.69	10.67	6.40	38.01	4.06
1977-78	21	1.58	10.59	6.76	39.35	4.17
1978-79	22	1.72	11.29	6.68	39.57	4.47
1979-80	18	1.54	10.41	6.84	42.79	4.46
1980-81	19	1.64	11.22	6.88	38.52	4.33
1981-82	20	1.57	10.62	7.03	44.10	4.69
1982-83	22	1.28	9.86	7.85	42.72	4.21

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

SEP	1	1.63	1.62	1.83	1.80	1.80	1.78	1.85	1.69	1/
OCT	1	1.47	1.44	1.67	1.56	1.76	1.59	1.64	1.53	1.36
NOV	1	1.57	1.40	1.65	1.57	1.80	1.52	1.60	1.54	1.31
DEC	1	1.56	1.38	1.69	1.58	1.72	1.54	1.64	1.57	1.28

PERCENT SOLUBLE SOLIDS

SEP	1	8.80	9.48	9.27	9.23	9.10	9.45	10.06	9.28	1/
OCT	1	9.23	9.58	9.52	9.71	9.97	9.32	10.22	9.53	9.20
NOV	1	9.87	10.13	10.22	10.14	10.79	9.81	10.74	10.10	9.48
DEC	1	10.85	10.38	10.67	10.59	11.29	10.41	11.22	10.62	9.86

RATIO

SEP	1	5.45	5.92	5.10	5.18	5.07	5.33	5.44	5.52	1/
OCT	1	6.31	6.73	5.73	6.31	5.72	5.90	6.25	6.26	6.81
NOV	1	6.39	7.39	6.26	6.54	6.09	6.50	6.72	6.60	7.32
DEC	1	7.08	7.72	6.40	6.76	6.68	6.84	6.88	7.03	7.85

POUNDS JUICE PER BOX

SEP	1	32.62	35.87	29.32	28.91	28.27	27.26	32.93	33.28	1/
OCT	1	36.44	38.50	33.98	32.73	32.84	31.07	33.95	37.42	35.91
NOV	1	39.88	42.83	37.55	37.01	36.85	37.17	42.11	41.51	38.08
DEC	1	43.02	43.91	38.01	39.35	39.57	42.79	38.52	44.10	42.72

POUNDS SOLIDS PER BOX

SEP	1	2.87	3.40	2.72	2.68	2.58	2.58	3.32	3.09	1/
OCT	1	3.37	3.69	3.23	3.19	3.23	2.89	3.47	3.56	3.30
NOV	1	3.93	4.35	3.84	3.75	3.98	3.64	4.53	4.20	3.62
DEC	1	4.66	4.56	4.06	4.17	4.47	4.46	4.33	4.69	4.21

1/ SEPTEMBER TEST DISCONTINUED AFTER 1981-82.

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1974-75 THROUGH 1982-83

CROP : SAMPLE : : SOLUBLE : : JUICE : SOLIDS
YEAR : GROVES : ACID : SOLIDS : RATIO : PER BOX : PER BOX

	NUMBER	PERCENT			POUNDS	
		SEPTEMBER 1				
1974-75	61	1.51	8.76	5.85	34.38	3.01
1975-76	62	1.56	9.35	6.04	35.99	3.37
1976-77	62	1.76	9.40	5.34	29.45	2.76
1977-78	62	1.79	9.64	5.42	28.88	2.78
1978-79	62	1.77	9.09	5.16	27.63	2.51
1979-80	62	1.83	9.71	5.32	27.13	2.62
1980-81	62	1.82	10.11	5.57	31.91	3.22
1981-82	62	1.71	9.92	5.84	36.68	3.63
1982-83	1/					

		OCTOBER 1				
1974-75	59	1.40	8.98	6.52	37.95	3.40
1975-76	62	1.35	9.30	6.96	39.44	3.66
1976-77	61	1.53	9.26	6.08	34.11	3.15
1977-78	62	1.52	9.37	6.21	33.79	3.17
1978-79	62	1.62	9.54	5.94	32.43	3.09
1979-80	62	1.51	9.41	6.27	32.89	3.09
1980-81	62	1.55	9.99	6.49	34.04	3.39
1981-82	62	1.48	9.73	6.62	41.67	4.05
1982-83	62	1.29	9.09	7.10	39.04	3.55

1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82.

CONTINUED

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR		SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT		POUNDS				
NOVEMBER 1							
1974-75	57	1.37	9.44	7.01	41.01	3.86	
1975-76	55	1.24	9.45	7.69	43.63	4.12	
1976-77	60	1.45	9.65	6.71	37.65	3.64	
1977-78	54	1.52	9.76	6.45	37.79	3.69	
1978-79	60	1.53	9.92	6.56	36.88	3.65	
1979-80	59	1.37	9.46	6.97	38.26	3.61	
1980-81	59	1.44	10.29	7.20	42.02	4.32	
1981-82	62	1.41	10.09	7.19	45.24	4.56	
1982-83	59	1.22	9.11	7.49	38.66	3.52	
DECEMBER 1							
1974-75	53	1.42	9.83	7.04	42.10	4.14	
1975-76	49	1.16	9.44	8.19	46.11	4.35	
1976-77	58	1.40	9.68	6.94	39.57	3.83	
1977-78	51	1.41	9.79	7.03	39.86	3.90	
1978-79	53	1.39	10.05	7.30	39.12	3.92	
1979-80	54	1.32	9.76	7.47	41.55	4.05	
1980-81	53	1.40	10.53	7.59	39.92	4.20	
1981-82	59	1.40	10.08	7.27	46.40	4.67	
1982-83	51	1.11	9.20	8.30	44.05	4.06	

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1974-75 THROUGH 1982-83

DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

SEP	1	1.53	1.58	1.78	1.82	1.78	1.84	1.84	1.71	1/
OCT	1	1.42	1.36	1.54	1.54	1.63	1.52	1.57	1.48	1.30
NOV	1	1.38	1.24	1.45	1.53	1.54	1.38	1.45	1.41	1.23
DEC	1	1.42	1.16	1.40	1.41	1.39	1.32	1.40	1.40	1.11

PERCENT SOLUBLE SOLIDS

SEP	1	8.84	9.46	9.47	9.72	9.15	9.74	10.22	9.96	1/
OCT	1	9.06	9.38	9.29	9.46	9.57	9.46	10.08	9.77	9.18
NOV	1	9.51	9.51	9.70	9.75	9.97	9.50	10.35	10.14	9.21
DEC	1	9.83	9.44	9.68	9.79	10.05	9.76	10.53	10.08	9.20

RATIO

SEP	1	5.81	6.05	5.33	5.38	5.16	5.29	5.57	5.85	1/
OCT	1	6.48	6.94	6.04	6.17	5.91	6.24	6.44	6.64	7.09
NOV	1	6.99	7.74	6.70	6.43	6.54	6.94	7.20	7.22	7.52
DEC	1	7.04	8.19	6.94	7.03	7.30	7.47	7.59	7.27	8.30

POUNDS JUICE PER BOX

SEP	1	33.93	36.31	29.26	28.91	27.40	26.98	31.78	36.58	1/
OCT	1	37.63	39.65	33.98	33.59	32.36	32.73	34.17	41.66	39.00
NOV	1	40.84	44.05	37.71	37.79	36.82	38.12	41.96	45.37	38.49
DEC	1	42.10	46.11	39.57	39.86	39.12	41.55	39.92	46.40	44.05

POUNDS SOLIDS PER BOX

SEP	1	3.00	3.43	2.77	2.81	2.50	2.62	3.24	3.63	1/
OCT	1	3.40	3.71	3.15	3.18	3.09	3.09	3.43	4.07	3.58
NOV	1	3.88	4.18	3.66	3.68	3.66	3.61	4.34	4.59	3.54
DEC	1	4.14	4.35	3.83	3.90	3.92	4.05	4.20	4.67	4.06

1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82.

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	POUNDS				
SEPTEMBER 1						
1974-75	51	1.61	9.04	5.66	33.68	3.04
1975-76	52	1.57	9.57	6.15	35.83	3.43
1976-77	52	1.79	9.62	5.42	28.42	2.73
1977-78	52	1.88	10.00	5.37	27.68	2.76
1978-79	52	1.79	9.30	5.28	26.88	2.50
1979-80	52	1.86	9.78	5.27	27.14	2.65
1980-81	51	1.86	10.27	5.55	31.62	3.24
1981-82	51	1.76	10.05	5.75	36.19	3.63
1982-83	1/					
OCTOBER 1						
1974-75	47	1.43	9.33	6.63	37.64	3.51
1975-76	50	1.35	9.51	7.10	40.10	3.81
1976-77	52	1.53	9.52	6.27	33.73	3.21
1977-78	52	1.57	9.68	6.24	32.98	3.19
1978-79	52	1.63	9.69	5.99	32.18	3.12
1979-80	52	1.50	9.45	6.33	32.69	3.09
1980-81	51	1.59	10.15	6.43	34.30	3.48
1981-82	50	1.53	9.92	6.54	41.24	4.09
1982-83	51	1.26	9.18	7.30	40.33	3.71

1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82.

CONTINUED

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1974-75 THROUGH 1982-83

 CROP : SAMPLE : : SOLUBLE : : JUICE : SOLIDS
 YEAR : GROVES : ACID : SOLIDS : RATIO : PER BOX : PER BOX

NUMBER

PERCENT

POUNDS

NOVEMBER 1

1974-75	43	1.40	9.95	7.22	41.17	4.09
1975-76	47	1.20	9.78	8.24	44.17	4.32
1976-77	49	1.45	9.98	6.94	37.47	3.74
1977-78	49	1.51	10.15	6.84	37.17	3.76
1978-79	49	1.49	10.12	6.86	36.87	3.72
1979-80	49	1.40	9.72	7.01	38.17	3.70
1980-81	45	1.44	10.40	7.30	42.80	4.45
1981-82	49	1.50	10.29	6.93	44.52	4.57
1982-83	45	1.19	9.31	7.86	40.11	3.73

DECEMBER 1

1974-75	39	1.39	10.47	7.67	42.50	4.41
1975-76	45	1.19	10.06	8.60	45.81	4.61
1976-77	46	1.39	10.06	7.37	39.25	3.95
1977-78	44	1.46	10.47	7.30	39.42	4.12
1978-79	45	1.34	10.15	7.63	38.95	3.95
1979-80	44	1.34	9.93	7.46	40.82	4.05
1980-81	37	1.41	10.73	7.70	40.03	4.29
1981-82	47	1.41	10.50	7.52	47.62	5.01
1982-83	34	1.06	9.53	9.01	45.56	4.44

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1974-75 THROUGH 1982-83

 DATE :1974-75:1975-76:1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83

PERCENT ACID

SEP	1	1.65	1.60	1.80	1.91	1.80	1.88	1.90	1.76	1/
OCT	1	1.46	1.37	1.37	1.59	1.64	1.52	1.62	1.53	1.28
NOV	1	1.41	1.20	1.46	1.52	1.49	1.41	1.44	1.51	1.21
DEC	1	1.39	1.19	1.39	1.46	1.34	1.34	1.41	1.41	1.06

PERCENT SOLUBLE SOLIDS

SEP	1	9.20	9.68	9.69	10.11	9.33	9.84	10.33	10.09	1/
OCT	1	9.48	9.60	9.55	9.78	9.73	9.53	10.23	9.93	9.31
NOV	1	10.04	9.83	9.99	10.18	10.14	9.76	10.46	10.30	9.37
DEC	1	10.47	10.06	10.06	10.47	10.15	9.93	10.73	10.50	9.53

RATIO

SEP	1	5.64	6.10	5.41	5.37	5.22	5.24	5.45	5.75	1/
OCT	1	6.60	7.08	6.24	6.24	5.97	6.29	6.35	6.53	7.30
NOV	1	7.22	8.26	6.94	6.82	6.85	6.96	7.31	6.90	7.79
DEC	1	7.67	8.60	7.37	7.30	7.63	7.46	7.70	7.52	9.01

POUNDS JUICE PER BOX

SEP	1	33.28	35.96	28.32	27.59	27.91	26.94	31.31	36.01	1/
OCT	1	37.33	40.07	33.89	32.70	32.02	32.46	34.32	41.39	40.58
NOV	1	41.10	44.32	37.64	37.16	36.81	38.12	43.29	44.45	40.28
DEC	1	42.50	45.81	39.25	39.42	38.95	40.82	40.03	47.62	46.56

POUNDS SOLIDS PER BOX

SEP	1	3.05	3.48	2.74	2.78	2.51	2.64	3.22	3.62	1/
OCT	1	3.53	3.84	3.23	3.19	3.12	3.09	3.50	4.10	3.78
NOV	1	4.11	4.35	3.76	3.77	3.73	3.71	4.52	4.57	3.78
DEC	1	4.41	4.61	3.95	4.12	3.95	4.05	4.29	5.01	4.44

 1/ SEPTEMBER TESTS DISCONTINUED AFTER 1981-82.
