

INDIANA CROPS AND LIVESTOCK

**UNITED STATES
DEPARTMENT OF AGRICULTURE**

**DIVISION OF
CROP AND LIVESTOCK ESTIMATES**

CO-OPERATING WITH

**PURDUE UNIVERSITY
AGRICULTURAL EXPERIMENT STATION**

ANNUAL CROP SUMMARY 1925

**DEPARTMENT OF AGRICULTURAL STATISTICS,
WEST LAFAYETTE, INDIANA**

NO. 3

DECEMBER, 1925

CONTENTS

	Pages
CROP SUMMARY—Indiana, 1925.....	3, 4
COMPARATIVE STATISTICS—Of Indiana Crops, Table I.....	5
CORN and OATS—Acreage, Yield, Production and Value by Counties for 1924 and 1925, Table II.....	6, 7, 8
WINTER WHEAT and RYE—Acreage, Yield, Production and Value by Counties for 1924 and 1925, Table III.....	9, 10, 11
TAME HAY—Acreage, Yield, Production and Value.....	
WINTER WHEAT and RYE—Acreage for 1926 Harvest by Counties, Table IV.....	12, 13, 14
AGREAGE, YIELD PER ACRE, PRODUCTION—Principal Crops Harvested in Indiana, for past Ten Years and Average, Tables V, VI, VII.....	15
COMPARATIVE STATISTICS—Of United States Crops, Table VIII	16, 17

REPORT OF THE CO-OPERATIVE CROP REPORTING SERVICE FOR INDIANA

CROP SUMMARY FOR INDIANA, 1925

The season for the 1925 crop began with the seeding of wheat and rye in the fall of 1924. September left the ground in excellent condition for seeding, but October and November were dry. The spring of 1925 also brought much dry weather which became serious in late May and June. Ample rains came to most of the state after that, but there was little surplus moisture and drouth seemed imminent at all times till the middle of September from which time moisture was more than ample. Extremely low temperatures occurred in late December 1924 and heavy frost occurred as late as May 25th, 1925. Summer temperatures were not notably high or low.

The yield of corn per acre and the total production of grain were the largest in twenty-five years. The relatively dry spring permitted planting at a seasonable time. The frost in May nipped corn to the ground, but most of the frosted plants recovered and most of the crop was not up at the time. A percentage inquiry on corn replanted from all causes indicated as much replanting in the lightly frosted districts as in those where lower temperatures occurred. Cultivation was carried forward with little interruption from rain and corn was generally clean except for the grass which began growth after the crop became too tall to cultivate. The local character of the summer rains resulted in some districts where yields were reduced by drouth. The most important one was in the southwest corner of the state. In the fall frequent rains prevented the usual drying of the corn and caused some damage from sprouting and rotting. This damage, with the high moisture content resulted in low grades of corn generally, though the crop matured well and would have been of high quality with a more favorable season for curing.

The average yield of wheat per acre was slightly below average. Drouth and frost were the damaging factors. The latter came when many fields were in blossom and is considered the cause of many unfilled heads, though the method of the damage is debated. Exceptionally heavy winter loss of acreage sown was experienced in the east central section of the state. In several counties near the Ohio line this was around 50 per cent of the total.

Rye was affected by the season in much the same way as winter wheat.

The acreage of oats was increased over the previous year. The need of early grain feed was one cause and another was the loss of wheat acreage. Oats started slowly and were set back by the May frost. Recovery was delayed by the drouth, so that by June 10th many regarded the crop as a virtual failure. Rains brought marked improvement, but the crop headed short and appeared very light. Inquiries made in August and November indicated that between 7 and 15 per cent of the crop was too short to bind. With the progress of threshing the crop proved better than expected, though making only 88 per cent of the ten year average yield per acre. The hay crop was the one most injured by the drouth in May and June. A considerable acreage of both timothy and clover was used as supplemental pastures instead of being harvested as hay.

In the southern districts subsoil moisture was reported deficient so the effect of the drouth was immediate and severe. The superior qualities of alfalfa as shown in recent years led to a great increase in acreage. This has been greatest in the northern third of the state. Alfalfa and the annual legumes only, produced yields nearly average. The great increase in the acreage of cowpeas and soybeans was well maintained. The comparative cheapness of soybean seed favored the latter especially in the southern section where cowpeas are most common. In the northern seed growing districts the acreage of soybeans for both hay and seed declined. The fact that for several years, hay acreages have been increasing at the same time that animals have been decreasing, prevented the low yields secured from producing a distressing situation. Pasture started early, but was reduced to a poor condition by June 1st and remained in an unsatisfactory state until after the September rains.

The yields of soybeans and cowpeas for grain were greatly reduced by losses after harvest. These were the result of the fall rains which caused rotting in the shock. Loss of leaves during the drouth is said to have made the shocks unusually permeable to water, and the lack of drying weather between rains made damage unavoidable.

Clover seed filled poorly and both acreage and yield are much below average. The low yields of hay restricted the acreage left for seed and the poor prospect for seed led to the abandonment of much left standing. Many complaints of poor stands of clover from the 1925 sowing were heard following the early drouth. Clover which came up was unable to withstand the drouth which came before it was well established.

The acreages of truck crops for manufacture were generally increased. Tomatoes and sweet corn made good yields, but peas were damaged by dry weather. Some difficulty was experienced in getting stands of tomatoes as losses from frost were very heavy and the dry condition of the soil made replanting precarious.

Onions were planted on an increased acreage, but losses from frost and high winds prevented material changes. Yields were slightly better than in the preceding year.

The acreage of peppermint was also largely expanded due to high prices for oil, but fully half the crop was destroyed at the same time the losses of onions occurred.

Fruit crops were rather better than a year ago, but they were much reduced by frost. Peaches suffered more from low winter temperatures than from the spring frosts which damaged apples.

The sowing of winter wheat in the fall of 1925 was hampered by wet weather so that the seeded acreage is only 89 per cent of that seeded last year. The acreage now out is somewhat larger than was harvested in 1925, but went into the winter with a condition of 70, December 1st, where the average is 87 per cent of normal.

A slight increase in the acreage of rye is reported as sown in the fall of 1925 and the condition on December 1st was 84 compared with the average of 91.

MINER M. JUSTIN,
Agricultural Statistician.

COMPARATIVE STATISTICS OF INDIANA CROPS

TABLE I

Estimates of Acreage, Production and Value of Indiana Crops for 1924 and 1925.

Crops	Acres		Yield Per Acre		Production		Price, Dec. 1		Total Value		Value Per Acre		
	*1924	1925	1924	1925	Unit	1924	1925	1924	1925	1924	1925	1924	1925
Corn.....	4,450,000	4,628,000	25.6	43.5	Bushel	113,920,000	201,318,000	\$0.94	\$0.55	\$107,085,000	\$110,725,000	\$24.06	\$23.92
Winter Wheat.....	1,700,000	1,768,000	17.0	14.5	Bushel	28,900,000	25,636,000	1.42	1.55	41,038,000	39,736,000	24.14	22.48
Spring Wheat.....	4,000	4,000	18.0	16.0	Bushel	72,000	64,000	1.42	1.51	102,000	97,000	25.56	24.16
Oats.....	1,850,000	2,109,000	37.0	28.0	Bushel	68,450,000	59,032,000	1.48	1.37	32,856,000	21,849,000	17.36	10.35
Rye.....	161,000	153,000	13.5	11.4	Bushel	2,174,000	1,744,000	1.06	0.85	2,304,000	1,482,000	14.31	9.69
Barley.....	19,000	25,000	24.0	23.0	Bushel	456,000	575,000	1.77	1.71	351,000	408,000	18.48	16.33
Buckwheat.....	16,000	16,000	14.0	13.2	Bushel	224,000	211,000	1.03	0.85	231,000	179,000	14.42	11.22
Potatoes, white.....	52,000	50,000	99.0	83.0	Bushel	5,148,000	4,150,000	0.80	2.16	4,118,000	8,964,000	79.20	179.28
Sweet Potatoes.....	2,000	2,000	115.0	108.0	Bushel	18,753,000	14,807,000	1.31	1.18	3,327,000	163,300	205.20	163.30
Tobacco.....	21,000	17,000	893.0	871.0	Pound	3,504,000	2,264,000	12.50	15.50	3,113,000	2,665,000	148.24	156.78
Hay—Tame.....	2,275,000	2,226,000	1.47	1.01	Ton	1,001,000	597,000			43,800,000	35,092,000	18.38	15.66
Hay—Wild.....	2,700,000	635,000	1.43	0.94	Ton	1,869,000	404,000						
Clover.....	630,000	554,000	1.38	0.73	Ton	1,056,000	498,000						
Timothy.....	600,000	579,000	1.60	0.86	Ton	1,056,000	498,000						
Mixed Cl. and Tim.....	115,000	207,000	2.30	2.13	Ton	264,000	441,000						
Alfalfa.....	108,000	157,000	1.18	1.39	Ton	199,000	218,000						
Annual Legume.....	21,000	18,000	1.00	0.90	Ton	21,000	16,000						
Hay, Wild.....	171,000	115,000	0.8	0.7	Bushel	137,000	80,000	7.10	11.00	149,000	176,000	7.10	9.90
Clover Seed.....	81,000	45,000	9.9	10.0	Bushel	801,000	450,000	14.80	15.40	2,028,000	1,232,000	11.84	10.78
Soybeans, grain.....	28,000	35,000	5.5	4.8	Bushel	154,000	108,000	2.10	2.50	323,000	420,000	11.54	12.00
Cowpeas, grain.....	59,000	72,000	3.4	4.5	Tons	200,600	324,000	12.41	12.79	2,489,000	4,144,000	42.19	57.56
Tomatoes—Mfr.....	6,560	8,000	132.0	189.0	Bushel	896,000	1,512,000	1.31	1.61	1,256,000	2,434,000	172.87	304.25
Tomatoes—Table.....	6,980	4,620	250.0	285.0	Bushel	1,745,000	1,317,000	7.72	11.02	1,343,000	1,343,000	179.94	290.69
Onions.....	21,000	31,000	1.7	2.4	Tons	35,700	74,400	14.74	14.83	526,000	1,103,000	25.05	35.58
Sweet Corn, Mfr.....	7,240	8,430	26.0	51.0	Bushel	188,000	430,000	1.30	1.11	244,000	477,000	33.70	56.58
Cucumbers, pickles.....	6,190	6,270	1.0	0.8	Tons	6,200	5,000	46.32	53.57	896,000	268,000	46.37	42.74
Green Peas, Mfr.....	3,280	3,600	151.0	130.0	Crates	495,000	468,000	1.79	1.31	896,000	613,000	264.03	170.28
Cantaloupes.....	2,600	1,900	300.0	350.0	No.†	288,000	193,000	288.00	193.00	86,000	128,000	86.54	67.37
Watermelons.....	1,730	1,320	7.9	7.2	Tons	13,700	9,500	6.42	8.21	88,000	78,000	50.87	59.09
Cabbage.....	2,600	2,000	1200.0	1200.0	Quarts	3,960,000	2,160,000	1.11	1.19	436,000	410,000	220.20	227.78
Sorghum Syrup.....	3,000	2,000	88.0	88.0	Gallons	1,900,000	176,000	1.05	1.12	268,000	197,000	89.25	98.56
Strawberries.....					Bushel	1,900,000	2,700,000	1.52	1.45	2,888,000	3,915,000		
Apples.....					Bushel	380,000	380,000	2.20	2.30	682,000	874,000		
Pears.....					Bushel	180,000	209,000	92.10	1.00	166,000	209,000		
Grapes.....					Tons	3,185	2,450	84.00	73.00	267,540	178,850		
Total.....	11,070,560	11,361,940								\$251,089,540	\$240,661,850		

*—1924 acreage revised towards 1925 Farm Census Preliminary returns and subject to change if required by final Census figures.

†—Number watermelons per acre; production, cars of 1,000; and price per car.

TABLE II

Estimate of Acreage, Yield Per Acre, Production and Value of Corn and Oats in Indiana, 1924 and 1925

COUNTY	CORN						OATS									
	Acreage		Yield Per Acre	Production (Bushels)		Value		Acreage		Yield Per Acre	Production (Bushels)		Value			
	1924	1925		1924	1925	1924	1925	1924	1925		1924	1925	1924	1925		
	1924	1925	1924	1925	1924	1925	1924	1925	1924	1925	1924	1925	1924	1925		
Benton.....	105,400	112,500	24.1	39.7	2,537,000	4,478,000	\$2,386,000	\$2,463,000	82,800	80,400	43.7	23.0	3,675,000	1,850,000	\$1,764,000	\$685,000
Jasper.....	99,200	103,300	18.4	39.6	1,824,000	3,575,600	1,714,000	1,966,000	59,200	63,100	35.7	22.0	2,112,000	1,390,000	1,014,000	514,000
LaPorte.....	52,100	50,500	21.3	37.5	1,106,000	1,895,000	842,000	1,042,000	37,400	39,800	43.7	22.0	1,638,000	1,472,000	1,786,000	545,000
Newton.....	71,900	67,400	23.3	39.5	1,487,000	2,644,000	1,398,000	1,494,000	35,900	41,500	36.3	28.0	1,313,000	1,162,000	630,000	430,000
Porter.....	73,600	67,000	22.9	39.5	1,683,000	2,664,000	1,614,000	1,465,000	66,000	73,200	39.2	21.0	2,584,000	1,539,000	1,243,000	569,000
Pulaski.....	43,500	42,800	19.3	32.6	823,000	1,385,000	774,000	767,000	34,400	35,100	41.3	26.0	1,422,000	913,000	683,000	338,000
Starke.....	62,500	65,400	19.3	40.5	1,209,000	2,648,000	1,136,000	1,456,000	42,300	37,900	33.5	20.0	1,416,000	759,000	680,000	281,000
White.....	33,200	31,500	15.6	29.6	519,000	934,000	488,000	514,000	20,200	21,400	33.2	14.0	669,000	299,000	321,000	131,000
N. W. Dist.	640,000	641,600	21.1	38.4	13,501,000	24,639,000	12,691,000	13,550,000	450,900	466,700	39.2	23.1	17,678,000	10,796,000	8,489,000	3,995,000
Carroll.....	69,000	67,700	29.0	36.5	2,002,000	2,476,000	1,882,000	1,362,000	28,900	33,000	41.2	23.0	1,191,000	759,000	572,000	281,000
Cass.....	67,400	68,500	20.3	34.2	1,369,000	3,042,000	1,287,000	1,673,000	30,500	32,200	38.1	26.0	1,162,000	838,000	558,000	310,000
Elkhart.....	41,100	41,600	23.2	39.5	954,000	1,643,000	897,000	904,000	22,800	24,400	42.4	24.0	967,000	586,000	464,000	217,000
Fulton.....	54,300	55,400	19.3	35.5	1,050,000	1,969,000	887,000	1,083,000	21,700	25,700	32.9	25.0	713,000	643,000	342,000	238,000
Kosciusko.....	58,400	61,300	23.3	37.4	1,360,000	2,909,000	1,278,000	1,600,000	29,300	31,700	38.1	29.0	1,117,000	920,000	536,000	340,000
Marshall.....	48,300	46,300	20.4	45.4	986,000	2,101,000	927,000	1,156,000	35,200	39,900	21.3	32.0	727,000	1,277,000	349,000	473,000
Miami.....	52,300	54,400	25.1	54.2	1,315,000	2,953,000	1,236,000	1,624,000	20,300	23,900	47.5	26.0	761,000	622,000	365,000	230,000
St. Joseph.....	38,900	39,600	18.0	40.5	703,000	1,605,000	661,000	883,000	19,900	22,000	41.2	27.0	821,000	583,000	394,000	219,000
Wabash.....	56,800	60,500	20.3	54.3	1,154,000	3,282,000	1,085,000	1,893,000	30,500	32,800	39.1	32.0	1,194,000	1,050,000	573,000	389,000
N. Cent. Dist.	486,500	495,300	22.4	44.4	10,893,000	21,981,000	10,239,000	12,090,000	239,100	265,600	36.2	27.4	8,653,000	7,288,000	4,153,000	2,097,000
Adams.....	34,400	42,900	18.6	51.3	640,000	2,156,000	602,000	1,186,000	33,600	32,500	39.4	33.0	1,325,000	1,073,000	636,000	397,000
Allen.....	62,200	69,900	17.7	56.4	1,101,000	3,938,000	1,035,000	2,106,000	57,900	58,300	39.7	33.0	2,298,000	2,100,000	1,103,000	777,000
DeKalb.....	28,600	32,500	25.8	50.4	738,000	1,639,000	694,000	901,000	25,600	26,700	44.3	33.0	1,137,000	880,000	546,000	326,000
Huntington.....	47,600	56,600	22.8	49.4	1,084,000	2,795,000	1,019,000	1,537,000	43,800	46,300	38.7	33.0	1,694,000	1,530,000	813,000	566,000
Lagrange.....	39,300	41,400	24.0	49.4	942,000	2,043,000	885,000	1,124,000	16,000	16,600	38.5	33.0	615,000	532,000	295,000	197,000
Noble.....	39,300	39,900	22.2	56.4	874,000	2,050,000	822,000	1,238,000	24,600	25,200	41.3	30.0	1,016,000	756,000	488,000	208,000
Stauben.....	28,400	27,500	23.3	39.2	664,000	1,078,000	624,000	563,000	15,200	16,800	45.4	33.0	1,062,000	521,000	332,000	193,000
Wells.....	48,600	56,200	23.2	48.4	1,123,000	2,720,000	1,061,000	1,496,000	37,000	41,300	43.4	32.0	1,603,000	1,328,000	770,000	491,000
Whitley.....	30,900	38,300	18.8	40.5	853,000	1,553,000	548,000	854,000	29,600	29,000	40.6	24.0	1,203,000	698,000	577,000	258,000
N. E. Dist.	359,300	404,300	21.6	49.9	7,755,000	20,172,000	7,290,000	11,095,000	283,300	292,900	40.9	32.5	11,585,000	9,419,000	5,560,000	3,485,000

Clay	39,500	39,200	28,041.4	1,108,000	1,624,000	1,042,000	803,000	10,700	14,300	31,818.0	257,000	163,000	95,000
Fountain	59,600	66,300	21,341.5	1,268,000	2,752,000	1,192,000	1,514,000	32,300	30,400	37,119.0	1,198,000	577,000	213,000
Montgomery	89,200	86,100	22,349.4	1,897,000	4,256,000	1,783,000	2,341,000	37,400	48,500	37,131.0	1,385,000	1,506,000	585,000
Owen	21,900	27,600	23,130.6	506,000	844,000	475,000	464,000	5,300	8,600	26,430.0	140,000	258,000	96,000
Parke	43,700	49,300	22,147.4	971,000	2,337,000	913,000	1,285,000	15,100	21,500	27,435.0	414,000	532,000	199,000
Putnam	53,500	53,100	25,338.6	1,423,000	2,047,000	1,338,000	1,126,000	15,000	19,800	31,217.0	498,000	337,000	125,000
Tippecanoe	96,400	100,400	23,941.5	2,332,000	4,168,000	2,192,000	2,292,000	45,500	46,400	39,421.0	179,000	976,000	86,000
Vermilion	28,400	32,000	25,938.5	689,000	1,234,000	648,000	679,000	14,600	16,700	47,830.0	698,000	498,000	335,000
Vigo	45,600	47,700	27,139.4	1,234,000	1,883,000	1,100,000	1,036,000	15,100	15,600	32,828.0	494,000	436,000	184,000
Warren	66,600	66,700	21,840.5	1,451,000	2,702,000	1,364,000	1,486,000	47,500	50,100	41,020.0	1,945,000	1,000,000	370,000
W. Cent. Dist.	544,400	568,400	23,642.0	12,879,000	23,847,000	12,106,000	13,116,000	238,500	271,900	30,523.5	7,261,000	6,378,000	2,360,000
Bartholomew	51,800	55,900	32,742.6	1,692,000	2,373,000	1,590,000	1,305,000	6,100	8,000	25,624.0	156,000	192,000	71,000
Boone	81,600	71,600	24,511.5	1,984,000	3,386,000	1,895,000	1,862,000	35,300	45,600	39,153.0	1,420,000	1,279,000	473,000
Clinton	78,800	75,000	23,577.4	1,907,000	4,335,000	1,792,000	2,334,000	27,900	39,100	37,540.0	1,151,000	852,000	324,000
Deatur	50,800	52,900	27,554.4	1,668,000	2,606,000	1,568,000	1,466,000	3,300	9,200	27,497.0	112,000	398,000	136,000
Grant	55,300	64,300	27,953.4	1,525,000	3,563,000	1,494,000	1,927,000	5,200	32,400	49,977.0	1,516,000	1,199,000	729,000
Hamilton	72,700	60,000	31,437.6	1,737,000	3,254,000	1,635,000	2,040,000	23,500	32,100	26,158.0	623,000	899,000	333,000
Hancock	55,400	58,100	32,041.5	1,739,000	2,254,000	1,635,000	1,240,000	20,400	25,300	41,031.0	835,000	785,000	291,000
Hendricks	67,800	58,100	24,544.4	1,173,000	2,828,000	2,042,000	1,556,000	21,900	28,600	37,724.0	1,181,000	687,000	254,000
Howard	53,100	58,100	24,544.4	1,283,000	2,950,000	1,206,000	1,623,000	25,400	28,400	46,157.0	1,053,000	567,000	390,000
Johnson	49,100	49,900	28,090.6	1,397,000	3,054,000	1,313,000	1,680,000	3,900	6,900	33,430.0	130,000	206,000	62,000
Madison	80,500	81,600	27,939.5	2,251,000	3,229,000	2,116,000	1,776,000	31,600	32,500	40,235.0	1,271,000	1,138,000	421,000
Martin	42,600	40,200	21,749.4	918,000	1,983,000	863,000	1,091,000	15,000	18,000	35,630.0	534,000	541,000	258,000
Morgan	46,800	50,300	31,745.6	1,484,000	2,288,000	1,395,000	1,237,000	7,200	10,800	28,422.0	204,000	238,000	88,000
Rush	84,000	85,100	40,048.5	3,366,000	4,122,000	3,163,000	2,297,000	10,700	11,900	47,934.0	512,000	406,000	150,000
Shelby	83,100	88,100	35,641.5	2,957,000	3,659,000	2,780,000	2,012,000	9,200	12,100	37,024.0	340,000	292,000	108,000
Tipton	52,400	55,600	32,059.3	1,722,000	3,293,000	1,619,000	1,811,000	11,600	19,900	43,583.0	635,000	658,000	243,000
Cent. Dist.	1,006,200	1,033,000	29,248.1	29,753,000	49,631,000	27,967,000	27,297,000	292,200	360,800	39,239.0	11,451,000	10,878,000	4,025,000
Blackford	21,200	24,100	16,444.4	352,000	1,068,000	331,000	587,000	14,200	16,100	35,032.0	497,000	515,000	191,000
Delaware	63,000	62,300	23,252.3	1,468,000	3,259,000	1,380,000	1,792,000	29,200	35,900	40,228.0	1,174,000	1,006,000	372,000
Fayette	31,800	36,100	41,660.2	1,323,000	2,473,000	1,243,000	1,196,000	2,900	3,400	46,235.0	134,000	120,000	44,000
Henry	68,800	73,900	26,255.4	1,799,000	4,038,000	1,690,000	2,221,000	30,100	29,300	38,235.0	1,148,000	1,028,000	551,000
Jay	35,800	35,500	16,542.5	590,000	2,274,000	555,000	1,251,000	32,600	33,400	31,837.0	1,036,000	1,236,000	380,000
Randolph	76,200	82,300	22,651.4	1,697,000	4,239,000	1,595,000	2,327,000	39,700	51,100	42,340.0	1,681,000	2,046,000	497,000
Union	62,500	26,900	42,062.2	1,074,000	1,660,000	1,010,000	913,000	1,800	2,000	40,645.0	73,000	911,000	35,000
Wayne	60,900	59,600	28,151.3	1,708,000	3,972,000	1,605,000	1,690,000	13,600	16,400	41,436.0	563,000	590,000	337,000
E. Cent. Dist.	383,600	417,800	26,152.1	10,010,000	21,775,000	9,409,000	11,977,000	164,100	187,600	38,433.7	6,308,000	7,452,000	2,757,000
Daviess	53,700	54,300	30,938.6	1,652,000	2,993,000	1,562,000	1,151,000	12,300	16,500	28,627.0	352,000	445,000	165,000
Dubois	34,200	34,000	25,735.6	895,000	1,208,000	841,000	664,000	9,100	13,700	29,635.0	269,000	342,000	129,000
Gibson	72,900	71,500	36,732.5	2,681,000	2,330,000	2,521,000	1,282,000	8,500	12,200	31,757.5	296,000	429,000	159,000
Greene	45,500	44,300	28,821.7	1,311,000	963,000	1,232,000	530,000	12,700	16,700	29,728.0	364,000	468,000	173,000
Knox	85,400	78,200	32,939.6	2,812,000	3,992,000	2,643,000	1,701,000	16,700	19,400	29,798.0	594,000	288,000	209,000

TABLE III—Continued

COUNTY	WINTER WHEAT						RYE					
	Acreage		Yield Per Acre		Production (Bushels)		Acreage		Yield Per Acre		Production (Bushels)	
	1924	1925	1924	1925	1924	1925	1924	1925	1924	1925	1924	1925
Clay.....	20,100	24,700	13.2	16.0	265,000	396,000			400	10.0	4,000	4,000
Fountain.....	24,700	26,300	17.3	14.0	427,000	368,000	1,400	800	11.4	10.0	16,000	8,000
Montgomery.....	20,600	25,200	23.4	18.0	482,000	453,000	3,300	2,900	11.8	12.1	39,000	35,000
Owen.....	6,500	9,700	10.8	12.0	70,000	116,000			1,200	12.5	10,000	15,000
Pike.....	17,200	19,600	18.4	14.0	317,000	275,000	800	1,200	11.2	9.2	9,000	11,000
Purkum.....	13,600	15,700	14.9	12.0	202,000	189,000	1,200	2,000	12.5	11.0	15,000	22,000
Tippecanoe.....	32,200	36,800	20.4	13.0	656,000	478,000	2,300	1,200	14.4	10.3	33,000	12,000
Vermillion.....	11,800	12,900	17.4	11.0	205,000	142,000	500	500	12.0	8.8	6,000	4,000
Vigo.....	26,000	28,200	16.3	15.0	423,000	423,000	1,000	2,000	15.0	10.2	15,000	20,000
Warren.....	13,700	15,600	16.9	13.0	233,000	203,000	1,600	400	15.0	16.4	10,000	7,000
W. Cent. Dist.....	186,400	214,700	20.0	14.2	3,280,000	3,043,000	12,300	12,600	12.7	11.0	155,000	138,000
Bartholomew.....	41,900	42,700	12.7	10.0	534,000	427,000	1,600	1,300	11.2	10.0	18,000	13,000
Boone.....	10,100	10,500	23.4	18.0	237,000	189,000	1,600	1,500	18.1	14.0	29,000	21,000
Clinton.....	32,500	34,400	24.4	10.0	794,000	344,000	2,500	1,800	16.4	12.5	41,000	10,000
Decatur.....	33,900	29,900	13.8	12.0	469,000	358,000	1,500	1,300	9.3	10.8	14,000	14,000
Grant.....	14,400	14,100	22.1	12.0	318,000	170,000	700	400	15.7	16.4	11,000	7,000
Hamilton.....	21,100	24,500	22.4	16.0	472,000	382,000	1,000	1,100	13.0	9.5	13,000	10,000
Hancock.....	15,600	13,400	19.3	14.0	301,000	187,000	1,100	1,300	16.4	10.0	18,000	13,000
Hendricks.....	17,500	19,700	17.1	13.0	299,000	237,000	2,600	2,300	10.4	10.0	27,000	23,000
Howard.....	13,000	15,800	25.5	20.0	332,000	435,000	1,200	800	19.2	13.7	23,000	11,000
Johnson.....	32,800	28,400	17.6	10.0	578,000	284,000	1,400	700	17.5	11.4	7,000	8,000
Madison.....	22,000	17,200	21.4	15.0	470,000	258,000	1,000	1,000	17.5	9.4	17,000	9,000
Marion.....	18,100	18,700	18.6	17.0	336,000	318,000	1,500	1,900	20.0	15.6	10,000	14,000
Morgan.....	19,300	19,600	13.9	13.0	298,000	256,000	1,300	1,500	16.2	13.3	21,000	20,000
Rush.....	36,000	35,000	20.5	15.0	740,000	524,000	4,600	2,800	13.0	12.0	60,000	30,000
Schuyler.....	47,900	41,700	12.9	10.0	620,000	417,000	900	1,000	14.4	10.4	13,000	10,000
Tipton.....	17,900	17,800	23.9	15.0	428,000	267,000	500	600	18.0	16.7	9,000	10,000
Cent. Dist.....	394,000	383,400	18.0	12.9	7,195,000	4,965,000	23,000	19,000	14.4	11.8	331,000	223,000
Blackford.....	2,000	2,600	17.5	14.0	35,000	56,000	100	200	15.5	11.0	3,000	2,000
Delaware.....	9,000	12,600	19.4	12.0	175,000	84,000	1,000	1,800	13.0	9.5	13,000	17,000
Fayette.....	18,200	12,600	19.6	13.0	356,000	164,000	3,600	3,300	11.9	15.4	43,000	51,000
Henry.....	16,800	12,300	21.4	13.0	360,000	159,000	1,700	1,800	12.9	13.3	22,000	24,000
Jay.....	9,300	6,100	19.5	8.0	181,000	49,000	200	400	10.0	8.7	2,000	3,000
Blackford.....	394,000	383,400	18.0	12.9	7,195,000	4,965,000	23,000	19,000	14.4	11.8	331,000	223,000
Blackford.....	2,000	2,600	17.5	14.0	35,000	56,000	100	200	15.5	11.0	3,000	2,000
Delaware.....	9,000	12,600	19.4	12.0	175,000	84,000	1,000	1,800	13.0	9.5	13,000	17,000
Fayette.....	18,200	12,600	19.6	13.0	356,000	164,000	3,600	3,300	11.9	15.4	43,000	51,000
Henry.....	16,800	12,300	21.4	13.0	360,000	159,000	1,700	1,800	12.9	13.3	22,000	24,000
Jay.....	9,300	6,100	19.5	8.0	181,000	49,000	200	400	10.0	8.7	2,000	3,000

Randolph.....	19,700	14,800	20,412.0	402,000	178,000	571,000	276,000	800	1,100	7,512.7	6,000	14,000	6,000	12,000
Union.....	18,300	16,200	21,414.0	382,000	276,000	557,000	320,000	900	1,800	50,016.8	18,000	12,000	19,000	10,000
Wayne.....	25,700	25,200	30,111.0	523,000	277,000	743,000	429,000	2,000	1,800	15,016.6	30,000	30,000	32,000	26,000
E. Cent. Dist.....	119,000	96,800	30,412.1	2,424,000	1,173,000	3,444,000	1,817,000	10,300	11,100	13,213.9	136,000	153,000	144,000	129,000
Davies.....	21,600	24,000	9,218.0	198,000	432,000	281,000	670,000	900	3,100	12,210.0	11,000	31,000	12,000	26,000
Dubuois.....	31,700	41,700	11,218.0	355,000	614,000	504,000	952,000	1,000	1,300	10,133.9	10,000	18,000	11,000	15,000
Gibson.....	37,900	41,700	12,19.0	464,000	750,000	659,000	1,162,000	1,100	2,200	11,814.1	13,000	31,000	14,000	26,000
Greene.....	13,400	15,800	11,220.0	150,000	317,000	213,000	491,000	1,700	1,100	12,310.9	21,000	12,000	22,000	10,000
Knox.....	46,400	60,400	10,218.0	473,000	1,096,000	672,000	1,699,000	1,800	4,400	13,313.6	24,000	57,000	25,000	48,000
Madison.....	4,800	5,000	12,316.0	59,000	90,000	84,000	140,000	300	400	9,212.0	3,000	5,000	3,000	4,000
Pike.....	6,800	7,000	9,114.0	62,000	97,000	88,000	150,000	300	800	10,015.0	3,000	12,000	3,000	10,000
Passy.....	53,500	48,000	12,217.0	655,000	817,000	930,000	1,246,000	400	500	10,019.9	4,000	5,000	4,000	10,000
Spencer.....	25,400	23,000	10,215.0	238,000	359,000	395,000	556,000	1,000	1,600	11,07.7	11,000	12,000	12,000	10,000
Sullivan.....	21,200	21,500	14,214.0	391,000	300,000	437,000	465,000	1,000	1,800	11,011.1	11,000	20,000	12,000	17,000
Vanderburgh.....	23,300	22,600	13,220.0	398,000	432,000	437,000	701,000	300	200	10,010.0	3,000	2,000	3,000	2,000
Warrick.....	19,600	18,400	11,317.0	221,000	313,000	314,000	485,000	300	400	12,313.6	4,000	5,000	4,000	4,000
S. W. Dist.....	305,600	323,500	11,517.4	3,504,000	5,637,000	4,975,000	8,737,000	10,100	17,600	11,711.9	118,000	210,000	125,000	176,000
Brown.....	1,700	1,500	9,410.0	16,000	15,000	23,000	23,000	100	200	8,08.0	1,000	2,000	1,000	2,000
Crawford.....	4,800	4,300	7,311.0	35,000	47,000	50,000	73,000	300	600	11,012.0	3,000	7,000	3,000	6,000
Floyd.....	3,500	4,100	12,318.0	43,000	74,000	61,000	115,000	300	500	10,012.1	3,000	6,000	3,000	5,000
Harrison.....	17,800	19,800	10,214.0	182,000	278,000	258,000	431,000	1,100	1,200	10,012.9	11,000	15,000	12,000	13,000
Jackson.....	28,400	28,600	14,214.0	404,000	401,000	574,000	622,000	2,100	2,400	10,010.8	21,000	24,000	22,000	20,000
Lawrence.....	5,800	5,300	12,116.0	70,000	85,000	99,000	102,000	2,700	1,400	9,611.4	26,000	16,000	28,000	14,000
Monroe.....	4,300	6,000	12,311.0	53,000	66,000	75,000	102,000	400	900	10,09.4	7,000	8,000	7,000	7,000
Monroe.....	7,300	8,400	12,216.0	89,000	134,000	126,000	208,000	400	900	7,59.4	3,000	8,000	3,000	7,000
Perry.....	12,700	12,400	9,218.0	117,000	223,000	166,000	346,000	500	800	6,010.0	3,000	8,000	3,000	7,000
Washington.....	15,400	18,500	12,316.0	189,000	296,000	268,000	459,000	1,500	1,800	12,011.3	18,000	20,000	19,000	17,000
S. Cent. Dist.....	101,700	108,900	11,814.9	1,198,000	1,619,000	1,700,000	2,511,000	9,700	10,500	11,010.9	96,000	114,000	101,000	98,000
Clark.....	11,600	11,600	11,616.0	134,000	185,000	190,000	287,000	600	900	11,69.0	7,000	8,000	7,000	7,000
Dearborn.....	9,500	9,100	10,215.0	97,000	137,000	138,000	212,000	2,200	1,800	10,58.6	23,000	31,000	24,000	13,000
Franklin.....	24,600	24,600	17,216.0	424,000	339,000	602,000	618,000	2,000	2,200	10,014.1	22,000	31,000	22,000	20,000
Jefferson.....	11,500	10,700	11,312.0	130,000	129,000	185,000	200,000	500	400	10,019.0	3,000	4,000	3,000	3,000
Jennings.....	9,900	10,000	9,214.0	91,000	129,000	129,000	217,000	800	700	11,612.9	6,000	9,000	6,000	8,000
Ohio.....	1,100	1,400	9,112.0	10,000	17,000	14,000	23,000	200	200	11,516.6	9,000	2,000	9,000	2,000
Ripley.....	23,100	18,700	10,29.0	236,000	169,000	335,000	262,000	2,500	2,900	9,016.6	23,000	25,000	24,000	21,000
Scott.....	4,400	4,000	10,016.0	44,000	63,000	62,000	98,000	200	300	9,09.0	2,000	2,000	2,000	2,000
Switzerland.....	2,400	3,200	9,617.0	23,000	54,000	33,000	84,000	800	700	13,711.5	11,000	8,000	12,000	7,000
S. E. Dist.....	98,100	93,600	12,113.8	1,189,000	1,243,000	1,688,000	2,004,000	9,200	9,700	12,710.7	101,000	104,000	105,000	89,000
STATE TOTAL.....	1,700,000	1,768,000	17,014.5	28,900,000	25,636,000	41,038,000	39,736,000	161,000	153,000	13,511.4	2,174,000	1,744,000	2,304,000	1,482,000

TABLE IV

Estimate of Acreage, Yield Per Acre, Production and Value of Tame Hay in Indiana, 1925, and Preliminary Estimate of Acreage of Winter Wheat and Rye Seeded for Harvest in 1926.

COUNTY	TAME HAY								Sown in Fall of 1925 For 1926 Harvest	
	Acreage		Yield per Acre		Production (tons)		Value			
	1924	1925	1924	1925	1924	1925	1924	1925	Wheat (Acres)	Rye (Acres)
Benton.....	12,700	14,600	1.42	.55	18,000	8,000	225,000	124,000	17,000	100
Jasper.....	11,100	7,800	1.26	.39	14,000	3,000	175,000	46,000	22,400	1,600
Lake.....	39,900	33,600	1.50	.66	60,000	22,000	751,000	341,000	13,500	600
LaPorte.....	31,000	31,900	1.39	.78	43,000	25,000	538,000	388,000	47,700	5,300
Newton.....	5,900	6,100	1.53	.58	9,000	4,000	112,000	62,000	8,400	1,000
Porter.....	31,900	29,100	1.38	.76	44,000	22,000	550,000	341,000	13,400	2,800
Pulaski.....	15,500	11,900	1.36	1.01	21,000	12,000	262,000	186,000	19,100	5,500
Starke.....	10,100	11,100	1.29	.81	13,000	9,000	162,000	140,000	14,300	5,600
White.....	15,200	13,200	1.38	.76	21,000	10,000	262,000	155,000	22,700	3,500
N. W. Dist.....	173,300	159,300	1.40	.72	243,000	115,000	3,037,000	1,783,000	178,500	26,000
Carroll.....	22,100	17,000	1.58	.53	35,000	9,000	438,000	140,000	30,200	2,200
Cass.....	18,200	16,800	1.50	.89	29,000	15,000	332,000	232,000	35,800	3,400
Elkhart.....	39,000	34,600	1.69	1.04	66,000	36,000	826,000	558,000	27,600	5,300
Fulton.....	23,900	23,200	1.55	.65	37,000	15,000	462,000	232,000	21,900	7,500
Kosciusko.....	37,700	34,400	1.48	1.34	56,000	46,000	700,000	713,000	25,800	4,300
Marshall.....	34,900	37,500	1.66	.85	58,000	32,000	726,000	496,000	23,600	4,400
Miami.....	25,500	19,900	1.57	1.21	40,000	24,000	500,000	372,000	26,500	1,400
St. Joseph.....	31,100	29,900	1.54	.94	48,000	28,000	600,000	434,000	26,800	3,300
Wabash.....	30,900	24,700	1.68	1.21	52,000	30,000	650,000	465,000	31,800	900
N. Cent. Dist.....	263,300	238,000	1.61	.99	421,000	235,000	5,264,000	3,642,000	250,000	32,700
Adams.....	41,300	39,200	1.50	.66	62,000	26,000	776,000	403,000	13,200	200
Allen.....	69,100	71,500	1.46	.90	101,000	64,000	1,263,000	992,000	29,000	1,300
Dekalb.....	39,200	33,900	1.35	.86	53,000	29,000	662,000	450,000	22,600	1,700
Huntington.....	34,800	33,600	1.49	.65	52,000	22,000	650,000	341,000	23,000	600
LaGrange.....	29,300	33,800	1.43	1.18	42,000	40,000	525,000	620,000	25,800	7,800
Noble.....	33,400	29,800	1.38	1.68	46,000	50,000	575,000	775,000	23,200	4,200
Stenben.....	26,400	24,400	1.55	1.56	41,000	38,000	512,000	589,000	10,400	3,900
Wells.....	34,900	34,900	1.55	.92	53,000	32,000	662,000	496,000	19,600	800
Whitley.....	34,900	30,200	1.52	.70	53,000	21,000	662,000	326,000	19,900	1,400
N. E. Dist.....	342,600	331,300	1.47	.98	503,000	322,000	6,287,000	4,992,000	176,700	21,900