

NEW MEXICO CROP PROGRESS



United States Department of Agriculture
NATIONAL AGRICULTURAL STATISTICS SERVICE
NEW MEXICO FIELD OFFICE
 PO Box 1809, Las Cruces, NM 88004
 Cooperating with the New Mexico Department of Agriculture



FOR IMMEDIATE RELEASE
 July 6, 2021

Contact: Longino Bustillos
 (800) 530-8810

CROP PROGRESS AND CONDITION WEEK ENDING JULY 4, 2021

AGRICULTURAL SUMMARY: Monsoon storms delivered above average rainfall to much of the state over the past week, according to the Mountain Regional Field Office of the National Agricultural Statistics Service, USDA. The increased moisture led to improved reservoir capacities, stock water supplies, and soil moisture conditions for much of the state. Comments from Union county noted that winter wheat harvest was delayed due to the rain received. In Curry county, hay harvest was halted with reports indicating anywhere from 2.5 to 7 inches of rain. Statewide, 67 percent of the State's pastures and rangelands were reported in very poor or poor condition, compared with 62 percent last year, and a 5-year average of 44 percent. During the past week, converted moisture totals ranged from more than 10 inches to merely a trace. Rainfall was widespread, and heavy across much of the south and east, with total accumulations well above average in many locations. According to the United States Drought Monitor for June 29, drought-free conditions existed across an area equal to 1.0 percent of the State, unchanged from last week, although comments from the area continued to note that visually, drought was still present. Abnormal dryness increased to cover 6.1 percent of the State. Moderate drought (D1) increased, and was present across 8.0 percent of New Mexico lands, while severe drought (D2) remained across 26.1 percent. Slight changes were evident in extreme (D3) and exceptional (D4) drought, with 28.3 and 30.5 percent of the State classified in the two categories, respectively. Collectively, about 71,481 square miles were still affected by extreme and exceptional drought. Topsoil moisture levels were reported as 60 percent short to very short, compared with 81 percent last year, and a 5-year average of 70 percent. Hail damage in all crops was reported as 2 percent light and 1 percent moderate. Wind damage in all crops was reported as 15 percent light and 6 percent moderate. Hay and roughage supplies were reported as 35 percent very short, 34 percent short, 30 percent adequate, and 1 percent surplus, compared with 2 percent very short, 39 percent short, 58 percent adequate, and 1 percent surplus last year. Stock water supplies were reported as 46 percent very short, 19 percent short, 31 percent adequate, and 4 percent surplus, compared with 24 percent very short, 42 percent short, and 34 percent adequate last year.

CROP AND LIVESTOCK PROGRESS

Commodity	Current week (percent)	Previous week (percent)	Previous year (percent)	5-year average (percent)
Alfalfa hay				
2 nd cutting harvested.....	60	50	58	63
3 rd cutting harvested.....	15	2	28	29
Corn				
Emerged.....	95	91	83	91
Silked.....	1	--	7	4
Cotton				
Emerged.....	95	88	83	89
Squaring.....	20	10	34	29
Onions				
Harvested.....	35	15	66	69
Peanuts				
Emerged.....	95	77	NA	NA
Pegging.....	11	NA	38	NA
Winter wheat				
Harvested.....	66	43	81	74
Cattle and calves				
Receiving supplemental feed.....	75	80	84	NA
Sheep and lambs				
Receiving supplemental feed.....	75	79	65	NA

NA – not available
 (--) – zero

DAYS SUITABLE FOR FIELDWORK AND SOIL MOISTURE CONDITION

	Current week	Previous week	Previous year	5-year average
Days suitable for fieldwork.....	5.2	6.6	6.4	6.4
Topsoil moisture	(percent)	(percent)	(percent)	(percent)
Very short.....	20	50	41	28
Short.....	40	28	40	42
Adequate.....	32	20	19	29
Surplus.....	8	2	--	1
Subsoil moisture				
Very short.....	27	60	41	26
Short.....	54	31	45	43
Adequate.....	18	8	14	30
Surplus.....	1	1	--	1

NA – not available
 (--) – zero

CROP, LIVESTOCK, PASTURE AND RANGE CONDITION

Commodity	Current week	Previous week	Previous year	5-year average
	(percent)	(percent)	(percent)	(percent)
Alfalfa hay				
Very poor.....	--	--	1	4
Poor	13	9	7	5
Fair.....	50	45	30	29
Good	20	25	56	57
Excellent.....	17	21	6	5
Chile				
Very poor.....	--	2	--	1
Poor	11	7	6	8
Fair.....	19	18	40	33
Good	44	42	54	48
Excellent.....	26	31	--	10
Corn				
Very poor.....	--	1	1	3
Poor	4	4	4	5
Fair.....	54	47	57	41
Good	25	23	16	34
Excellent.....	17	25	22	17
Cotton				
Very poor.....	--	2	--	2
Poor	30	29	16	15
Fair.....	43	43	53	44
Good	18	17	31	32
Excellent.....	9	9	--	7
Onions				
Very poor.....	--	--	NA	NA
Poor	5	--	NA	NA
Fair.....	15	10	NA	NA
Good	31	35	NA	NA
Excellent.....	49	55	NA	NA
Pasture and range				
Very poor.....	32	39	29	13
Poor	35	33	33	31
Fair.....	20	18	28	38
Good	10	8	10	16
Excellent.....	3	2	--	2
Peanuts				
Very poor.....	--	NA	--	1
Poor	9	NA	11	11
Fair.....	73	NA	56	62
Good	18	NA	33	26
Excellent.....	--	NA	--	--
Pecans				
Very poor.....	--	--	--	--
Poor	3	2	1	1
Fair.....	10	5	23	13
Good	87	93	70	60
Excellent.....	--	--	6	26
Winter wheat				
Very poor.....	29	35	NA	NA
Poor	26	24	NA	NA
Fair.....	31	25	NA	NA
Good	7	5	NA	NA
Excellent.....	7	11	NA	NA
Cattle and calves				
Very poor.....	4	11	2	2
Poor	17	16	8	6
Fair.....	39	34	43	39
Good	33	30	42	46
Excellent.....	7	9	5	7
Sheep and lambs				
Very poor.....	21	26	19	7
Poor	15	8	9	7
Fair.....	29	25	25	33
Good	35	41	46	51
Excellent.....	--	--	1	2

NA – not available

(--)- zero