



# 2016 Wheat Varieties

## HIGHLIGHTS

SY Soren is the leading spring wheat variety in North Dakota for 2016. It takes over this position from Barlow which had been the leading variety planted the previous four years. SY Soren accounts for 15.4 percent of the 6.30 million acres of spring wheat planted in 2016. SY Ingmar ranks second with 11.5 percent of the spring wheat acreage. Elgin-ND represents 8.7 percent of the spring wheat planted and ranks third. Barlow now ranks fourth with 8.0 percent of the spring wheat acres planted. Glenn accounts for 7.9 percent of the spring wheat acreage and ranks fifth. These top five varieties account for 51.5 percent of the spring wheat planted in 2016. North Dakota continues to rank first in spring wheat acreage in the United States, with 51.9 percent of the nation's estimated 12.1 million acres planted.

Divide is the leading Durum wheat variety for the eighth consecutive year. Divide accounts for 21.5 percent of the 1.30 million acres planted compared with 29.5 in 2015 and 37.0 percent in 2014. Carpio and Alkabo rank second and third, respectively, with 17.0 and 11.2 percent of the Durum wheat acres planted. Joppa ranks fourth with 10.3 percent, and Tioga ranks fifth with 8.0 percent. These top five varieties account for 68.0 percent of the Durum wheat acreage in North Dakota. Once again, North Dakota ranks first in Durum wheat planted acreage in the United States with 60.6 percent of the nation's estimated 2.15 million acres planted.

Jerry accounts for 15.0 percent of the 2016 winter wheat planted acreage in North Dakota, marking the 13<sup>th</sup> consecutive year as the most popular winter wheat variety. Decade and WB Matlock rank second and third, respectively, with 13.2 and 8.7 percent of the winter wheat acres planted. SY Wolf ranks fourth with 7.9 percent of the winter wheat acreage planted in North Dakota. These top four varieties account for 44.8 percent of the 140,000 acres planted in North Dakota for 2016.

## SURVEY DESCRIPTION

The data in this report are based on a survey of wheat producers conducted during June by the North Dakota Field Office of USDA's National Agricultural Statistics Service. **Thank you to each person who supplied data and made this report possible!**

Results include acreage and percentages at the State and Agricultural Statistics District levels. All variety acreage numbers in this publication are based on survey averages. Highly reliable state averages are produced from 2,363 positive reports from 4,250 respondents. At the district level, the number of reports for minor varieties is generally limited. Thus, yearly fluctuations in the district variety acreage may be the result of sample variation.

The ND Wheat Commission, the ND Ag Experiment Station, and the ND State Seed Department provided

funding for this survey. The NDSU Extension Service provided variety descriptions. Access to this report is available for free online at [www.ndwheat.com](http://www.ndwheat.com) or [www.nass.usda.gov/nd/](http://www.nass.usda.gov/nd/) For further questions, please contact the North Dakota Wheat Commission at (701) 328-5111 or NASS at (800) 582-6443.

## SPRING WHEAT

**SY Soren** is the top variety in North Dakota for 2016 with 15.4 percent of the 6.30 million acres of spring wheat planted. It is the leading spring wheat variety in the north central, central, east central, southwest, south central, and southeast districts. Released in 2011 by Syngenta/AgriPro, SY Soren has semi-dwarf height, strong straw strength, medium-early maturity, high test weight, and good milling and baking quality.

**SY Ingmar** ranks second with 11.5 percent of the spring wheat planted. SY Ingmar was released by Syngenta/AgriPro in 2014 and has semi-dwarf height, strong straw strength, high grain protein, and good milling and baking quality.

**Elgin-ND** ranks third with 8.7 percent of the spring wheat acreage. Released by NDSU in 2012, Elgin-ND has medium-strong straw strength, medium-early maturity, high grain protein, average test weight, and good milling and baking quality.

**Barlow** is the fourth leading variety with 8.0 percent of the spring wheat acreage. It is the leading spring wheat variety in the northwest district. Released in 2009 by NDSU, Barlow has semi-dwarf height, medium-strong straw strength, medium-early maturity, high test weight, and good milling and baking quality.

**Spring Wheat Varieties, Percent of Acreage Planted  
North Dakota: 2012-2016**

Variety	2012	2013	2014	2015	2016	
					Per- cent	Acres planted
	(percent)	(percent)	(percent)	(percent)		(1,000)
SY Soren.....	2.0	9.2	10.4	12.1	15.4	973.1
SY Ingmar.....	-	-	-	3.1	11.5	722.6
Elgin-ND.....	-	0.2	2.7	10.8	8.7	550.7
Barlow.....	17.2	18.0	15.7	12.6	8.0	505.8
Glenn.....	14.4	10.1	8.2	6.5	7.9	495.6
Faller.....	13.1	9.0	8.8	8.3	7.3	459.0
Prosper.....	2.0	8.8	11.7	10.5	6.6	414.9
Linkert.....	-	-	0.1	1.0	4.0	252.4
WB Mayville.....	0.7	2.7	4.4	4.6	3.1	195.8
Rollag.....	0.1	0.8	1.5	1.5	3.0	191.4
SY Valda.....	-	-	-	-	1.7	107.4
Brennan.....	4.9	3.8	3.2	2.9	1.5	96.1
Velva.....	0.1	0.4	1.3	1.2	1.4	85.4
Kelby.....	2.6	4.3	1.9	1.2	1.3	78.8
Mott.....	3.1	2.1	2.9	1.1	1.2	78.3
RB07.....	4.1	3.6	2.6	1.9	1.1	67.4
Vantage.....	5.5	2.8	1.9	1.3	1.0	64.9
SY Rowyn.....	-	-	0.5	1.9	1.0	61.3
Breaker.....	1.4	0.7	0.8	0.4	0.8	50.0
Briggs.....	3.1	1.5	1.0	0.7	0.6	40.3
Unknown varieties	4.7	3.1	6.5	4.7	5.6	353.4
Other varieties.....	21.0	18.9	13.9	11.7	7.3	455.4
All varieties.....						6,300.0

- Represents zero.

# SPRING WHEAT (Continued)


## Spring Wheat Varieties, Percent and Acreage Planted North Dakota: 2016

(Percentages may not add to 100 due to rounding.)


Variety	Northwest	North Central	Northeast	West Central	Central	East Central	Southwest	South Central	Southeast	State
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
SY Soren .....	15.2	18.9	4.6	14.1	18.8	19.0	20.1	20.7	17.3	15.4
SY Ingmar.....	16.3	12.5	12.2	7.2	17.5	6.2	3.7	14.2	12.4	11.5
Elgin-ND .....	2.4	9.0	2.3	13.7	13.5	5.0	15.4	13.6	4.1	8.7
Barlow.....	18.1	6.2	1.2	11.9	8.0	1.5	15.6	4.8	6.4	8.0
Glenn.....	10.3	4.3	1.6	14.3	8.1	1.4	13.7	14.5	1.9	7.9
Faller .....	2.9	8.5	20.9	0.1	4.3	9.1	0.0	1.4	9.6	7.3
Prosper.....	1.6	10.4	10.8	2.0	9.7	5.2	1.9	1.8	16.7	6.6
Linkert.....	0.3	0.5	12.3	0.2	2.8	18.2	-	0.1	2.4	4.0
WB Mayville.....	-	1.9	10.2	-	0.4	11.7	-	-	1.8	3.1
Rollag .....	1.0	7.5	5.2	0.1	1.2	8.9	-	0.7	2.2	3.0
SY Valda.....	1.2	2.1	3.0	0.4	1.5	2.8	1.3	1.0	1.2	1.7
Brennan.....	2.0	0.6	0.1	3.2	0.5	-	4.1	2.6	0.4	1.5
Velva .....	0.6	1.2	1.8	2.4	0.8	0.6	2.7	0.1	0.6	1.4
Kelby .....	2.7	2.9	-	4.3	0.4	0.2	0.2	-	0.5	1.3
Mott .....	-	-	-	4.8	-	-	3.9	2.2	-	1.2
RB07 .....	1.8	3.5	0.3	1.4	0.3	0.4	0.5	0.3	0.5	1.1
Vantage.....	0.6	1.3	1.2	0.7	0.4	-	2.7	-	1.4	1.0
SY Rowyn.....	0.9	0.4	1.5	0.5	1.4	1.7	0.4	1.3	1.1	1.0
Breaker.....	2.6	0.5	0.2	1.5	0.3	-	1.8	-	-	0.8
Briggs .....	0.1	-	0.4	0.8	-	-	0.1	3.2	1.8	0.6
Unknown varieties.	11.0	3.6	4.1	6.7	5.6	1.7	3.1	8.9	6.9	5.6
Other varieties .....	8.5	4.2	6.3	9.6	4.3	6.6	8.8	8.7	10.9	7.3
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)
SY Soren .....	101.8	170.3	56.9	90.5	114.8	68.3	164.7	146.9	58.9	973.1
SY Ingmar.....	109.0	112.9	152.4	46.0	106.7	22.3	30.7	100.6	42.0	722.6
Elgin-ND .....	16.3	80.8	28.9	87.5	82.4	18.0	126.2	96.6	14.0	550.7
Barlow.....	121.2	55.6	14.6	76.3	49.0	5.3	127.9	34.3	21.6	505.8
Glenn.....	69.2	38.7	19.8	91.8	49.7	5.1	112.2	102.8	6.3	495.6
Faller .....	19.1	76.9	260.7	0.9	26.1	32.6	-	9.9	32.8	459.0
Prosper.....	10.7	93.6	135.0	12.6	59.2	18.8	15.2	13.0	56.8	414.9
Linkert.....	2.2	4.3	153.8	1.2	16.9	65.5	-	0.4	8.1	252.4
WB Mayville.....	-	17.5	127.7	-	2.4	42.0	-	-	6.2	195.8
Rollag .....	6.6	67.9	64.6	0.6	7.6	31.9	-	4.7	7.5	191.4
SY Valda.....	8.0	19.0	37.0	2.3	9.4	10.0	10.7	7.0	4.0	107.4
Brennan.....	13.2	5.0	0.9	20.7	2.9	-	33.8	18.3	1.3	96.1
Velva .....	4.3	10.4	22.8	15.6	4.9	2.0	22.4	0.9	2.1	85.4
Kelby .....	18.3	26.4	-	27.4	2.6	0.7	1.6	-	1.8	78.8
Mott .....	-	-	-	30.8	-	-	32.1	15.4	-	78.3
RB07 .....	11.8	31.6	3.6	9.2	1.9	1.6	4.0	1.9	1.8	67.4
Vantage.....	3.9	11.5	15.6	4.4	2.6	-	22.2	-	4.7	64.9
SY Rowyn.....	5.8	3.3	18.3	2.9	8.6	6.0	3.4	9.4	3.6	61.3
Breaker.....	17.4	4.2	2.2	9.7	2.0	-	14.5	-	-	50.0
Briggs .....	0.4	-	5.3	5.1	-	-	0.5	23.0	6.0	40.3
Unknown varieties.	74.0	32.0	51.6	43.1	34.3	6.0	25.8	63.3	23.3	353.4
Other varieties .....	56.8	38.1	78.3	61.4	26.0	23.9	72.1	61.6	37.2	455.4
All varieties .....	670.0	900.0	1,250.0	640.0	610.0	360.0	820.0	710.0	340.0	6,300.0

- Represents zero.

**Spring Wheat  
Select Varieties Planted  
North Dakota: 2007-2016**



**Spring Wheat Varieties  
Percent of Acreage Planted  
North Dakota: 2016**



# DURUM WHEAT


**Divide** is the most popular Durum wheat variety for the eighth consecutive year with 21.5 percent of the 1.30 million acres of Durum wheat planted. Released in 2005 by NDSU, Divide has above average height, strong straw strength, medium maturity, and good overall quality.

**Carpio** ranks second in Durum wheat acreage planted with 17.0 percent. A 2012 NDSU release, Carpio has average height, strong straw strength, and excellent overall quality.


**Alkabo** ranks third in Durum wheat acreage planted with 11.2 percent. Released in 2005 by NDSU, Alkabo has medium height, very strong straw strength, medium maturity, and good overall quality.

**Joppa** ranks fourth with 10.3 percent of the Durum wheat acreage. A 2013 NDSU release, Joppa is characterized by above average height, strong straw strength, medium maturity, average test weight, and excellent overall quality.

## Durum Wheat Select Varieties Planted North Dakota: 2007-2016



## Durum Wheat Varieties Percent of Acreage Planted North Dakota: 2016



<sup>1</sup> Other includes varieties not listed and unknown varieties.

## Durum Wheat Varieties, Percent of Acreage Planted North Dakota: 2012-2016

Variety	2012	2013	2014	2015	2016	
					Per- cent	Acres planted
	(percent)	(percent)	(percent)	(percent)		(1,000)
Divide .....	30.4	33.4	37.0	29.5	21.5	279.9
Carpio.....	-	-	0.1	2.2	17.0	221.4
Alkabo .....	14.7	19.0	16.2	20.9	11.2	145.7
Joppa .....	-	-	-	0.9	10.3	133.1
Tioga .....	2.9	10.7	9.7	10.1	8.0	104.1
Lebsock.....	10.3	10.3	7.5	4.9	7.8	101.5
Mountrail .....	13.3	12.7	12.9	7.6	5.5	71.9
Grenora .....	10.2	2.3	3.4	4.3	3.8	49.2
VT Peak .....	-	-	-	0.6	1.9	25.1
Pierce.....	3.4	1.0	0.7	0.7	1.4	17.4
MS Dart.....	-	-	-	-	1.2	16.2
Maier .....	0.5	-	-	1.4	0.7	9.0
Unknown varieties .	4.4	2.6	2.7	5.3	6.6	85.4
Other varieties .....	9.9	8.0	9.8	11.6	3.1	40.1
All varieties.....						1,300.0

- Represents zero.

## Durum Wheat Varieties, Percent and Acreage Planted North Dakota: 2016

(Percentages may not add to 100 due to rounding.)

Variety	Northwest	West Central	Southwest	Combined Districts <sup>1</sup>	State
	(percent)	(percent)	(percent)	(percent)	(percent)
Divide .....	21.5	32.0	11.3	23.9	21.5
Carpio.....	18.9	8.8	12.1	18.7	17.0
Alkabo .....	10.5	7.3	20.5	8.6	11.2
Joppa .....	10.0	4.1	10.1	16.3	10.3
Tioga .....	7.2	16.6	10.7	3.1	8.0
Lebsock.....	8.9	11.7	5.5	1.3	7.8
Mountrail.....	8.5	-	-	-	5.5
Grenora .....	4.7	1.7	1.0	3.3	3.8
VT Peak.....	-	-	9.2	6.2	1.9
Pierce.....	1.6	1.4	1.1	0.3	1.4
MS Dart.....	0.8	-	-	5.9	1.2
Maier .....	-	-	5.5	-	0.7
Unknown varieties .	4.6	13.8	7.2	10.7	6.6
Other varieties.....	2.8	2.8	5.9	2.0	3.1
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)
Divide .....	183.0	40.0	18.6	38.3	279.9
Carpio.....	160.5	11.0	20.0	29.9	221.4
Alkabo .....	89.1	9.1	33.8	13.7	145.7
Joppa .....	85.3	5.1	16.7	26.0	133.1
Tioga .....	60.8	20.7	17.7	4.9	104.1
Lebsock.....	75.9	14.6	9.0	2.0	101.5
Mountrail.....	71.9	-	-	-	71.9
Grenora .....	40.3	2.1	1.6	5.2	49.2
VT Peak.....	-	-	15.2	9.9	25.1
Pierce.....	13.5	1.7	1.8	0.4	17.4
MS Dart.....	6.8	-	-	9.4	16.2
Maier .....	-	-	9.0	-	9.0
Unknown varieties .	39.2	17.2	11.9	17.1	85.4
Other varieties.....	23.7	3.5	9.7	3.2	40.1
All varieties.....	850.0	125.0	165.0	160.0	1,300.0

- Represents zero. <sup>1</sup> Data from North Central, Northeast, Central, East Central, South Central, and Southeast districts are combined to avoid disclosure of individual operations.

# WINTER WHEAT

**Jerry** is the most popular winter wheat variety with 15.0 percent of the 140,000 acres of winter wheat planted. This marks the 13<sup>th</sup> year in a row that Jerry has been the top winter wheat variety planted. Released in 2001 by NDSU, Jerry has medium height, strong straw strength, medium maturity and good overall quality.

**Decade** again ranks second with 13.2 percent of the planted winter wheat acreage. Decade was released by NDSU and Montana State University in 2010. It has short height, moderate straw strength, medium maturity, and good overall quality.

**WB Matlock** ranks third with 8.7 percent of the winter wheat planted acres. WB Matlock was released by WestBred in 2010 and has medium height, strong straw strength, medium maturity, and good overall quality.


**SY Wolf** ranks fourth with 7.9 percent of the winter wheat planted acres. SY Wolf was released by Syngenta/AgriPro in 2010 and has semi-dwarf height, strong straw strength, very good disease tolerance, and good test weights.

**Winter Wheat Varieties, Percent of Acreage Planted North Dakota: 2012-2016**


Variety	2012	2013	2014	2015	2016		
					Per-cent	Acres planted	
	(percent)	(percent)	(percent)	(percent)		(1,000)	
Jerry .....	35.0	31.8	25.5	21.4	15.0	21.0	
Decade .....	3.6	11.3	17.5	17.0	13.2	18.4	
WB Matlock .....	2.4	3.2	6.9	4.9	8.7	12.2	
SY Wolf .....	0.3	4.6	4.0	8.6	7.9	11.1	
Wesley .....	1.9	5.7	2.5	2.3	6.2	8.6	
Emerson.....	-	-	-	-	5.8	8.1	
Ideal .....	-	0.9	2.0	5.3	5.1	7.2	
Darrell .....	3.1	3.3	1.8	2.6	4.8	6.7	
CDC Falcon.....	10.8	4.6	2.6	1.2	4.6	6.5	
Lyman .....	1.4	0.2	-	-	3.7	5.2	
Yellowstone.....	-	-	0.2	-	3.4	4.8	
AC Broadview.....	-	-	0.1	0.8	3.2	4.5	
Unknown varieties	8.0	5.9	14.2	20.4	12.3	17.2	
Other varieties.....	33.5	28.5	22.7	15.5	6.1	8.5	
All varieties .....							140.0

- Represents zero.

**North Dakota Agricultural Statistics Districts**



**Winter Wheat Varieties Percent of Acreage Planted North Dakota: 2016**



<sup>1</sup> Other includes varieties not listed and unknown varieties.

