



United States Department of Agriculture
National Agricultural Statistics Service
**Wyoming Barley Varieties
2012**



Wyoming Field Office
Cooperating with the American Malting Barley Association, Inc.
PO Box 1148 · Cheyenne, WY 82003
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy


July 13, 2012


MORAVIAN 69 REIGNING LEADER FOR SEVENTH YEAR IN A ROW

Moravian 69 remained in the leading position as the most popular barley variety planted in Wyoming since 2006. **Moravian 69** was seeded on an estimated 26,700 acres. This variety accounted for 51 percent of malting variety seeding and 36 percent of Wyoming's total barley acreage. **Haybet** was the leading feed barley variety in Wyoming for the ninth year in a row. **Haybet** was seeded on an estimated 13,100 acres. This variety accounted for 58 percent of the feed variety and 18 percent of Wyoming's total barley acreage. **Conrad** was the second most popular malting variety for the seventh year in a row with 9,200 acres seeded, accounting for 18 percent of the malting barley and 12 percent of the State's total barley acres. **Merit 57** was the third most popular malting variety with 4,200 acres seeded, accounting for 8 percent of the malting barley and 6 percent of the State's total barley acres. **Xena** was seeded on an estimated 3,200 acres. This variety accounted for 14 percent of the feed variety and 4 percent of Wyoming's total barley acreage.

Wyoming barley producers planted an estimated 75,000 acres to all barley varieties in 2012, unchanged from 2011. The Northwest District had 62 percent of the barley acreage in 2012, unchanged from last year. Malting varieties accounted for 52,500 acres or 70 percent of the total. Acreage planted to feed barley totaled 22,500 acres, 30 percent of Wyoming's total barley acreage.

The 2012 Barley Variety Survey was conducted throughout the month of June by the Wyoming Field Office of USDA NASS via phone and mail. The American Malting Barley Association, Inc. provided the funding for this survey. We would like to thank the Wyoming producers who voluntarily provided information for these estimates.






BARLEY: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY, WYOMING, 2006-2012

Variety	2006	2007	2008	2009	2010	2011	2012
Moravian 69 1/	25.7	27.6	25.7	33.6	28.2	30.4	35.6
Haybet	12.6	21.3	11.0	8.8	14.9	17.6	17.5
Conrad 1/	21.4	14.7	24.2	22.5	19.4	14.1	12.3
Merit 57 1/					2.4	10.0	5.6
Merit 1/	16.3	13.2	18.1	13.0	11.9	2.1	5.1
Xena	2.0	0.8	0.6	0.4	1.0	1.1	4.3
Baronesse	6.1	5.8	3.2	4.1	4.4	3.5	4.1
AC Metcalfe 1/	1.1	2.7	7.3	5.1	4.0	5.0	3.9
CDC Copeland 1/			0.1		0.3	1.2	3.2
Harrington 1/	2.4	2.6	3.0	3.8	3.5	2.6	2.4
Moravian 37 1/					2.7	3.9	
Hays						1.3	
Clark	2.7	0.2	0.4	0.5	0.4	1.4	
Steptoe	1.7	0.5	0.6	0.6	0.6	0.9	
M57				0.9	0.4	1.3	
Burton			1.2		0.3	0.4	
Other 2/	8.0	10.6	4.6	6.7	5.6	3.2	6.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Variety recommended for malting purposes in Wyoming for 2012 by the American Malting Barley Association.

2/ Other feed varieties include Gallatin, Steptoe, Goldeneye, Hazen, Stonehem, and Smyrna. Other malt varieties include Lacey and Clark. Unknown varieties are excluded.



WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2012

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69 1/	24,000			500	2,200	26,700
Haybet	1,700	8,300	1,100	500	1,500	13,100
Conrad 1/	9,100	100				9,200
Merit 57 1/	4,200					4,200
Merit 1/	3,800					3,800
Xena			3,200			3,200
Baronesse	200	400	2,500			3,100
AC Metcalfe 1/	1,600		800	500		2,900
CDC Copeland 1/	1,700		700			2,400
Harrington 1/			1,800			1,800
Other 2/	200	200	1,900		2,300	4,600
Total 3/	46,500	9,000	12,000	1,500	6,000	75,000

1/ Variety recommended for malting purposes in Wyoming for 2012 by the American Malting Barley Association.

2/ Other feed varieties include Gallatin, Steptoe, Goldeneye, Hazen, Stonehem, and Smyrna. Other malt varieties include Lacey and Clark. Unknown varieties are excluded.

3/ Acreage planted by Agricultural Statistics District is preliminary.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2011

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69 1/	19,800				3,000	22,800
Haybet	800	7,500	2,700	800	1,400	13,200
Conrad 1/	10,600					10,600
Merit 57 1/	7,500					7,500
AC Metcalfe 1/	2,500		700	600		3,800
Moravian 37 1/	2,700		200			2,900
Baronesse			2,600			2,600
Harrington 1/	100		1,900			2,000
Merit 1/	1,600					1,600
Hays	300	600			700	1,600
Clark			1,000			1,000
CDC Copeland 1/			900			900
Xena			800			800
M57	500					500
Burton			300			300
Other 2/	200	600	1,400		700	2,900
Total	46,600	8,700	12,500	1,400	5,800	75,000

1/ Variety recommended for malting purposes in Wyoming for 2011 by the American Malting Barley Association.

2/ Other feed and malting varieties reported include Goldeneye, Haxby, Hazen, Meredith, Stonehem, Tradition, and Steptoe. Unknown varieties are excluded.

2012 CENSUS OF AGRICULTURE
YOUR VOICE. YOUR FUTURE. YOUR RESPONSIBILITY.

USDA/NASS
Wyoming Field Office
PO Box 1148
Cheyenne WY 82003-1148

Presort Standard
Postage and Fees Paid
USDA
Permit N. G-38

OFFICIAL BUSINESS
Penalty for private use \$300

ADDRESS SERVICE REQUESTED

WYOMING BARLEY VARIETIES: PERCENT OF TOTAL BY DISTRICTS, 2012

