

INDIANA CROPS AND LIVE STOCK

**UNITED STATES
DEPARTMENT OF AGRICULTURE**

**DIVISION OF
CROP AND LIVESTOCK ESTIMATES**

CO-OPERATING WITH

**PURDUE UNIVERSITY
AGRICULTURAL EXPERIMENT STATION**

ANNUAL CROP SUMMARY

1930

DEPARTMENT OF AGRICULTURAL STATISTICS
WEST LAFAYETTE, INDIANA

No. 63

DECEMBER, 1930

CROP SUMMARY FOR INDIANA, 1930

The drouth of 1930 was the most spectacular feature of the crop season of 1930. It is usually thought of as the cause of the acute financial difficulties or even distress of many farmers. However the loss from the drouth is less than the loss to farmers from the shrinkage in the prices of products, which took place about the same time. This shrinkage of prices resulted in reduced incomes even where crop yields were good. Much space must be given the drouth in the discussion of factors affecting production, but in a discussion of financial returns from the 1930 crop the "business depression" should be described as distinctly more damaging than the drouth, over most of the state.

The acreage of winter wheat sown in the fall of 1929 for harvest in 1930 was only 3 per cent larger than the unusually small acreage sown in the previous fall.

The fall rainfall was ample and temperatures favorable so the crop entered the winter in better than average condition.

Winter temperatures were low but snow cover was usually ample till March. Then there occurred several nights of freezing with drying winds. Reporters comments indicate this was the period mainly responsible for the loss of 12 per cent of the acreage by winterkilling. The counties at the headwaters of the Wabash River suffered most severely though damage was reported from nearly all the counties along this stream.

Beginning in March the precipitation was below normal all summer and temperatures were above normal. This created much apprehension for wheat yields especially in the southern part of the state where deficiency of rain was greatest. There were no protracted periods of extreme temperatures before wheat harvest, however, and as very little leaf rust developed yields were nearly average in the south, and above average for the state.

Rye had practically the same story as wheat.

The comparatively dry spring put farm work well forward and the acreage of oats sown was increased over the previous year. Dry weather prevented a heavy growth of straw, and until threshing time the oats crop was thought to be very poor. Threshing showed that the quality of the grain was better than average and that the part of the acreage threshed made a yield equal to the ten year average. The acreage of oats not threshed but harvested as hay or other roughage was larger than usual and this acreage had smaller yields of grain than the portion harvested in the usual manner. This cut the state average yield about two bushels. The southern third of the state had rather low yields.

The acreage planted to corn increased slightly. Dry weather caused poor stands and uneven growth in many fields but permitted frequent cultivation and destruction of weeds, so that on July 1st prospects were about average with only the southern districts showing any positive damage. The drouth which began in the spring continued till September and the final yield for the state was among the lowest recorded. Along the Ohio River yields were the lowest in a generation and as far north as Indianapolis they were generally below average. The counties along the Wabash River above Lafayette had yields equalling or exceeding the ten year average, but along the Michigan boundary lower yields again appeared.

The quality of the grain was better than average in the districts getting good yields, but in the less favored sections worm damage and drouth effects lowered quality materially. A dry fall permitted an early harvest and enhanced quality.

Barley grown in large part north of the districts where drouth became intense early in the season made an average yield. Threshing returns were above earlier expectations.

The spring drouth reduced yields of all grass and meadow hay crops. Timothy probably was most damaged because a larger portion of the acreage is in the southern districts. Pastures were poor throughout the summer. The condition each month from July to October was as low or lower than in any corresponding month in 15 years.

The acreage seeded to clover in the spring was the largest in years, being 1,950,000. In October only 45 per cent was still standing, the rest having perished in the drouth. The percentage surviving by kinds was medium red 44, mammoth 44, alsike 54, and sweet clover 61.

The acreage of soybeans planted was the largest in history. Hay yields were lowered by drouth but grain yields held up to near average. Cowpeas were decreased in acreage again and both grain and hay yields were reduced by drouth.

Buckwheat acreage was only two-thirds of last year. There was no need for a catch crop in the northern part of the state and drouth made sowing useless in many southern counties. Yields were somewhat below average.

Tobacco setting was hindered by drouth and growth retarded. Late growth occurred after September rains but yields were low and quality poor.

Potatoes made better than average yields as the acreage is mainly in the northern part of the state and the fall permitted late growth.

The clover seed crop was about average in both acreage and yield, though much below the large crop of 1929. There was some production of alfalfa seed, which is unusual, though the acreage was too small to estimate. Timothy seed was lower than usual in both acreage and yield.

Truck crop acreages were nearly all larger than last year. Those grown mainly in northern districts made good yields. Those in southern districts were poor. Onions made a heavy yield of exceptional quality. Strawberries, watermelons and cantaloupes were a short crop. Tomatoes, sweet corn, peas and cucumbers were larger crops than last year both in acreage and yields.

Fruit crops were all below average though apples and grapes were better than last year. Pears were much reduced by drouth. Peaches were a virtual failure, the low temperatures of the preceding winter having killed practically all buds and many trees.

The acreage of winter wheat sown for the 1931 harvest was 1,715,000 acres or 99 per cent of last year. December 1st condition at 88 was four points above average.

Rye acreage sown is estimated at 146,000 or 130 per cent of last year. Possibility of other utilization than for grain, because of feed shortage growing out of the drouth, makes this estimate less reliable than is commonly the case. Condition December 1st was 89 or one point below the 10 year average.

MINER M. JUSTIN,
Agricultural Statistician

C. D. PALMER,
Asst. Agricultural Statistician

TABLE I.

Summary of the Acreage, Production and Farm Value of Indiana Crops, 1930 and 1929

CROP AND YEAR	Acreage	Production			Farm Value, December 1st		
		Unit	Per Acre	Total	Per Unit	Total	Per Acre
Corn:							
1930	4,206,000	Bushel	26.2	110,197,000	\$0 61	\$67,220,000	\$15 98
1929	4,124,000	Bushel	32.0	131,968,000	0 74	97,656,000	23 68
Winter Wheat:							
1930	1,611,000	Bushel	18.0	28,998,000	0 71	20,589,000	12 78
1929	1,627,000	Bushel	17.0	27,659,000	1 12	30,978,000	19 04
Spring Wheat:							
1930	4,000	Bushel	15.0	60,000	0 68	41,000	10 20
1929	4,000	Bushel	16.0	64,000	1 09	70,000	17 44
Oats:							
1930	1,914,000	Bushel	30.0	57,420,000	0 30	17,226,000	9 00
1929	1,895,000	Bushel	28.5	54,008,000	0 40	21,603,000	11 40
Rye:							
1930	106,000	Bushel	13.0	1,378,000	0 55	758,000	7 15
1929	125,000	Bushel	13.0	1,625,000	0 90	1,462,000	11 70
Barley:							
1930	38,000	Bushel	25.0	950,000	0 50	475,000	12 50
1929	36,000	Bushel	22.0	792,000	0 62	491,000	13 64
Buckwheat:							
1930	10,000	Bushel	13.5	135,000	0 89	120,000	12 02
1929	15,000	Bushel	14.5	218,000	0 95	207,000	13 78
Sweet Potatoes:							
1930	3,000	Bushel	90.0	270,000	1 35	364,000	121 50
1929	2,000	Bushel	125.0	250,000	1 35	338,000	168 75
Potatoes, White:							
1930	56,000	Bushel	89.0	4,984,000	1 15	5,732,000	102 35
1929	55,000	Bushel	84.0	4,620,000	1 50	6,930,000	126 00
Tobacco:							
1930	16,400	Pounds	694.0	11,382,000	0 14	1,593,000	97 16
1929	19,300	Pounds	783.0	15,112,000	0 17	2,569,000	133 11
Tame Hay:							
1930	1,975,000	Tons	1.02	2,005,000	14 60	29,273,000	14 82
1929	2,163,000	Tons	1.63	3,517,000	10 10	35,522,000	16 42
Clover Hay:							
1930	484,000	Tons	.95	460,000			
1929	691,000	Tons	1.65	1,140,000			
Timothy Hay:							
1930	478,000	Tons	.80	382,000			
1929	362,000	Tons	1.40	507,000			
Mixed Cl. & Tim.:							
1930	453,000	Tons	.85	385,000			
1929	589,000	Tons	1.60	942,000			
Alfalfa Hay:							
1930	156,000	Tons	2.00	312,000			
1929	161,000	Tons	2.50	402,000			
Sweet Clover Hay:							
1930	19,000	Tons	1.35	26,000			
1929	22,000	Tons	2.10	46,000			
Grains Cut Green:							
1930	34,000	Tons	1.00	34,000			
1929	29,000	Tons	1.20	35,000			
Soybean Hay:							
1930	230,000	Tons	1.30	299,000			
1929	164,000	Tons	1.65	271,000			
Cowpea Hay:							
1930	16,000	Tons	1.05	17,000			
1929	21,000	Tons	1.15	24,000			
Millet, Sudan, other Hay:							
1930	105,000	Tons	.86	90,000			
1929	124,000	Tons	1.21	150,000			
Wild Hay:							
1930	17,000	Tons	1.00	17,000	9 90	168,000	9 90
1929	16,000	Tons	1.40	22,000	8 10	178,000	11 14
Soybeans, for Beans:							
1930	131,000	Bushel	14.0	1,834,000	1 20	2,201,000	16 80
1929	100,000	Bushel	14.2	1,420,000	1 55	2,201,000	22 01
Cowpeas, for Peas:							
1930	6,000	Bushel	6.0	36,000	1 90	68,000	11 40
1929	7,000	Bushel	6.0	42,000	2 15	90,000	12 90
Timothy Seed:							
1930	4,000	Bushel	2.5	10,000	3 20	32,000	8 00
1929	8,000	Bushel	4.0	32,000	2 25	72,000	9 00

TABLE I—Continued.

Summary of the Acreage, Production and Farm Value of Indiana Crops, 1930 and 1929

CROP AND YEAR	Acreage	Production			Farm Value, December 1st		
		Unit	Per Acre	Total	Per Unit	Total	Per Acre
Clover Seed:							
1930	171,000	Bushel	1.0	171,000	\$11 80	\$2,018,000	\$11 80
1929	300,000	Bushel	1.3	390,000	9 80	3,822,000	12 74
Tomatoes, Canning:							
1930	79,000	Tons	5.0	395,000	13 30	5,254,000	66 50
1929	59,840	Tons	4.2	251,300	13 20	3,317,000	55 44
Onions:							
1930	9,120	Bushel	383.0	3,493,000	0 37	1,292,000	141 71
1929	8,400	Bushel	290.0	2,436,000	0 56	1,364,000	162 40
Sweet Corn, Canning:							
1930	43,500	Tons	1.3	56,600	13 20	747,000	17 16
1929	38,500	Tons	1.3	50,000	13 00	650,000	16 90
Cucumbers, Pickles:							
1930	12,500	Bushel	68.0	850,000	0 90	765,000	61 20
1929	9,000	Bushel	30.0	270,000	0 90	243,000	27 00
Green Peas, Canning:							
1930	6,270	Pounds	2,210.0	13,857,000	0 030	416,000	66 30
1929	5,500	Pounds	1,700.0	9,350,000	0 026	243,000	44 20
Cabbage, All:							
1930	2,700	Tons	6.3	16,900	10 18	172,000	63 70
1929	2,160	Tons	6.7	14,500	12 76	185,000	85 65
Strawberries:							
1930	1,540	Quarts	900.0	1,386,000	0 16	222,000	144 00
1929	1,510	Quarts	1,900.0	2,869,000	0 13	373,000	247 00
Cantaloupes:							
1930	4,390	Crates	58.0	255,000	1 55	395,000	89 98
1929	4,180	Crates	100.0	418,000	1 50	627,000	150 00
Watermelons:							
1930	3,780	Melons	230.0	869,000	0 143	124,000	32 87
1929	3,200	Melons	732.0	2,342,000	0 180	422,000	131 74
Sorghum Syrup:							
1930	2,000	Gals.	65.0	130,000	1 10	143,000	71 50
1929	2,000	Gals.	90.0	180,000	1 10	198,000	99 00
Snap Beans, Canning:							
1930	3,710	Tons	.6	2,200	55 00	121,000	32 61
1929	3,500	Tons	1.0	3,500	55 00	192,000	55 00
Apples:							
1930		Bushel		1,240,000	1 35	1,674,000	
1929		Bushel		1,170,000	1 70	1,989,000	
Peaches:							
1930		Bushel		12,000	2 00	24,000	
1929		Bushel		726,000	1 60	1,162,000	
Pears:							
1930		Bushel		136,000	0 90	122,000	
1929		Bushel		209,000	0 85	178,000	
Grapes:							
1930		Tons		4,140	40 00	166,000	
1929		Tons		3,780	62 00	234,000	
Total above crops:							
1930	10,261,910					159,515,000	
1929	10,326,090					215,566,000	

Clay.....	33,000	20.0	660,000	12,000	23.0	276,000	22,000	68	15,000
Fountain.....	59,000	22.0	1,298,000	32,000	23.0	736,000	20,000	.55	11,000
Montgomery.....	81,000	24.0	1,944,000	40,000	31.0	1,240,000	31,000	1.26	39,000
Owen.....	22,000	20.0	440,000	8,000	28.0	224,000	16,000	1.00	16,000
Parke.....	47,000	26.0	1,222,000	18,000	29.0	522,000	19,000	.90	17,000
Putnam.....	50,000	21.0	1,050,000	18,000	21.0	378,000	26,000	.89	23,000
Tippecanoe.....	92,000	25.0	2,300,000	44,000	27.0	1,388,000	21,000	1.00	21,000
Vermillion.....	33,000	17.0	561,000	17,000	21.0	357,000	9,000	.89	8,000
Vigo.....	33,000	17.0	561,000	13,000	25.0	325,000	14,000	1.00	14,000
Warren.....	72,000	20.0	1,440,000	47,000	25.0	1,175,000	15,000	.80	12,000
W. Central District.....	522,000	22.0	11,476,000	249,000	25.8	6,421,000	103,000	.91	176,000
Bartholomew.....	51,000	16.0	816,000	9,000	16.0	130,000	23,000	.65	15,000
Boone.....	77,000	31.0	2,387,000	42,000	27.0	1,134,000	37,000	1.03	38,000
Clinton.....	74,000	35.0	2,590,000	32,000	42.0	1,344,000	29,000	1.17	34,000
Decatur.....	55,000	26.0	1,430,000	7,000	15.0	105,000	21,000	1.09	23,000
Grant.....	61,000	44.0	2,684,000	35,000	39.0	1,365,000	24,000	1.33	32,000
Hamilton.....	66,000	41.0	2,706,000	29,000	36.0	1,044,000	32,000	1.25	40,000
Hancock.....	56,000	27.0	1,512,000	22,000	24.0	528,000	29,000	1.21	35,000
Hendricks.....	66,000	27.0	1,782,000	27,000	31.0	837,000	31,000	1.19	37,000
Howard.....	51,000	42.0	2,142,000	20,000	31.0	620,000	31,000	1.19	37,000
Johnson.....	49,000	25.0	1,225,000	7,000	29.0	203,000	22,000	1.54	34,000
Madison.....	72,000	43.0	3,096,000	34,000	33.0	1,122,000	27,000	1.26	34,000
Marion.....	31,000	21.0	651,000	14,000	25.0	350,000	19,000	1.10	21,000
Morgan.....	43,000	26.0	1,118,000	10,000	25.0	250,000	22,000	1.04	23,000
Rush.....	85,000	25.0	2,125,000	10,000	26.0	260,000	33,000	1.06	35,000
Shelby.....	81,000	17.0	1,377,000	17,000	29.0	493,000	29,000	.55	16,000
Tipton.....	44,000	43.0	1,892,000	17,000	41.0	697,000	19,000	1.79	34,000
Central District.....	902,000	30.7	29,533,000	332,000	31.6	10,482,000	428,000	1.14	488,000
Blackford.....	23,000	31.0	713,000	15,000	28.0	420,000	15,000	1.13	17,000
Delaware.....	54,000	36.0	1,944,000	29,000	30.0	870,000	24,000	1.17	28,000
Fayette.....	33,000	28.0	924,000	3,000	21.0	63,000	12,000	.58	7,000
Henry.....	68,000	30.0	2,040,000	27,000	32.0	304,000	29,000	1.37	40,000
Jay.....	46,000	34.0	1,564,000	32,000	32.0	1,024,000	40,000	1.42	57,000
Randolph.....	72,000	33.0	2,376,000	42,000	33.0	1,386,000	34,000	.94	32,000
Union.....	27,000	33.0	891,000	2,000	23.0	46,000	10,000	1.30	13,000
Wayne.....	63,000	28.0	1,764,000	14,000	30.0	420,000	27,000	.82	22,000
E. Central District.....	386,000	31.6	12,216,000	164,000	31.0	5,093,000	191,000	1.13	216,000

TABLE II—Continued.

COUNTIES	Corn			Oats			All Tame Hay		
	Acreage	Yield Per Acre	Production (Bushels)	Acreage	Yield Per Acre	Production (Bushels)	Acreage	Yield Per Acre	Production (Tons)
Davies.....	50,000	19.0	950,000	15,000	27.0	405,000	18,000	1.05	19,000
Dubois.....	32,000	15.0	480,000	13,000	19.0	247,000	22,000	1.00	22,000
Gibson.....	62,000	21.0	1,302,000	9,000	28.0	252,000	18,000	1.00	18,000
Greene.....	42,000	22.0	924,000	19,000	23.0	475,000	22,000	1.05	23,000
Knox.....	68,000	15.0	1,020,000	17,000	23.0	391,000	18,000	.78	15,000
Martin.....	17,000	14.0	238,000	3,000	18.0	54,000	13,000	.54	7,000
Pike.....	32,000	16.0	512,000	10,000	17.0	170,000	13,000	.84	16,000
Posey.....	67,000	16.0	1,072,000	10,000	11.0	109,000	19,000	.84	16,000
Spencer.....	37,000	12.0	444,000	8,000	11.0	88,000	20,000	.70	14,000
Sullivan.....	39,000	15.0	585,000	17,000	25.0	425,000	17,000	1.00	17,000
Vanderburgh.....	33,000	15.0	495,000	9,000	17.0	153,000	11,000	1.09	12,000
Warrick.....	32,000	11.0	352,000	6,000	22.0	132,000	19,000	.73	14,000
S. W. District.....	512,000	16.3	8,339,000	127,000	22.1	2,811,000	206,000	.88	181,000
Brown.....	7,000	19.0	133,000	2,000	21.0	42,000	4,000	.72	3,000
Crawford.....	15,000	10.0	150,000	6,000	14.0	84,000	9,000	.54	5,000
Floyd.....	6,000	6.0	36,000	2,000	22.0	44,000	5,000	.42	2,000
Harrison.....	27,000	6.0	162,000	9,000	19.0	171,000	13,000	.31	4,000
Jackson.....	37,000	18.0	666,000	12,000	19.0	228,000	15,000	1.10	17,000
Lawrence.....	26,000	10.0	260,000	11,000	19.0	209,000	16,000	.38	4,000
Monroe.....	15,000	17.0	255,000	9,000	25.0	225,000	13,000	1.16	15,000
Morgan.....	26,000	10.0	260,000	11,000	22.0	242,000	10,000	.35	4,000
Orange.....	18,000	8.0	144,000	5,000	19.0	95,000	10,000	.60	6,000
Perry.....	36,000	9.0	324,000	16,000	15.0	240,000	16,000	.35	6,000
Washington.....	213,000	11.2	2,390,000	83,000	19.0	1,580,000	111,000	.59	66,000
S. Central District.....	23,000	8.0	184,000	4,000	15.0	60,000	15,000	.40	6,000
Clark.....	23,000	13.0	273,000	7,000	16.0	112,000	24,000	.54	13,000
Dearborn.....	21,000	22.0	462,000	5,000	21.0	105,000	20,000	.70	14,000
Franklin.....	39,000	22.0	858,000	5,000	13.0	65,000	16,000	.81	13,000
Jefferson.....	22,000	12.0	264,000	5,000	12.0	60,000	13,000	.78	6,000
Jennings.....	21,000	13.0	273,000	5,000	12.0	60,000	13,000	.78	6,000
Ohio.....	5,000	13.0	65,000	1,000	10.0	10,000	6,000	.33	2,000
Ripley.....	35,000	17.0	595,000	9,000	18.0	162,000	25,000	.84	21,000
Scott.....	12,000	17.0	204,000	3,000	17.0	51,000	8,000	.50	4,000
Switzerland.....	12,000	14.0	168,000	4,000	21.0	84,000	13,000	.38	5,000
S. E. District.....	190,000	15.2	2,884,000	43,000	16.5	709,000	140,000	.60	84,000
State.....	4,206,000	26.2	110,197,000	1,914,000	30.0	57,420,000	1,975,000	1.02	2,005,000

TABLE III.

Estimate of Acreage, Yield Per Acre and Production of Winter Wheat and Rye in Indiana, 1930, and Preliminary Estimate of Acreage Seeded for 1931 Harvest

COUNTIES	Winter Wheat			82-08	78-96		Sown in Fall of 1930 for 1931 Harvest		
	Acreage	Yield Per Acre	Production (Bushels)		Acreage	Yield Per Acre	Production (Bushels)	Wheat (Acres)	Rye (Acres)
Benton.....	8,000	19.0	152,000		2,100		8,000	100	
Jasper.....	12,000	20.0	240,000				13,000	2,000	
Lake.....	10,000	21.0	210,000		500	15.0	11,000	400	
Laporte.....	31,000	18.0	558,000		4,100	12.0	30,000	4,400	
Newton.....	5,000	19.0	95,000				6,000	500	
Porter.....	14,000	22.0	308,000		2,500	17.0	42,000	2,400	
Pulaski.....	14,000	22.0	308,000		2,800	13.0	11,000	2,800	
Starke.....	7,000	16.0	112,000		2,800	10.0	6,000	2,700	
White.....	17,000	16.0	272,000		2,600	12.0	18,000	2,500	
N. W. District.....	118,000	19.1	2,255,000		17,900	12.9	114,000	17,800	
Carroll.....	25,000	22.0	550,000		1,500	18.0	24,000	1,800	
Cass.....	22,000	18.0	396,000		2,100	14.0	21,000	2,500	
Elkhart.....	25,000	18.0	450,000		2,300	13.0	30,000	2,600	
Fulton.....	9,000	18.0	162,000		5,300	14.0	10,000	6,000	
Kosciusko.....	25,000	20.0	500,000		4,000	14.0	26,000	4,300	
Marshall.....	19,000	20.0	380,000		2,600	14.0	18,000	2,900	
Miami.....	22,000	25.0	550,000		1,200	20.0	24,000	2,400	
St. Joseph.....	22,000	23.0	506,000		1,900	11.0	21,000	2,400	
Wabash.....	18,000	22.0	396,000		1,900	20.0	16,000	1,500	
N. Central District.....	187,000	20.8	3,890,000		21,800	14.4	185,000	25,400	
Adams.....	14,000	23.0	302,000		200	18.0	4,000	300	
Allen.....	28,000	19.0	532,000		600	20.0	12,000	600	
Dekalb.....	20,000	20.0	400,000		600	14.0	8,000	500	
Huntington.....	13,000	21.0	273,000		100	16.0	1,000	100	
Lagrange.....	21,000	17.0	357,000		1,800	13.0	23,000	1,900	
Noble.....	21,000	25.0	525,000		1,200	20.0	24,000	1,300	
Steuben.....	10,000	20.0	200,000		500	14.0	9,000	500	
Wells.....	8,000	25.0	200,000		300	13.0	7,000	200	
Whitley.....	11,000	20.0	220,000		300	16.0	10,000	400	
N. E. District.....	146,000	20.6	3,009,000		5,500	15.9	87,000	5,800	

TABLE III—Continued.

COUNTIES	Winter Wheat			Rye	Sown in Fall of 1930 for 1931 Harvest		
	Acreage	Yield Per Acre	Production (Bushels)		Production (Bushels)	Wheat (Acres)	Rye (Acres)
Clay.....	16,000	16.0	256,000	700	5,000	19,000	1,300
Fountain.....	22,000	19.0	418,000	1,000	14,000	25,000	1,600
Montgomery.....	30,000	23.0	690,000	1,200	18,000	35,000	2,000
Owen.....	6,000	16.0	96,000	1,500	13,000	35,000	900
Parke.....	16,000	18.0	288,000	1,700	17,000	19,000	2,200
Pittman.....	34,000	18.0	588,000	1,900	10,000	18,000	2,100
Tippecanoe.....	16,000	17.0	272,000	900	12,000	38,000	1,200
Vermillion.....	11,000	14.0	154,000	700	9,000	14,000	1,200
Vigo.....	14,000	15.0	210,000	500	8,000	20,000	1,300
Warren.....	12,000	13.0	156,000	500	5,000	16,000	900
W. Central District.....	177,000	17.7	3,134,000	9,500	107,000	212,000	14,700
Bartholomew.....	36,000	15.0	540,000	1,500	18,000	35,000	2,200
Boone.....	13,000	23.0	299,000	700	11,000	14,000	1,000
Clinton.....	34,000	26.0	884,000	600	8,000	32,000	900
Decatur.....	35,000	18.0	630,000	800	9,000	36,000	1,200
Deaaur.....	13,000	26.0	338,000	400	8,000	14,000	600
Grant.....	21,000	24.0	504,000	800	12,000	20,000	1,200
Hamilton.....	15,000	21.0	315,000	1,200	13,000	14,000	1,800
Hancock.....	18,000	23.0	414,000	2,900	37,000	19,000	4,300
Hendricks.....	17,000	26.0	442,000	800	13,000	18,000	1,200
Howard.....	32,000	21.0	672,000	1,600	24,000	32,000	2,400
Johnson.....	20,000	21.0	420,000	600	10,000	19,000	900
Madison.....	13,000	23.0	299,000	700	14,000	13,000	1,000
Marion.....	17,000	19.0	323,000	1,400	25,000	18,000	2,100
Morgan.....	46,000	14.0	644,000	1,300	16,000	47,000	1,900
Rush.....	44,000	15.0	660,000	2,300	25,000	45,000	3,300
Shelby.....	16,000	26.0	416,000	200	4,000	14,000	300
Tipton.....	390,000	20.0	7,800,000	17,800	247,000	390,000	26,300
Central District.....	3,000	22.0	66,000	100	1,000	4,000	100
Blackford.....	8,000	19.0	152,000	700	11,000	9,000	1,100
Delaware.....	19,000	15.0	285,000	1,500	17,000	20,000	2,300
Fayette.....	18,000	18.0	324,000	1,000	22,000	19,000	2,400
Henry.....	8,000	19.0	152,000	500	8,000	9,000	800
Jay.....	17,000	19.0	323,000	800	10,000	18,000	1,200
Randolph.....	19,000	14.0	266,000	400	5,000	17,000	600
Union.....	32,000	16.0	512,000	1,400	17,000	31,000	2,100
Wayne.....	124,000	16.8	2,080,000	7,000	91,000	127,000	10,600
E. Central District.....							

Davies.....	21,000	11.0	231,000	1,100	10.0	11,000	23,000	1,800
Dubois.....	28,000	15.0	420,000	1,800	13.0	23,000	34,000	2,900
Gibson.....	37,000	17.0	629,000	800	12.0	10,000	39,000	1,300
Greene.....	14,000	19.0	266,000	1,000	15.0	15,000	19,000	1,600
Knox.....	47,000	14.0	658,000	1,100	11.0	12,000	55,000	1,800
Martin.....	5,000	13.0	65,000	400	10.0	4,000	8,000	600
Pike.....	11,000	10.0	110,000	400	10.0	4,000	15,000	600
Posey.....	45,000	15.0	675,000	500	16.0	8,000	51,000	800
Spencer.....	22,000	13.0	286,000	2,500	10.0	25,000	26,000	4,000
Sullivan.....	20,000	17.0	340,000	1,500	10.0	15,000	24,000	2,300
Vanderburgh.....	19,000	16.0	304,000	1,100	11.0	1,000	23,000	200
Warrick.....	17,000	13.0	221,000	500	13.0	6,000	23,000	800
S. W. District.....	286,000	14.7	4,205,000	11,700	11.5	134,000	340,000	18,700
Brown.....	4,000	11.0	44,000	100	9.0	1,000	1,000	200
Crawford.....	3,000	14.0	42,000	400	8.0	1,000	6,000	700
Floyd.....	18,000	15.0	270,000	1,400	7.0	2,000	5,000	500
Harrison.....	24,000	14.0	336,000	1,100	11.0	15,000	22,000	2,400
Jackson.....	7,000	15.0	105,000	800	11.0	12,000	24,000	1,900
Lawrence.....	3,000	15.0	45,000	500	12.0	10,000	10,000	1,400
Monroe.....	7,000	14.0	98,000	500	10.0	5,000	5,000	900
Orange.....	9,000	14.0	126,000	2,000	15.0	7,000	8,000	900
Perry.....	14,000	14.0	196,000	1,700	9.0	18,000	10,000	3,500
Washington.....	89,000	14.2	1,262,000	8,800	14.0	24,000	15,000	2,800
S. Central District.....	13,000	12.0	169,000	600	10.8	95,000	106,000	15,200
Clark.....	9,000	16.0	144,000	1,200	12.0	7,000	14,000	1,100
Dearborn.....	25,000	12.0	300,000	1,500	11.0	14,000	11,000	2,500
Franklin.....	9,000	15.0	132,000	200	14.0	21,000	26,000	2,900
Jefferson.....	9,000	14.0	126,000	500	10.0	2,000	19,000	1,400
Jennings.....	2,000	16.0	32,000	200	13.0	3,000	3,000	400
Ohio.....	21,000	18.0	379,000	1,100	9.0	10,000	22,000	2,100
Ripley.....	3,000	13.0	39,000	100	11.0	1,000	4,000	200
Scott.....	3,000	13.0	39,000	500	14.0	7,000	5,000	900
Switzerland.....	94,000	14.5	1,363,000	6,000	12.0	72,000	107,000	11,500
S. E. District.....	1,611,000	18.0	28,998,000	106,000	13.0	1,378,000	1,715,000	146,000
State.....	1,611,000	18.0	28,998,000	106,000	13.0	1,378,000	1,715,000	146,000

7896

82.08

TABLE IV.

Acreage of Principal Crops Harvested in Indiana for Past Twelve Years

YEAR	Corn (Acres)	Winter Wheat (Acres)	Oats (Acres)	Rye (Acres)	Tame Hay (Acres)
1919.....	4,882,000	2,760,000	1,750,000	317,000	2,100,000
1920.....	4,834,000	2,070,000	1,875,000	278,000	2,205,000
1921.....	4,718,000	2,012,000	1,912,000	306,000	2,360,000
1922.....	4,765,000	1,992,000	1,506,000	350,000	2,700,000
1923.....	5,003,000	2,072,000	1,739,000	299,000	2,094,000
1924.....	4,450,000	1,700,000	1,875,000	161,000	2,372,000
1925.....	4,672,000	1,768,000	2,138,000	145,000	2,005,000
1926.....	4,672,000	1,697,000	2,050,000	145,000	1,941,000
1927.....	4,205,000	1,782,000	1,948,000	119,000	2,027,000
1928.....	4,483,000	900,000	2,430,000	86,000	1,864,000
1929.....	4,124,000	1,627,000	1,895,000	125,000	2,163,000
1930.....	4,206,000	1,611,000	1,914,000	106,000	1,975,000
Average 1920-1929.....	4,593,000	1,762,000	1,937,000	201,000	2,173,000

TABLE V.

Yield Per Acre of Principal Crops Harvested in Indiana for Past Twelve Years

YEAR	Corn (Bushels)	Winter Wheat (Bushels)	Oats (Bushels)	Rye (Bushels)	Tame Hay (Tons)
1919.....	37.0	15.0	32.0	14.0	1.22
1920.....	40.5	12.0	41.0	14.0	1.29
1921.....	36.0	12.0	24.0	13.0	1.09
1922.....	37.0	14.5	21.0	12.0	1.37
1923.....	38.5	16.5	28.0	14.0	1.24
1924.....	25.6	17.0	37.0	13.5	1.47
1925.....	43.5	14.5	28.0	11.4	1.01
1926.....	38.0	20.0	30.0	14.5	1.28
1927.....	31.5	15.5	25.0	13.6	1.47
1928.....	35.2	11.0	37.0	11.0	1.37
1929.....	32.0	17.0	28.5	13.0	1.63
1930.....	26.2	18.0	30.0	13.0	1.02
Average 1920-1929.....	35.8	15.0	30.0	13.0	1.32

TABLE VI.

Total Production of Principal Crops Harvested in Indiana for Past Twelve Years

YEAR	Corn (Bushels)	Winter Wheat (Bushels)	Oats (Bushels)	Rye (Bushels)	Tame Hay (Tons)
1919.....	180,634,000	41,400,000	56,000,000	4,432,000	2,562,000
1920.....	195,777,000	24,840,000	76,875,000	3,892,000	2,844,000
1921.....	169,848,000	24,144,000	45,888,000	3,978,000	2,572,000
1922.....	176,305,000	28,884,000	31,626,000	4,200,000	3,699,000
1923.....	192,616,000	34,188,000	48,692,000	4,186,000	2,597,000
1924.....	113,920,000	28,900,000	69,375,000	2,174,000	3,506,000
1925.....	203,232,000	25,636,000	59,864,000	1,653,000	1,982,000
1926.....	177,536,000	33,940,000	61,500,000	2,102,000	2,477,000
1927.....	132,458,000	27,621,000	48,700,000	1,618,000	2,980,000
1928.....	157,802,000	9,900,000	89,910,000	946,000	2,558,000
1929.....	131,968,000	27,659,000	54,008,000	1,625,000	3,517,000
1930.....	110,197,000	28,998,000	57,420,000	1,378,000	2,005,000
Average 1920-1929.....	165,146,000	26,571,000	58,644,000	2,637,000	2,873,000

The data in the following tables were published originally in Purdue University Agricultural Experiment Station Bulletin No. 320, "Prices of Farm Products in Indiana." According to the plan presented in this bulletin the data will be brought up to date and published annually in "Indiana Crops and Livestock." A copy of the original publication may be obtained from the Experiment Station.

TABLE VII. INDIANA INDEX NUMBER OF FARM PRICES

Based on Indiana farm prices for 17 products on the fifteenth of each month (1910 to 1914=100)

YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Yearly Average
1910.....	107	107	112	110	106	104	102	99	104	100	95	93	103
1911.....	93	89	86	83	81	82	86	92	95	91	90	91	88
1912.....	94	96	97	104	106	104	100	100	102	102	96	95	100
1913.....	95	98	102	107	100	102	104	105	107	106	105	103	103
1914.....	105	107	107	106	105	95	104	111	114	107	101	102	105
1915.....	105	104	103	105	108	105	102	100	102	103	97	95	102
1916.....	100	106	111	113	114	113	115	119	126	124	127	130	116
1917.....	137	147	159	179	186	182	182	186	193	191	183	186	176
1918.....	186	186	192	196	194	189	194	204	210	198	195	200	195
1919.....	198	192	200	213	222	216	227	228	201	185	184	194	205
1920.....	198	198	197	207	207	209	201	192	190	176	158	136	189
1921.....	132	122	126	109	105	100	107	113	104	105	100	101	111
1922.....	100	111	115	115	116	115	114	107	108	113	112	114	112
1923.....	115	113	113	113	111	104	105	106	115	112	108	107	110
1924.....	107	109	106	107	106	106	110	126	124	134	128	130	116
1925.....	143	140	149	143	143	144	148	149	143	138	137	138	143
1926.....	140	143	140	138	141	145	143	134	138	140	137	135	140
1927.....	133	134	130	128	123	121	127	131	136	139	132	129	130
1928.....	127	128	129	134	145	142	146	142	151	139	131	129	137
1929.....	132	138	143	142	142	138	145	147	142	141	133	132	140
1930.....	134	134	128	128	123	122	113	116	125	118	111	103	121

TABLE VIII. PURCHASING POWER OF INDIANA FARM PRODUCTS

Based on Indiana farm prices and stated as a per cent of the price of non-agricultural commodities as published by the Bureau of Labor Statistics.

YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Yearly Average
1910.....	104	103	108	103	100	100	98	98	104	103	97	95	101
1911.....	97	92	87	86	85	88	91	98	99	96	96	97	93
1912.....	99	99	99	104	106	104	99	100	100	99	94	91	99
1913.....	89	92	96	102	96	98	100	101	103	102	102	103	99
1914.....	106	106	106	106	107	98	108	115	117	113	108	107	108
1915.....	110	108	108	110	111	106	102	99	99	98	88	83	101
1916.....	82	84	85	84	84	82	84	88	92	86	82	78	84
1917.....	81	85	91	100	100	98	91	95	102	109	106	107	97
1918.....	105	105	107	107	104	100	101	105	108	102	100	103	104
1919.....	105	105	111	119	121	111	112	108	95	86	84	87	103
1920.....	84	81	80	81	81	84	80	77	77	74	72	65	78
1921.....	67	66	71	64	63	61	68	73	67	66	62	63	66
1922.....	63	71	74	74	71	68	65	59	61	64	64	65	66
1923.....	65	64	63	63	63	61	62	64	69	68	66	66	64
1924.....	65	66	64	65	65	66	69	79	79	85	80	80	72
1925.....	87	84	90	88	89	88	90	91	87	84	83	84	87
1926.....	85	87	86	87	88	91	90	84	86	87	85	86	87
1927.....	85	86	85	85	82	81	84	87	89	92	87	85	86
1928.....	85	85	85	89	95	93	97	95	101	93	88	87	91
1929.....	86	90	93	92	93	91	96	98	95	95	97	90	93
1930.....	92	92	88	90	89	88	82	86	93	90	86	80	88

TABLE IX. PURCHASING POWER OF LIVESTOCK PER HEAD IN INDIANA

Based on January 1 Farm Prices with 1910 to 1914 as 100 Percent

YEAR	PURCHASING POWER JANUARY 1				
	Horses	Milk Cows	Other Cattle	Sheep	Hogs
1867.....	29	41	43	24	24
1868.....	28	41	44	20	22
1869.....	33	43	52	18	38
1870.....	41	58	66	23	54
1871.....	45	63	70	28	48
1872.....	41	55	59	39	39
1873.....	41	49	63	43	28
1874.....	42	50	57	42	36
1875.....	42	46	56	39	47
1876.....	43	50	59	45	68
1877.....	43	55	60	44	65
1878.....	46	63	70	48	59
1879.....	47	61	73	52	37
1880.....	47	58	73	50	52
1881.....	48	58	73	60	59
1882.....	48	61	87	60	74
1883.....	64	73	98	62	85
1884.....	72	87	109	66	73
1885.....	76	89	122	60	72
1886.....	77	81	112	53	60
1887.....	78	73	105	62	69
1888.....	80	73	96	63	75
1889.....	81	67	92	69	87
1890.....	79	57	82	77	69
1891.....	79	58	79	91	62
1892.....	79	67	90	100	68
1893.....	74	69	92	101	103
1894.....	60	76	104	71	101
1895.....	46	77	101	55	90
1896.....	42	80	109	70	74
1897.....	39	77	112	83	79
1898.....	42	91	128	104	77
1899.....	43	89	136	107	68
1900.....	51	90	142	100	75
1901.....	65	86	101	97	91
1902.....	68	77	91	80	95
1903.....	70	81	93	81	99
1904.....	76	77	87	82	74
1905.....	83	74	80	90	70
1906.....	86	76	81	111	75
1907.....	95	76	79	116	88
1908.....	95	79	82	115	72
1909.....	90	79	78	95	65
1910.....	99	88	86	105	103
1911.....	112	104	98	112	104
1912.....	97	90	87	87	81
1913.....	95	99	106	94	102
1914.....	97	119	122	102	109
1915.....	92	118	123	109	106
1916.....	67	93	103	99	70
1917.....	50	72	78	95	68
1918.....	44	78	82	135	108
1919.....	41	89	90	138	118
1920.....	38	85	79	107	88
1921.....	53	96	90	92	92
1922.....	45	77	65	71	77
1923.....	40	75	72	106	80
1924.....	37	80	75	115	68
1925.....	35	78	69	136	78
1926.....	42	89	84	157	108
1927.....	44	94	91	142	120
1928.....	45	114	105	152	88
1929.....	45	124	111	152	86
1930.....	45	124	110	146	93
1931.....	49	91	87	90	91

TABLE X. THE CORN-HOG RATIO FOR INDIANA (A)

Number of Bushels of Corn equal in Value to 100 Pounds of Live Hog at Indiana Farm Prices

YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1910.....	15.2	14.1	16.7	17.6	16.7	15.9	14.8	13.5	15.5	16.5	17.0	17.8
1911.....	19.0	17.8	16.8	14.5	12.2	11.2	11.1	12.0	11.5	10.3	10.4	10.6
1912.....	10.5	9.8	9.5	10.1	9.5	8.8	9.2	10.4	11.4	13.8	15.0	15.9
1913.....	15.6	16.7	17.9	17.4	15.2	14.5	14.2	12.9	12.0	11.8	12.3	12.2
1914.....	13.0	13.7	13.6	13.6	12.1	11.2	11.7	11.7	11.3	11.1	11.0	10.8
1915.....	10.2	9.1	9.4	9.6	9.9	9.9	9.7	9.5	10.3	12.2	11.6	11.1
1916.....	10.6	12.0	14.2	13.4	13.3	12.6	12.4	12.3	12.7	11.7	11.4	11.0
1917.....	11.2	12.3	13.4	11.7	9.9	9.3	8.1	8.8	10.1	10.6	11.9	12.8
1918.....	12.4	12.0	12.5	12.4	12.1	11.3	11.5	12.4	12.9	12.9	13.7	12.9
1919.....	12.8	13.2	13.1	12.6	12.0	11.1	11.3	11.0	9.7	10.1	10.9	9.6
1920.....	9.8	9.9	9.6	9.2	7.8	7.5	8.9	9.8	11.8	15.6	17.6	14.7
1921.....	15.6	16.2	18.5	15.4	15.3	14.2	16.6	17.6	15.9	18.1	16.9	17.4
1922.....	18.5	19.6	19.6	18.1	18.1	17.7	17.4	15.3	15.0	15.7	14.2	12.8
1923.....	12.1	11.6	11.0	10.3	9.2	8.0	8.4	8.8	10.4	9.9	10.0	10.0
1924.....	10.6	10.3	9.9	10.1	10.3	9.4	7.3	9.0	8.6	9.6	9.4	8.2
1925.....	9.0	9.0	11.6	12.6	11.4	10.7	12.9	13.0	13.0	15.5	19.0	20.2
1926.....	19.8	21.7	22.1	22.2	22.9	23.8	22.5	17.8	20.0	19.2	21.4	22.2
1927.....	22.7	21.3	21.5	20.2	15.7	10.0	10.1	10.3	11.2	12.5	12.8	11.7
1928.....	11.1	10.3	9.0	8.5	9.0	9.0	10.1	11.1	12.8	12.8	13.0	10.9
1929.....	11.0	10.9	12.4	12.7	13.0	12.2	12.6	11.3	10.0	10.1	12.7	12.2
1930.....	12.9	14.3	15.1	13.6	13.1	13.1	12.5	10.6	11.4	12.0	14.1	12.8

TABLE XI. RATIO OF POULTRY FEED TO THE PRICE OF POULTRY AND EGGS

Number of bushels of grain (three parts corn and one part wheat) that ten dozen eggs and 6.5 pounds of poultry would exchange for each month at Indiana farm prices. The ratio has been corrected for seasonal variation.

YEAR	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1910.....	3.9	4.0	4.3	4.8	4.9	5.3	4.5	4.6	4.7	5.1	4.7	4.9
1911.....	4.4	3.8	4.4	4.9	4.7	4.5	4.1	4.1	4.3	4.0	3.8	3.8
1912.....	4.1	4.3	4.4	3.9	3.5	3.7	3.5	3.9	4.0	4.5	4.5	4.3
1913.....	4.0	4.0	4.6	4.5	4.7	5.1	4.3	4.4	4.7	4.5	4.2	4.1
1914.....	3.9	4.2	5.2	4.6	4.3	4.4	4.1	4.0	4.1	3.8	3.7	3.7
1915.....	3.8	3.0	2.9	3.4	3.3	3.5	3.5	3.5	4.0	4.4	4.2	3.8
1916.....	3.6	3.3	3.8	4.3	4.4	4.8	4.2	4.1	4.1	4.1	3.2	3.1
1917.....	3.4	3.5	3.1	3.2	3.0	2.9	2.5	2.6	3.1	2.8	2.5	2.7
1918.....	3.2	3.3	3.1	3.4	3.5	3.5	3.6	3.7	3.8	3.8	3.5	3.4
1919.....	3.4	2.7	3.4	3.9	4.1	3.6	3.4	3.5	3.7	4.4	3.8	3.9
1920.....	3.6	3.3	3.6	3.7	3.6	3.5	3.5	4.4	4.8	5.8	6.4	6.6
1921.....	5.9	4.3	5.9	6.1	5.4	5.6	6.5	7.4	7.4	8.7	9.2	7.8
1922.....	5.4	5.9	4.7	5.9	5.7	6.0	5.5	5.2	6.7	6.9	6.3	5.4
1923.....	4.7	4.2	4.8	4.9	4.7	4.5	4.5	4.9	5.5	5.8	6.0	5.3
1924.....	4.8	5.5	4.4	5.1	5.2	5.7	4.3	4.3	4.6	4.4	4.2	3.7
1925.....	3.6	3.0	3.1	4.1	4.1	4.1	4.3	4.5	4.5	5.4	5.7	5.2
1926.....	4.2	4.1	4.6	6.1	6.5	7.0	6.1	5.5	6.4	6.1	6.0	6.2
1927.....	5.4	4.9	4.7	6.0	5.2	3.9	4.2	4.0	4.4	4.5	4.6	4.5
1928.....	4.8	4.6	4.2	4.1	4.0	4.2	4.4	4.7	4.8	4.8	4.6	4.6
1929.....	4.2	4.8	5.1	5.1	5.7	6.2	5.7	5.3	4.9	4.6	4.8	4.8
1930.....	5.0	5.5	5.2	5.2	4.9	4.7	4.8	4.3	4.5	4.1	4.8	3.6

INDIANA CROPS AND LIVE STOCK

UNITED STATES
DEPARTMENT OF AGRICULTURE

DIVISION OF
CROP AND LIVESTOCK ESTIMATES

CO-OPERATING WITH

PURDUE UNIVERSITY
AGRICULTURAL EXPERIMENT STATION

ANNUAL LIVESTOCK SUMMARY

1930

DEPARTMENT OF AGRICULTURAL STATISTICS
WEST LAFAYETTE, INDIANA

LIVESTOCK SUMMARY, INDIANA, JANUARY 1, 1930

The inventorial estimates of livestock on farms January 1, 1930, show decreases in numbers of horses, mules, and swine, and increases in milk cows, milk heifers, and all cattle.

Horses have declined in number for many years, the present estimated number being 66 per cent of the 1920 number and 96 per cent of 1929. Last December a survey of more than 8,000 farms showed that of the total horses and colts on those farms, 6.8 per cent were foaled in either 1928 or 1929. This indicated that to maintain the present number of horses in the state without in-shipments, the colts foaled within recent years would have to live to an average age of about 30 years. If the number of colts foaled continues at the present level, it is apparent that the number of horses in Indiana will continue to decline until the horse population is approximately one-half of the present number. The reported average value per head of horses and of colts has remained practically unchanged for the past two years. Colts are reported as being valued about 30 per cent higher and horses about 70 per cent higher per head than 5 years ago.

For the past two years mules have decreased in number at about the same rate as horses. The present estimated number is 91 per cent of 1920 and 95 per cent of 1929.

The number of both milk cows and heifers increased 4 per cent during the year. Since 1920 the number of milk cows have increased 10 per cent and heifers have increased 8 per cent. For the first time in the past eight years the average January 1st value per head of milk cows declined. The decline in value per head this year was \$1.00. The present average value per head is 48 per cent above the value 5 years ago.

The total number of cattle of all classes increased 2 per cent during the past year and is now estimated as being the largest since 1924 although the present figure is 14 per cent less than the 1920 number. The increase is due to the increases of numbers of milk cows and heifers being kept for milk cows. The number of beef cattle on feed for market on January 1st was estimated to be 95 per cent of the previous January.

The receipts of cattle from Indiana at principal stockyards were 3 per cent less and the receipts of calves 4 per cent less than during 1928.

Sheep increased by 52,000 or 7 per cent during the past year. The number is now estimated to be 33 per cent greater than 5 years ago. The inventorial value per head decreased about 75 cents during the past year and the total inventorial values for the past two Januarys are practically the same.

The receipts of sheep from Indiana at principal stockyards during 1929 were 4 per cent larger than the previous year. The number of sheep shorn in 1929 was 625,000 and 590,000 in 1928. The average weight per fleece was 7.2 pounds in 1929 and 7.3 pounds the previous year. The wool clip of 1929 exceeded that of 1928 by about 4 per cent.

The decrease of 10 per cent in the number of hogs followed the general indications of the previous pig surveys. The number of hogs on farms is now the smallest in a number of years. The receipts of hogs at the principal markets during 1929 were 8 per cent less than during 1928.

The weighted average price per hundred pounds live weight of meat animals, obtained by weighting the monthly farm prices by receipts at principal stockyards, indicated that all prices averaged higher during 1929 than during 1928. The increases per hundred pounds live weight were as follows: beef cattle 44 cents, veal calves 55 cents, hogs 92 cents, lambs 8 cents, and sheep 16 cents.

MINER M. JUSTIN,
Agricultural Statistician.

CECIL J. BORUM,
Asst. Agricultural Statistician.

TABLE 1

Average Number of Hens and Pullets, and Egg Production on Reporters' Farms. Flocks in Excess of 400 Hens and Pullets Excluded—Indiana
(Data for 1st of Month)*

MONTH	Number of Hens and Pullets of Laying Age			Egg Production Per Farm			Percentage of Hens and Pullets Laying		
	1927	1928	1929	1927	1928	1929	1927	1928	1929
January.....	121	116	122	21	15	23	17.1	12.8	18.9
February.....	123	122	116	23	24	24	18.8	20.1	20.7
March.....	116	118	110	51	37	37	43.8	31.5	33.3
April.....	118	115	112	72	66	68	60.6	57.5	60.5
May.....	111	109	110	65	62	65	58.3	57.1	59.2
June.....	106	105	101	54	54	55	51.1	51.7	54.3
July.....	98	96	94	42	41	43	42.5	43.0	46.5
August.....	97	97	86	39	36	34	39.5	37.5	38.9
September.....	90	91	89	29	30	31	32.6	33.1	34.5
October.....	96	95	88	21	24	21	21.8	24.7	24.1
November.....	104	107	110	15	19	16	14.2	18.1	14.4
December.....	108	113	116	13	14	16	11.6	12.2	12.3

*Current data will be published monthly in "Indiana Crops and Livestock."

TABLE 2

Milk Production on Reporters' Farms, 1927, 1928, 1929—Indiana
(Data for 1st of Month)*

MONTH	Daily Production Per Cow Milked. Pounds			Daily Production Per Farm. Pounds			Percent of all Cows in Milk		
	1927	1928	1929	1927	1928	1929	1927	1928	1929
January.....	17.2	18.1	18.4	69.4	67.8	76.4	67.7	70.3	69.3
February.....	18.2	18.4	18.9	74.8	71.7	81.0	68.8	69.2	72.1
March.....	18.8	18.6	19.2	76.1	71.0	85.4	70.0	69.8	72.1
April.....	20.6	19.4	20.9	86.6	80.8	94.9	73.5	73.3	72.7
May.....	22.1	20.4	22.8	91.0	91.3	105.8	73.9	77.2	76.3
June.....	24.6	23.3	24.5	111.5	102.2	119.3	74.8	78.2	78.5
July.....	24.1	22.2	24.2	112.0	104.6	125.2	78.0	81.2	81.0
August.....	21.3	21.2	20.7	100.3	98.3	101.8	77.0	79.1	79.6
September.....	19.8	20.1	21.7	91.0	90.0	100.1	76.0	76.6	76.4
October.....	19.1	18.5	19.6	82.1	83.7	91.0	76.0	74.8	73.7
November.....	17.8	18.0	18.7	73.6	80.3	86.5	72.1	74.4	73.7
December.....	17.6	16.9	17.7	71.6	76.5	80.1	70.4	70.5	71.3

*Current data will be published monthly in "Indiana Crops and Livestock."

TABLE 3

Average Farm Price of Indiana Livestock 15th of Month, Weighted by Percentage of Livestock Marketed, 1929

MONTH	Average Farm Price 15th of Month (100 lbs. live weight)					Weights Percent Livestock Marketed			
	Beef Cattle	Veal Calves	Hogs	Lambs	Sheep	Cattle	Calves	Hogs	Sheep & Lambs
January.....	\$10.20	\$14.60	\$8.70	\$13.60	\$6.40	11	8	10	10
February.....	9.80	14.20	9.60	14.20	6.90	7	7	6	7
March.....	9.90	14.80	11.00	14.60	7.00	7	9	6	3
April.....	10.50	13.90	10.90	14.50	7.50	9	10	7	2
May.....	11.00	13.10	10.90	13.60	6.30	8	11	7	3
June.....	10.90	13.10	10.50	13.30	6.10	7	9	8	6
July.....	11.50	13.80	11.30	12.90	6.20	8	8	7	10
August.....	11.20	13.70	11.20	12.30	6.10	8	8	8	14
September.....	10.60	14.20	10.10	11.80	5.80	8	8	9	13
October.....	10.70	14.10	9.70	11.60	5.80	10	8	10	11
November.....	10.20	13.40	8.90	11.30	5.50	8	7	11	11
December.....	10.00	13.80	8.90	11.50	5.80	9	7	11	10
Weighted 1929									
Annual Price.....	10.54	13.87	10.00	12.50	6.09				
1928.....	10.10	13.32	9.08	12.42	5.93				

TABLE 4
Receipts from Indiana, at Principal Stockyards*

MONTH	CATTLE							
	1922	1923	1924	1925	1926	1927	1928	1929
January.....	35,368	38,996	41,945	37,980	32,609	29,504	29,014	33,721
February.....	33,700	35,481	34,537	30,352	29,851	34,294	29,729	22,481
March.....	34,485	34,299	30,026	34,180	30,251	31,894	23,994	22,291
April.....	34,604	36,799	35,035	33,498	32,270	34,433	26,055	27,010
May.....	35,979	39,559	30,684	33,596	30,386	32,668	24,723	22,655
June.....	36,073	28,689	26,834	34,511	28,252	30,009	24,289	21,910
July.....	30,190	28,996	30,945	29,309	27,052	28,475	25,258	24,804
August.....	37,334	25,902	25,331	21,902	26,270	32,800	28,141	25,414
September.....	26,331	23,153	26,629	23,441	29,831	25,302	27,478	25,956
October.....	28,613	29,290	31,463	27,016	26,907	26,804	25,354	30,954
November.....	23,514	22,568	26,710	30,105	26,038	28,719	25,322	23,781
December.....	32,948	33,806	34,845	35,259	31,577	28,556	26,287	26,392
Total.....	389,139	377,538	374,984	371,149	351,294	363,458	315,583	307,369

CALVES								
January.....	23,454	24,723	24,491	24,738	24,691	24,977	22,837	23,233
February.....	22,478	22,424	24,070	23,759	23,744	21,905	21,173	21,131
March.....	28,521	27,852	24,401	27,650	29,849	26,448	26,009	25,616
April.....	30,538	30,006	32,494	31,931	31,515	29,540	30,172	29,584
May.....	31,883	36,955	31,775	33,695	29,302	33,650	31,827	31,492
June.....	31,408	31,729	26,840	30,357	31,334	28,993	27,705	24,227
July.....	25,164	28,668	25,676	26,296	25,525	22,763	23,219	22,802
August.....	29,520	26,124	21,816	25,891	24,565	23,832	25,075	22,759
September.....	22,976	21,149	21,691	25,849	24,493	19,409	21,624	21,303
October.....	23,829	25,108	22,612	25,532	21,632	19,475	22,806	21,497
November.....	22,099	21,796	21,201	21,354	22,483	21,950	20,246	18,785
December.....	23,242	25,545	23,609	25,322	23,454	21,279	21,398	19,429
Total.....	315,112	322,079	300,671	322,374	312,587	294,221	294,091	281,858

HOGS								
January.....	246,781	331,805	480,515	427,657	259,716	216,502	363,311	325,250
February.....	195,265	265,478	316,820	256,099	186,680	157,946	300,243	189,298
March.....	223,725	289,795	245,895	178,989	167,046	149,159	207,303	179,685
April.....	257,096	308,663	298,643	219,608	182,951	183,045	208,682	232,746
May.....	280,670	358,643	288,605	206,422	172,677	252,556	228,956	232,521
June.....	303,779	337,068	340,076	235,217	225,843	313,268	262,909	237,726
July.....	249,698	331,046	319,568	209,484	235,168	253,045	215,743	229,359
August.....	294,078	295,344	263,074	219,397	215,083	244,136	191,231	251,150
September.....	298,088	281,952	278,432	209,048	262,391	219,255	199,381	265,759
October.....	383,230	391,019	292,496	297,785	278,060	223,124	314,871	296,936
November.....	423,193	508,956	407,298	287,075	215,480	289,295	422,190	341,427
December.....	445,511	591,546	494,111	300,229	209,578	374,298	472,064	360,741
Total.....	3,601,114	4,291,310	4,025,538	3,047,010	2,610,673	2,875,629	3,386,884	3,122,598

SHEEP								
January.....	36,705	31,011	41,798	34,530	57,673	79,843	58,014	52,302
February.....	22,429	22,410	34,455	30,173	48,493	58,987	31,616	38,893
March.....	19,216	18,767	18,623	14,518	32,403	31,337	18,163	17,821
April.....	11,759	16,993	12,906	13,949	18,172	20,174	9,633	11,236
May.....	22,196	33,045	12,177	15,641	16,653	18,811	14,214	13,157
June.....	77,364	63,893	27,224	30,950	26,222	36,303	33,506	31,369
July.....	67,415	50,822	38,567	46,614	38,323	42,159	47,055	53,983
August.....	86,104	56,785	51,031	62,300	60,320	63,440	62,907	70,917
September.....	57,979	55,540	49,367	60,206	66,687	62,027	62,995	66,676
October.....	49,190	42,554	65,975	53,104	57,236	58,088	66,525	57,841
November.....	38,478	56,933	61,680	62,805	61,302	55,101	52,915	56,193
December.....	37,995	66,795	47,325	54,946	92,409	47,449	47,872	54,641
Total.....	526,830	515,538	461,128	479,736	575,893	573,719	505,415	525,029

*Receipts at yards not included are a very small part of the total.

TABLE 5

Total Number of Livestock on Farms in Indiana for the Past Eleven Years

JANUARY	Horses	Mules	Milk Cows*	Milk Heifers†	All Cattle	Sheep	Swine
1920.....	717,000	100,000	659,000	129,000	1,546,000	644,000	3,903,000
1921.....	650,000	101,000	653,000	114,000	1,531,000	606,000	3,591,000
1922.....	630,000	100,000	659,000	177,000	1,446,000	545,000	3,304,000
1923.....	590,000	102,000	652,000	108,000	1,410,000	563,000	4,097,000
1924.....	570,000	102,000	659,000	88,000	1,358,000	582,000	3,974,000
1925.....	556,000	101,000	679,000	111,000	1,282,000	595,000	3,100,000
1926.....	548,000	99,000	665,000	101,000	1,282,000	647,000	2,820,000
1927.....	540,000	101,000	679,000	112,000	1,320,000	731,000	2,961,000
1928.....	522,000	101,000	679,000	125,000	1,294,000	705,000	3,227,000
1929.....	491,000	96,000	693,000	135,000	1,307,000	740,000	3,066,000
1930.....	471,000	91,000	721,000	140,000	1,333,000	792,000	2,758,000

*Cows and heifers 2 years old and over, kept for milk.

†Heifers 1 to 2 years old, being kept for milk cows.

TABLE 6

Total Value of Livestock on Farms in Indiana for Past Eleven Years

JANUARY 1	Horses	Mules	Milk Cows	All Cattle	Sheep	Swine	Total
1920.....	\$75,301,000	\$12,315,000	\$57,992,000	\$103,002,000	\$7,599,000	\$74,157,000	\$272,374,000
1921.....	61,571,000	11,052,000	42,445,000	75,429,000	3,400,000	46,683,000	198,135,000
1922.....	50,636,000	8,831,000	34,927,000	56,572,000	2,834,000	37,005,000	155,898,000
1923.....	43,998,000	8,274,000	34,556,000	58,190,000	3,378,000	48,754,000	162,594,000
1924.....	38,298,000	7,606,000	36,245,000	58,298,000	4,889,000	38,945,000	148,036,000
1925.....	38,196,000	7,694,000	38,703,000	57,717,000	6,297,000	36,890,000	146,794,000
1926.....	42,960,000	8,554,000	41,230,000	64,280,000	7,500,000	44,274,000	167,568,000
1927.....	43,390,000	8,651,000	43,456,000	67,443,000	7,414,000	50,337,000	177,235,000
1928.....	42,881,000	8,662,000	50,925,000	76,336,000	7,777,000	41,563,000	177,219,000
1929.....	40,297,000	8,346,000	58,905,000	87,580,000	8,247,000	37,850,000	182,320,000
1930.....	38,610,000	7,977,000	60,564,000	88,649,000	8,249,000	36,290,000	179,817,000

TABLE 7

Comparative Value of Livestock Per Head in Indiana on January 1

KIND OF STOCK	1925	1926	1927	1928	1929	1930
Horses, under 1 year old.....	\$32 00	\$38 00	\$39 00	\$41 00	\$41 00	\$41 00
Horses, 1 year old and under 2 years old.....	47 00	55 00	58 00	61 00	61 00	62 00
Horses, 2 years old and over.....	50 00	80 00	82 00	84 00	84 00	84 00
Mules, under 1 year old.....	35 00	41 00	41 00	42 00	42 00	43 00
Mules, 1 and under 2 years old.....	51 00	60 00	61 00	62 00	62 00	63 00
Mules, 2 years old and over.....	80 00	91 00	90 00	90 00	91 00	91 00
Cows and heifers, 2 years old and over, kept for milk.....	57 00	62 00	64 00	75 00	85 00	84 00
Other cattle, under 1 year old.....	20 00	23 50	24 50	28 00		
Other cattle, 1 year and under 2 years.....	32 00	37 00	38 00	47 00		
Other cattle, 2 years old and over.....	47 00	53 00	54 00	65 00		
Sheep, lambs under 1 year old.....	10 40	10 70	9 40	9 80	10 30	9 50
Sheep, ewes, 1 year old and over.....	10 60	11 90	10 50	11 50	11 50	10 90
Sheep, wethers, 1 year old and over.....	9 50	11 00	9 00	9 60	10 00	9 40
Sheep, rams, 1 year old and over.....	12 00	12 50	11 80	12 00	12 60	11 50
Swine, all ages.....	11 90	15 70	17 00	12 90	12 30	13 20

TABLE 8

Number of Livestock on Farms in the United States for the Past Eleven Years

JANUARY 1	Horses	Mules	Milk Cows*	Milk Heifers†	All Cattle	Sheep	Swine
1920.....	19,848,000	5,475,000	21,427,000	4,418,000	68,871,000	40,243,000	59,813,000
1921.....	19,134,000	5,586,000	21,408,000	4,155,000	67,184,000	38,690,000	58,711,000
1922.....	18,564,000	5,638,000	21,788,000	4,023,000	67,264,000	36,186,000	59,355,000
1923.....	17,943,000	5,702,000	22,063,000	4,147,000	66,156,000	36,212,000	68,447,000
1924.....	17,222,000	5,730,000	22,255,000	4,137,000	64,507,000	36,876,000	65,937,000
1925.....	16,489,000	5,725,000	22,481,000	4,195,000	61,996,000	38,112,000	55,568,000
1926.....	15,830,000	5,739,000	22,188,000	3,916,000	59,122,000	39,730,000	52,148,000
1927.....	15,133,000	5,652,000	21,801,000	4,059,000	56,832,000	41,881,000	54,788,000
1928.....	14,495,000	5,504,000	21,828,000	4,184,000	55,676,000	44,795,000	60,617,000
1929.....	13,905,000	5,390,000	21,919,000	4,413,000	55,467,000	47,509,000	56,880,000
1930.....	13,440,000	5,322,000	22,499,000	4,669,000	57,967,000	48,913,000	52,600,000

*Cows and Heifers, 2 years old and over, kept for milk;

†Heifers, 1 to 2 years old, being kept for milk cows.

TABLE 9

Total Value of Livestock on Farms in the United States for Past Eleven Years

JANUARY 1	Horses	Mules	Milk Cows	All Cattle	Sheep	Swine
1920.....	\$1,915,653,000	\$812,828,000		\$3,834,517,000	\$420,942,000	\$1,141,102,000
1921.....	1,618,120,000	656,455,000		2,773,555,000	242,973,000	762,217,000
1922.....	1,312,396,000	502,563,000		2,163,022,000	173,693,000	597,395,000
1923.....	1,267,624,000	497,044,000		2,217,751,000	272,676,000	792,949,000
1924.....	1,127,619,000	492,209,000		2,196,465,000	291,689,000	640,767,000
1925.....	1,059,553,000	473,646,000		2,085,224,000	369,612,000	687,858,000
1926.....	1,036,843,000	467,760,000		2,287,929,000	417,630,000	793,139,000
1927.....	970,703,000	421,467,000	\$1,299,004,000	2,289,551,000	406,588,000	945,012,000
1928.....	973,812,000	439,320,000	1,613,639,000	2,842,576,000	458,816,000	739,902,000
1929.....	976,300,000	443,839,000	1,855,080,000	3,340,182,000	504,022,000	739,255,000
1930.....	950,318,000	441,726,000	1,876,357,000	3,320,104,000	435,515,000	717,306,000

TABLE 10

Comparative Value of Livestock Per Head in United States

JANUARY 1	Horses	Mules	Milk Cows	All Cattle	Sheep	Swine
1927.....	\$64.14	\$74.57	\$59.58	\$40.29	\$ 9.71	\$17.25
1928.....	67.18	79.82	73.93	51.06	10.24	13.20
1929.....	70.21	82.34	84.63	59.15	10.61	13.00
1930.....	70.71	83.00	83.40	57.28	8.90	13.64

THE PIG SURVEYS--INDIANA

The June 1, 1929 survey showed 95 per cent as many pigs saved as in the preceding spring from 89.8 per cent as many sows farrowed. The average number of pigs saved per litter was 6.3 compared to 6.0 pigs in 1928. For the 1929 fall crop the December survey showed 89.5 per cent as many pigs saved as in the preceding fall from 89.2 per cent as many sows. Sows for spring farrowing in 1930 were reported as 100.6 per cent of the number which farrowed in the spring of 1929. With the allowance for the decrease usually shown between intentions and farrowings this indicates another decrease of about 5 per cent.

TABLE 11
Number of Livestock Assessed in Indiana in 1929

COUNTY	Horses	Mules	Milk Cows	Total Cattle	Sheep	Sows	Total Swine	Dozens Poultry
Benton.....	4,695	537	3,815	7,870	2,886	4,128	16,017	6,449
Jasper.....	5,274	429	6,259	16,078	2,686	3,343	14,785	8,895
Lake.....	3,301	79	7,435	11,622	675	1,661	4,549	7,188
Laporte.....	5,418	271	9,222	14,201	3,980	2,783	8,399	8,451
Newton.....	3,525	592	3,311	8,917	1,920	3,339	14,371	5,136
Porter.....	3,269	199	7,888	12,917	2,408	1,486	5,529	5,735
Pulaski.....	3,908	352	5,118	12,974	3,627	2,369	14,086	9,533
Starke.....	2,249	159	3,209	6,344	1,002	929	3,859	5,415
White.....	5,420	751	4,957	12,315	5,335	4,602	23,005	8,714
N. W. District.....	37,059	3,369	51,214	103,238	24,519	24,640	104,600	65,516
Carroll.....	3,609	582	5,880	12,487	4,402	6,563	31,475	8,997
Cass.....	3,817	595	6,740	13,711	6,806	5,964	26,569	10,701
Elkhart.....	5,010	261	10,828	17,098	7,255	3,155	13,224	12,700
Fulton.....	2,933	242	6,768	12,497	8,723	3,267	17,720	12,361
Kosciusko.....	6,362	595	10,675	20,164	17,190	5,367	29,668	24,678
Marshall.....	4,546	355	9,521	17,197	9,843	4,336	19,112	14,942
Miami.....	3,394	489	6,495	13,748	6,737	5,724	25,012	11,524
St. Joseph.....	4,099	122	7,697	11,621	3,722	1,679	7,975	7,994
Wabash.....	3,228	589	7,390	14,873	8,188	6,276	30,112	12,398
N. Central District.....	36,998	3,830	71,994	133,396	72,866	42,331	200,867	116,295
Adams.....	4,257	243	8,163	13,602	8,563	3,768	21,184	13,865
Allen.....	6,539	347	10,880	18,368	15,536	5,369	25,479	17,133
Dekalb.....	3,942	131	7,066	11,824	13,874	3,307	15,587	10,563
Huntington.....	4,042	397	7,211	14,966	8,597	5,526	28,057	13,084
Lagrange.....	3,962	343	7,223	12,426	18,965	3,451	20,209	11,518
Noble.....	3,770	358	8,071	14,426	16,307	3,984	20,638	10,731
Steuben.....	2,734	179	7,192	11,119	16,617	3,148	13,142	8,634
Wells.....	2,989	322	6,359	11,682	9,375	4,471	21,532	13,343
Whitley.....	3,549	317	6,525	11,704	10,747	3,442	18,881	11,600
N. E. District.....	35,784	2,637	68,690	120,117	118,581	36,466	184,709	110,471
Clay.....	2,656	912	5,076	7,992	2,011	1,747	7,313	7,443
Fountain.....	2,844	599	3,968	8,093	5,449	3,410	18,654	6,161
Montgomery.....	4,606	646	5,104	12,058	9,594	6,425	31,853	12,180
Owen.....	1,643	405	3,068	5,729	4,470	1,041	4,176	7,599
Parke.....	3,450	649	5,156	8,689	6,211	3,835	17,850	6,858
Putnam.....	3,489	635	5,190	10,386	8,510	4,451	23,450	8,626
Tippecanoe.....	4,814	731	6,110	12,873	5,327	5,023	23,101	9,961
Vermillion.....	2,232	417	2,848	6,985	1,654	1,823	9,037	5,231
Vigo.....	3,210	1,122	4,638	8,154	947	1,462	6,779	7,593
Warren.....	3,309	614	3,108	7,721	3,597	2,775	14,574	5,235
W. Central District.....	32,253	6,730	44,266	88,680	47,770	31,992	156,787	76,887
Bartholomew.....	3,163	1,928	5,444	9,420	2,721	2,673	15,256	8,456
Boone.....	4,520	285	7,124	13,774	9,348	7,763	29,144	12,868
Clinton.....	5,410	354	7,655	15,867	5,350	8,576	40,192	11,097
Decatur.....	3,581	990	5,571	12,640	4,259	5,033	26,599	7,822
Grant.....	3,105	398	6,938	13,801	9,841	7,299	38,345	14,466
Hamilton.....	4,208	305	8,849	15,487	6,728	6,762	32,256	13,585
Hancock.....	4,465	279	6,001	10,454	7,342	5,780	26,873	10,153
Hendricks.....	4,135	783	7,897	14,740	6,775	6,289	30,078	13,079
Howard.....	3,043	216	6,221	11,197	3,830	5,854	29,557	9,315
Johnson.....	5,364	794	9,062	20,036	7,626	6,853	40,028	12,324
Madison.....	4,348	281	8,403	14,416	6,081	6,657	31,821	11,895
Marion.....	2,522	355	4,296	6,687	2,005	1,738	8,317	5,812
Morgan.....	3,065	598	4,943	9,165	4,430	3,092	18,903	9,257
Rush.....	4,717	427	5,285	11,122	6,590	12,780	61,515	10,375
Shelby.....	5,204	541	7,945	13,198	5,058	5,043	26,034	9,945
Tipton.....	3,353	213	5,022	9,078	5,217	6,972	30,640	8,077
Central District.....	64,203	8,747	106,656	201,082	93,201	99,164	485,558	168,526

TABLE 11—Continued
Number of Livestock Assessed in Indiana in 1929

COUNTY	Horses	Mules	Milk Cows	Total Cattle	Sheep	Sows	Total Swine	Dozens Poultry
Blackford.....	1,585	86	2,365	5,549	5,948	1,893	10,805	5,611
Delaware.....	3,859	358	7,969	14,119	8,775	5,822	29,751	13,427
Fayette.....	1,849	335	2,760	5,463	4,636	5,538	25,901	4,431
Henry.....	3,890	346	7,247	14,108	7,141	7,704	38,484	11,180
Jay.....	3,004	262	5,361	10,967	13,501	3,709	20,609	14,112
Randolph.....	4,925	353	7,432	14,166	10,491	6,898	37,369	17,566
Union.....	1,718	330	2,611	4,740	3,250	5,138	18,801	3,302
Wayne.....	3,588	377	6,551	11,697	5,899	8,805	37,352	10,604
E. Central District.....	24,418	2,447	42,296	80,809	59,641	45,507	219,072	80,233
Daviess.....	3,744	1,926	6,162	10,671	2,749	2,544	14,007	11,069
Dubois.....	1,522	755	2,334	3,953	528	1,002	5,309	4,786
Gibson.....	3,536	2,380	4,760	8,888	3,143	3,535	18,632	9,514
Greene.....	3,413	1,499	5,309	9,907	4,286	1,979	9,184	13,808
Knox.....	3,388	2,892	5,391	9,291	1,497	3,966	20,739	10,493
Martin.....	1,431	837	3,240	5,702	1,502	822	3,973	5,479
Pike.....	2,808	1,195	2,857	5,234	1,679	1,472	8,864	8,408
Posey.....	2,181	3,061	3,007	5,068	2,007	2,814	11,874	5,008
Spencer.....	2,768	2,141	3,945	6,305	541	1,361	3,819	7,557
Sullivan.....	4,018	1,098	4,731	8,516	6,010	3,068	15,408	10,753
Vanderburg.....	1,607	2,207	3,343	5,001	216	452	3,472	5,711
Warrick.....	2,412	2,338	4,023	6,824	1,153	1,208	5,381	8,857
S. W. District.....	32,828	22,329	49,102	85,360	25,311	24,223	120,662	101,442
Brown.....	884	315	1,428	2,060	525	322	1,594	1,830
Crawford.....	1,404	776	2,599	4,022	1,358	376	1,824	5,717
Floyd.....	1,023	388	2,281	3,740	227	314	1,146	2,808
Harrison.....	3,201	779	5,548	9,931	1,927	1,035	6,749	12,324
Jackson.....	2,086	3,064	5,133	9,119	1,269	1,735	9,484	11,949
Lawrence.....	1,910	979	4,699	8,429	2,857	1,500	6,285	7,788
Monroe.....	1,983	639	3,301	7,235	2,220	634	4,397	6,007
Orange.....	1,797	853	4,393	8,063	2,207	1,199	5,381	3,970
Perry.....	2,169	1,167	2,855	5,144	847	705	4,411	5,811
Washington.....	3,033	1,654	6,423	11,611	4,935	2,150	10,910	11,254
S. Central District.....	19,490	10,614	38,660	69,354	18,352	10,060	52,181	69,458
Clark.....	2,175	1,104	5,273	9,517	3,387	1,247	6,890	6,340
Dearborn.....	2,391	775	7,345	11,017	1,820	1,011	3,635	7,921
Franklin.....	3,667	780	7,089	11,726	6,044	4,389	22,133	10,338
Jefferson.....	2,552	994	4,315	8,467	3,624	758	3,677	7,697
Jennings.....	2,205	870	3,815	6,276	2,012	1,293	5,365	5,899
Ohio.....	680	198	2,428	3,704	1,221	304	1,222	2,438
Ripley.....	3,752	1,077	7,867	11,909	2,116	1,742	6,394	14,000
Scott.....	1,280	581	1,728	2,815	638	381	1,922	4,240
Switzerland.....	1,847	414	4,780	6,964	2,957	428	1,856	5,247
S. E. District.....	20,549	6,793	44,640	72,395	23,819	11,553	53,094	64,120
State Total.....	303,582	67,496	517,518	954,431	484,060	325,936	1,577,530	852,948